

County Profiles

[Adair](#) / [Allen](#) / [Anderson](#) / [Ballard](#) / [Barren](#) / [Bath](#) / [Bell](#) / [Boone](#) / [Bourbon](#) / [Boyd](#) / [Boyle](#) / [Bracken](#) / [Breathitt](#) / [Breckinridge](#) / [Bullitt](#) / [Butler](#) / [Caldwell](#) / [Calloway](#) / [Campbell](#) / [Carlisle](#) / [Carroll](#) / [Carter](#) / [Casey](#) / [Christian](#) / [Clark](#) / [Clay](#) / [Clinton](#) / [Crittenden](#) / [Cumberland](#) / [Daviess](#) / [Edmonson](#) / [Elliott](#) / [Estill](#) / [Fayette](#) / [Fleming](#) / [Floyd](#) / [Franklin](#) / [Fulton](#) / [Gallatin](#) / [Garrard](#) / [Grant](#) / [Graves](#) / [Grayson](#) / [Green](#) / [Greenup](#) / [Hancock](#) / [Hardin](#) / [Harlan](#) / [Harrison](#) / [Hart](#) / [Henderson](#) / [Henry](#) / [Hickman](#) / [Hopkins](#) / [Jackson](#) / [Jefferson](#) / [Jessamine](#) / [Johnson](#) / [Kenton](#) / [Knott](#) / [Knox](#) / [Larue](#) / [Laurel](#) / [Lawrence](#) / [Lee](#) / [Leslie](#) / [Letcher](#) / [Lewis](#) / [Lincoln](#) / [Livingston](#) / [Logan](#) / [Lyon](#) / [Madison](#) / [Magoffin](#) / [Marion](#) / [Marshall](#) / [Martin](#) / [Mason](#) / [McCracken](#) / [McCreary](#) / [McLean](#) / [Meade](#) / [Menifee](#) / [Mercer](#) / [Metcalf](#) / [Monroe](#) / [Montgomery](#) / [Morgan](#) / [Muhlenberg](#) / [Nelson](#) / [Nicholas](#) / [Ohio](#) / [Oldham](#) / [Owen](#) / [Owsley](#) / [Pendleton](#) / [Perry](#) / [Pike](#) / [Powell](#) / [Pulaski](#) / [Robertson](#) / [Rockcastle](#) / [Rowan](#) / [Russell](#) / [Scott](#) / [Shelby](#) / [Simpson](#) / [Spencer](#) / [Taylor](#) / [Todd](#) / [Trigg](#) / [Trimble](#) / [Union](#) / [Warren](#) / [Washington](#) / [Wayne](#) / [Webster](#) / [Whitley](#) / [Wolfe](#) / [Woodford](#)

County Profile: Adair County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Adair	KY
Total Live Births	217	58,923
# of Childbearing Women (15-44)	3,482	868,294
# of Children (<18)	3,899	1,015,949
Maternal Race/Ethnicity (%)		
White	95.4	85.6
Black	1.8	9.3
Asian/Pacific Islander	0.9	1.5
Other	1.8	3.6
Hispanic	3.7	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.2	3.8
Mother's Age >=35	9.2	9.6
Mother < High School Education	19.8	20.6
Repeat Births to Teens	3.7	2.6

Repeat Births <12Months From Previous Birth	5.6	3.6
MCH SES Indicators		
Children Living in Poverty (%)	33.0	23.4
# of Children Enrolled in Medicaid	1,638	356,919
Median Household Income	30,169	41,489
Delivery Payment Source (%)		
Medicaid	54.4	45.1
Private	36.9	43.4
Other	8.7	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	68.1	75.5
Second Trimester Prenatal Care	23.0	19.3
Third Trimester Prenatal Care	8.0	3.9
No Prenatal Care	0.9	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.5	6.5
Gestational Diabetes	4.6	4.6
Pre-Pregnancy Obesity	24.0	26.6
Pre-Pregnancy Underweight	2.3	5.3
Smoking During Pregnancy	31.8	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.4	9.2
Very Low Birth Weight (<1500g)	1.8	1.5
Preterm Births (<37 weeks)	12.7	14.2

Late Preterm Births (34-36 weeks)	2.8	4.7
Infant Mortality (Rate per 1,000 live births)	---*	6.7
Method of Delivery (%)		
Vaginal Deliveries	65.0	64.8
Total C-Section Deliveries	35.0	35.2
Repeat C-Section	18.0	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	51.6	54.8
WIC Participation (%)	60.4	50.1
Children Indicators		
# of WIC Children 2-5 years	312	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	11.0	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	15.3	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	27	12,397
# Children Abused	34	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Allen County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Allen	KY

Total Live Births	268	58,923
# of Childbearing Women (15-44)	3,713	868,294
# of Children (<18)	4,605	1,015,949
Maternal Race/Ethnicity (%)		
White	97.8	85.6
Black	0.7	9.3
Asian/Pacific Islander	0.4	1.5
Other	1.1	3.6
Hispanic	1.9	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.4	3.8
Mother's Age >=35	9.7	9.6
Mother < High School Education	27.2	20.6
Repeat Births to Teens	2.2	2.6
Repeat Births <12Months From Previous Birth	3.8	3.6
MCH SES Indicators		
Children Living in Poverty (%)	27.5	23.4
# of Children Enrolled in Medicaid	1,712	356,919
Median Household Income	36,097	41,489
Delivery Payment Source (%)		
Medicaid	54.4	45.1
Private	36.9	43.4
Other	8.7	11.6
Prenatal Care Entry (%)		

First Trimester Prenatal Care	68.1	75.5
Second Trimester Prenatal Care	23.0	19.3
Third Trimester Prenatal Care	8.0	3.9
No Prenatal Care	0.9	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.5	6.5
Gestational Diabetes	4.6	4.6
Pre-Pregnancy Obesity	24.0	26.6
Pre-Pregnancy Underweight	2.3	5.3
Smoking During Pregnancy	31.8	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.4	9.2
Very Low Birth Weight (<1500g)	1.8	1.5
Preterm Births (<37 weeks)	12.7	14.2
Late Preterm Births (34-36 weeks)	2.8	4.7
Infant Mortality (Rate per 1,000 live births)	-- *	6.7
Method of Delivery (%)		
Vaginal Deliveries	65.0	64.8
Total C-Section Deliveries	35.0	35.2
Repeat C-Section	18.0	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	51.6	54.8
WIC Participation (%)	60.4	50.1
Children Indicators		

# of WIC Children 2-5 years	390	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	11.8	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	12.8	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	45	12,397
# Children Abused	66	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Anderson County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Anderson	KY
Total Live Births	299	58,923
# of Childbearing Women (15-44)	4,320	868,294
# of Children (<18)	5,386	1,015,949
Maternal Race/Ethnicity (%)		
White	95.0	85.6
Black	3.5	9.3
Asian/Pacific Islander	1.5	1.5
Other	0.3	3.6
Hispanic	0.7	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.0	3.8

Mother's Age >=35	10.7	9.6
Mother < High School Education	10.7	20.6
Repeat Births to Teens	1.0	2.6
Repeat Births <12Months From Previous Birth	3.7	3.6
MCH SES Indicators		
Children Living in Poverty (%)	13.2	23.4
# of Children Enrolled in Medicaid	1,260	356,919
Median Household Income	49,615	41,489
Delivery Payment Source (%)		
Medicaid	44.5	45.1
Private	54.2	43.4
Other	1.3	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	77.1	75.5
Second Trimester Prenatal Care	17.4	19.3
Third Trimester Prenatal Care	4.5	3.9
No Prenatal Care	1.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.7	6.5
Gestational Diabetes	5.7	4.6
Pre-Pregnancy Obesity	29.1	26.6
Pre-Pregnancy Underweight	2.7	5.3
Smoking During Pregnancy	23.4	25.3
Adverse Birth Outcomes (%)		

Low Birth Weight (<2500g)	8.0	9.2
Very Low Birth Weight (<1500g)	0.3	1.5
Preterm Births (<37 weeks)	14.4	14.2
Late Preterm Births (34-36 weeks)	7.4	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	65.2	64.8
Total C-Section Deliveries	34.8	35.2
Repeat C-Section	11.4	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	59.2	54.8
WIC Participation (%)	43.5	50.1
Children Indicators		
# of WIC Children 2-5 years	236	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	27.0	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	19.6	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	57	12,397
# Children Abused	54	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

County Profile: Ballard County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Ballard	KY
Total Live Births	99	58,923
# of Childbearing Women (15-44)	1,406	868,294
# of Children (<18)	1,824	1,015,949
Maternal Race/Ethnicity (%)		
White	99.0	85.6
Black	1.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.0	3.6
Hispanic	0.0	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.0	3.8
Mother's Age >=35	9.1	9.6
Mother < High School Education	21.2	20.6
Repeat Births to Teens	4.0	2.6
Repeat Births <12Months From Previous Birth	12.0	3.6
MCH SES Indicators		
Children Living in Poverty (%)	22.2	23.4
# of Children Enrolled in Medicaid	565	356,919
Median Household Income	36,776	41,489
Delivery Payment Source (%)		
Medicaid	52.6	45.1

Private	39.0	43.4
Other	8.4	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	84.2	75.5
Second Trimester Prenatal Care	9.5	19.3
Third Trimester Prenatal Care	0.0	3.9
No Prenatal Care	6.3	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	12.1	6.5
Gestational Diabetes	8.1	4.6
Pre-Pregnancy Obesity	36.8	26.6
Pre-Pregnancy Underweight	9.5	5.3
Smoking During Pregnancy	22.2	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	25.3	9.2
Very Low Birth Weight (<1500g)	14.1	1.5
Preterm Births (<37 weeks)	26.3	14.2
Late Preterm Births (34-36 weeks)	8.1	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	52.5	64.8
Total C-Section Deliveries	47.5	35.2
Repeat C-Section	9.1	12.3
Post-natal Nutrition		

Breastfeeding initiation (%)	34.7	54.8
WIC Participation (%)	49.5	50.1
Children Indicators		
# of WIC Children 2-5 years	102	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	21.0	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	10.9	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	15	12,397
# Children Abused	6	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Barren County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Barren	KY
Total Live Births	583	58,923
# of Childbearing Women (15-44)	7,842	868,294
# of Children (<18)	9,869	1,015,949
Maternal Race/Ethnicity (%)		
White	91.6	85.6
Black	4.3	9.3
Asian/Pacific Islander	0.5	1.5
Other	3.6	3.6

Hispanic	3.8	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.3	3.8
Mother's Age >=35	7.6	9.6
Mother < High School Education	28.1	20.6
Repeat Births to Teens	4.8	2.6
Repeat Births <12Months From Previous Birth	4.3	3.6
MCH SES Indicators		
Children Living in Poverty (%)	25.5	23.4
# of Children Enrolled in Medicaid	3,567	356,919
Median Household Income	36,155	41,489
Delivery Payment Source (%)		
Medicaid	55.8	45.1
Private	34.1	43.4
Other	10.1	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	64.8	75.5
Second Trimester Prenatal Care	27.8	19.3
Third Trimester Prenatal Care	6.4	3.9
No Prenatal Care	1.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.5	6.5
Gestational Diabetes	3.8	4.6
Pre-Pregnancy Obesity	31.2	26.6

Pre-Pregnancy Underweight	2.7	5.3
Smoking During Pregnancy	26.8	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.3	9.2
Very Low Birth Weight (<1500g)	1.5	1.5
Preterm Births (<37 weeks)	8.4	14.2
Late Preterm Births (34-36 weeks)	1.9	4.7
Infant Mortality (Rate per 1,000 live births)	9	6.7
Method of Delivery (%)		
Vaginal Deliveries	71.7	64.8
Total C-Section Deliveries	28.3	35.2
Repeat C-Section	12.0	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	48.5	54.8
WIC Participation (%)	60.6	50.1
Children Indicators		
# of WIC Children 2-5 years	686	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.5	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	18.5	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	114	12,397
# Children Abused	215	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Bath County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Bath	KY
Total Live Births	176	58,923
# of Childbearing Women (15-44)	2,247	868,294
# of Children (<18)	2,841	1,015,949
Maternal Race/Ethnicity (%)		
White	97.2	85.6
Black	1.7	9.3
Asian/Pacific Islander	0.0	1.5
Other	1.1	3.6
Hispanic	2.3	5.0
Maternal Characteristics (%)		
Mother's Age <18	8.0	3.8
Mother's Age >=35	4.6	9.6
Mother < High School Education	30.7	20.6
Repeat Births to Teens	1.1	2.6
Repeat Births <12Months From Previous Birth	1.1	3.6
MCH SES Indicators		
Children Living in Poverty (%)	38.4	23.4
# of Children Enrolled in Medicaid	1,553	356,919
Median Household Income	30,960	41,489

Delivery Payment Source (%)

Medicaid	65.3	45.1
Private	33.5	43.4
Other	1.1	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	83.7	75.5
Second Trimester Prenatal Care	13.3	19.3
Third Trimester Prenatal Care	2.4	3.9
No Prenatal Care	0.6	1.3

Adverse Birth Outcomes Risk Factors (%)

Gestational Hypertension	6.3	6.5
Gestational Diabetes	5.1	4.6
Pre-Pregnancy Obesity	29.6	26.6
Pre-Pregnancy Underweight	2.8	5.3
Smoking During Pregnancy	35.8	25.3

Adverse Birth Outcomes (%)

Low Birth Weight (<2500g)	10.2	9.2
Very Low Birth Weight (<1500g)	1.1	1.5
Preterm Births (<37 weeks)	14.4	14.2
Late Preterm Births (34-36 weeks)	6.3	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7

Method of Delivery (%)

Vaginal Deliveries	68.7	64.8
Total C-Section Deliveries	31.3	35.2

Repeat C-Section	10.8	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	29.0	54.8
WIC Participation (%)	65.3	50.1
Children Indicators		
# of WIC Children 2-5 years	254	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	20.8	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	22.9	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	52	12,397
# Children Abused	48	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Bell County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Bell	KY
Total Live Births	382	58,923
# of Childbearing Women (15-44)	5,985	868,294
# of Children (<18)	6,749	1,015,949
Maternal Race/Ethnicity (%)		
White	96.6	85.6

Black	2.6	9.3
Asian/Pacific Islander	0.3	1.5
Other	0.5	3.6
Hispanic	0.3	5.0
Maternal Characteristics (%)		
Mother's Age <18	6.3	3.8
Mother's Age >=35	7.1	9.6
Mother < High School Education	27.8	20.6
Repeat Births to Teens	4.2	2.6
Repeat Births <12Months From Previous Birth	6.7	3.6
MCH SES Indicators		
Children Living in Poverty (%)	41.8	23.4
# of Children Enrolled in Medicaid	4,140	356,919
Median Household Income	24,858	41,489
Delivery Payment Source (%)		
Medicaid	74.3	45.1
Private	23.6	43.4
Other	2.1	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	75.6	75.5
Second Trimester Prenatal Care	17.9	19.3
Third Trimester Prenatal Care	5.4	3.9
No Prenatal Care	1.1	1.3
Adverse Birth Outcomes Risk Factors (%)		

Gestational Hypertension	5.5	6.5
Gestational Diabetes	3.1	4.6
Pre-Pregnancy Obesity	28.3	26.6
Pre-Pregnancy Underweight	5.5	5.3
Smoking During Pregnancy	39.0	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.2	9.2
Very Low Birth Weight (<1500g)	2.6	1.5
Preterm Births (<37 weeks)	17.0	14.2
Late Preterm Births (34-36 weeks)	7.3	4.7
Infant Mortality (Rate per 1,000 live births)	7.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	55.5	64.8
Total C-Section Deliveries	44.5	35.2
Repeat C-Section	14.1	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	33.0	54.8
WIC Participation (%)	82.7	50.1
Children Indicators		
# of WIC Children 2-5 years	900	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.6	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	19.4	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	55	12,397
# Children Abused	132	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Boone County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Boone	KY
Total Live Births	1,480	58,923
# of Childbearing Women (15-44)	24,239	868,294
# of Children (<18)	31,166	1,015,949
Maternal Race/Ethnicity (%)		
White	89.2	85.6
Black	3.1	9.3
Asian/Pacific Islander	3.0	1.5
Other	4.7	3.6
Hispanic	6.2	5.0
Maternal Characteristics (%)		
Mother's Age <18	2.5	3.8
Mother's Age >=35	14.8	9.6
Mother < High School Education	13.7	20.6
Repeat Births to Teens	1.0	2.6
Repeat Births <12Months From Previous Birth	4.2	3.6
MCH SES Indicators		

Children Living in Poverty (%)	8.0	23.4
# of Children Enrolled in Medicaid	4,831	356,919
Median Household Income	66,178	41,489
Delivery Payment Source (%)		
Medicaid	31.2	45.1
Private	65.2	43.4
Other	3.6	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	68.7	75.5
Second Trimester Prenatal Care	26.4	19.3
Third Trimester Prenatal Care	4.4	3.9
No Prenatal Care	0.5	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.7	6.5
Gestational Diabetes	5.4	4.6
Pre-Pregnancy Obesity	21.4	26.6
Pre-Pregnancy Underweight	4.3	5.3
Smoking During Pregnancy	19.8	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	6.8	9.2
Very Low Birth Weight (<1500g)	0.5	1.5
Preterm Births (<37 weeks)	11.1	14.2
Late Preterm Births (34-36 weeks)	4.4	4.7
Infant Mortality (Rate per 1,000 live births)	6.0	6.7

Method of Delivery (%)

Vaginal Deliveries	63.0	64.8
Total C-Section Deliveries	37.0	35.2
Repeat C-Section	13.6	12.3

Post-natal Nutrition

Breastfeeding initiation (%)	67.6	54.8
WIC Participation (%)	26.8	50.1

Children Indicators

# of WIC Children 2-5 years	1,091	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.0	16.6
Obese (\geq 95 th) WIC Children 2-5 years (%)	13.9	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	54	12,397
# Children Abused	117	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008
US Census Bureau, Population Estimates Program, 2008
Vital Statistics, 2008
National Center for Health Statistics, National Vital Statistics Report 2007
PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)
Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Bourbon County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Bourbon	KY
Total Live Births	266	58,923
# of Childbearing Women (15-44)	3,578	868,294
# of Children (<18)	4,759	1,015,949

Maternal Race/Ethnicity (%)

White	80.1	85.6
Black	8.3	9.3
Asian/Pacific Islander	1.1	1.5
Other	10.5	3.6
Hispanic	11.3	5.0

Maternal Characteristics (%)

Mother's Age <18	4.9	3.8
Mother's Age >=35	9.4	9.6
Mother < High School Education	26.3	20.6
Repeat Births to Teens	2.6	2.6
Repeat Births <12Months From Previous Birth	1.5	3.6

MCH SES Indicators

Children Living in Poverty (%)	21.1	23.4
# of Children Enrolled in Medicaid	1,617	356,919
Median Household Income	41,220	41,489

Delivery Payment Source (%)

Medicaid	51.1	45.1
Private	39.9	43.4
Other	9.0	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	70.6	75.5
Second Trimester Prenatal Care	22.1	19.3
Third Trimester Prenatal Care	5.4	3.9

No Prenatal Care	1.9	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	10.2	6.5
Gestational Diabetes	7.5	4.6
Pre-Pregnancy Obesity	30.5	26.6
Pre-Pregnancy Underweight	2.6	5.3
Smoking During Pregnancy	34.6	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	6.4	9.2
Very Low Birth Weight (<1500g)	1.5	1.5
Preterm Births (<37 weeks)	10.2	14.2
Late Preterm Births (34-36 weeks)	3.0	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	65.8	64.8
Total C-Section Deliveries	34.2	35.2
Repeat C-Section	12.8	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	57.1	54.8
WIC Participation (%)	57.9	50.1
Children Indicators		
# of WIC Children 2-5 years	266	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	23.5	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	20.2	15.7

# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	53	12,397
# Children Abused	45	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Boyd County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Boyd	KY
Total Live Births	607	58,923
# of Childbearing Women (15-44)	8,953	868,294
# of Children (<18)	10,609	1,015,949
Maternal Race/Ethnicity (%)		
White	97.7	85.6
Black	1.3	9.3
Asian/Pacific Islander	0.3	1.5
Other	0.7	3.6
Hispanic	1.5	5.0
Maternal Characteristics (%)		
Mother's Age <18	2.3	3.8
Mother's Age >=35	10.2	9.6
Mother < High School Education	16.3	20.6
Repeat Births to Teens	2.5	2.6

Repeat Births <12Months From Previous Birth	4.0	3.6
MCH SES Indicators		
Children Living in Poverty (%)	24.0	23.4
# of Children Enrolled in Medicaid	4,358	356,919
Median Household Income	38,255	41,489
Delivery Payment Source (%)		
Medicaid	63.4	45.1
Private	34.2	43.4
Other	2.4	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	75.9	75.5
Second Trimester Prenatal Care	15.2	19.3
Third Trimester Prenatal Care	3.9	3.9
No Prenatal Care	4.6	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	3.3	6.5
Gestational Diabetes	1.7	4.6
Pre-Pregnancy Obesity	27.6	26.6
Pre-Pregnancy Underweight	3.3	5.3
Smoking During Pregnancy	32.1	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	11.0	9.2
Very Low Birth Weight (<1500g)	1.5	1.5
Preterm Births (<37 weeks)	16.8	14.2

Late Preterm Births (34-36 weeks)	4.8	4.7
Infant Mortality (Rate per 1,000 live births)	7.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	61.0	64.8
Total C-Section Deliveries	39.0	35.2
Repeat C-Section	10.2	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	46.3	54.8
WIC Participation (%)	56.3	50.1
Children Indicators		
# of WIC Children 2-5 years	648	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.4	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	15.6	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	357	12,397
# Children Abused	247	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Boyle County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Boyle	KY

Total Live Births	305	58,923
# of Childbearing Women (15-44)	5,432	868,294
# of Children (<18)	6,390	1,015,949
Maternal Race/Ethnicity (%)		
White	82.6	85.6
Black	11.8	9.3
Asian/Pacific Islander	2.0	1.5
Other	3.6	3.6
Hispanic	4.6	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.9	3.8
Mother's Age >=35	8.8	9.6
Mother < High School Education	18.4	20.6
Repeat Births to Teens	0.7	2.6
Repeat Births <12Months From Previous Birth	1.2	3.6
MCH SES Indicators		
Children Living in Poverty (%)	20.5	23.4
# of Children Enrolled in Medicaid	2,077	356,919
Median Household Income	40,127	41,489
Delivery Payment Source (%)		
Medicaid	57.4	45.1
Private	38.0	43.4
Other	4.6	11.6
Prenatal Care Entry (%)		

First Trimester Prenatal Care	73.6	75.5
Second Trimester Prenatal Care	21.3	19.3
Third Trimester Prenatal Care	5.1	3.9
No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.9	6.5
Gestational Diabetes	4.6	4.6
Pre-Pregnancy Obesity	27.5	26.6
Pre-Pregnancy Underweight	3.9	5.3
Smoking During Pregnancy	34.1	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.2	9.2
Very Low Birth Weight (<1500g)	1.3	1.5
Preterm Births (<37 weeks)	7.3	14.2
Late Preterm Births (34-36 weeks)	2.0	4.7
Infant Mortality (Rate per 1,000 live births)	9.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	58.4	64.8
Total C-Section Deliveries	41.6	35.2
Repeat C-Section	12.1	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	54.1	54.8
WIC Participation (%)	61.9	50.1
Children Indicators		

# of WIC Children 2-5 years	326	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	14.5	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	13.0	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	105	12,397
# Children Abused	116	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Bracken County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Bracken	KY
Total Live Births	113	58,923
# of Childbearing Women (15-44)	1,629	868,294
# of Children (<18)	2,154	1,015,949
Maternal Race/Ethnicity (%)		
White	96.5	85.6
Black	0.9	9.3
Asian/Pacific Islander	0.0	1.5
Other	2.6	3.6
Hispanic	2.6	5.0
Maternal Characteristics (%)		
Mother's Age <18	2.6	3.8

Mother's Age >=35	3.5	9.6
Mother < High School Education	15.0	20.6
Repeat Births to Teens	2.6	2.6
Repeat Births <12Months From Previous Birth	5.0	3.6
MCH SES Indicators		
Children Living in Poverty (%)	19.3	23.4
# of Children Enrolled in Medicaid	801	356,919
Median Household Income	39,366	41,489
Delivery Payment Source (%)		
Medicaid	51.3	45.1
Private	45.1	43.4
Other	3.5	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	63.5	75.5
Second Trimester Prenatal Care	27.1	19.3
Third Trimester Prenatal Care	8.4	3.9
No Prenatal Care	1.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	12.4	6.5
Gestational Diabetes	2.6	4.6
Pre-Pregnancy Obesity	27.4	26.6
Pre-Pregnancy Underweight	1.8	5.3
Smoking During Pregnancy	24.8	25.3
Adverse Birth Outcomes (%)		

Low Birth Weight (<2500g)	8.0	9.2
Very Low Birth Weight (<1500g)	3.5	1.5
Preterm Births (<37 weeks)	14.0	14.2
Late Preterm Births (34-36 weeks)	6.2	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	60.2	64.8
Total C-Section Deliveries	39.8	35.2
Repeat C-Section	7.1	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	45.1	54.8
WIC Participation (%)	58.4	50.1
Children Indicators		
# of WIC Children 2-5 years	149	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	33.3	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	18.4	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	23	12,397
# Children Abused	14	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

County Profile: Breathitt County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Breathitt	KY
Total Live Births	189	58,923
# of Childbearing Women (15-44)	2,939	868,294
# of Children (<18)	3,597	1,015,949
Maternal Race/Ethnicity (%)		
White	99.5	85.6
Black	0.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.5	3.6
Hispanic	0.5	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.8	3.8
Mother's Age >=35	8.5	9.6
Mother < High School Education	31.2	20.6
Repeat Births to Teens	1.6	2.6
Repeat Births <12Months From Previous Birth	2.8	3.6
MCH SES Indicators		
Children Living in Poverty (%)	44.7	23.4
# of Children Enrolled in Medicaid	2,278	356,919
Median Household Income	24,162	41,489
Delivery Payment Source (%)		
Medicaid	74.6	45.1

Private	23.3	43.4
Other	2.1	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	67.8	75.5
Second Trimester Prenatal Care	26.1	19.3
Third Trimester Prenatal Care	5.5	3.9
No Prenatal Care	0.6	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.9	6.5
Gestational Diabetes	7.4	4.6
Pre-Pregnancy Obesity	29.1	26.6
Pre-Pregnancy Underweight	3.7	5.3
Smoking During Pregnancy	42.9	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	11.1	9.2
Very Low Birth Weight (<1500g)	1.6	1.5
Preterm Births (<37 weeks)	14.6	14.2
Late Preterm Births (34-36 weeks)	4.8	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	57.1	64.8
Total C-Section Deliveries	42.9	35.2
Repeat C-Section	15.3	12.3
Post-natal Nutrition		

Breastfeeding initiation (%)	32.3	54.8
WIC Participation (%)	76.2	50.1
Children Indicators		
# of WIC Children 2-5 years	379	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	15.1	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	17.3	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	16	12,397
# Children Abused	85	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Breckinridge County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Breckinridge	KY
Total Live Births	238	58,923
# of Childbearing Women (15-44)	3,406	868,294
# of Children (<18)	4,688	1,015,949
Maternal Race/Ethnicity (%)		
White	97.5	85.6
Black	1.7	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.8	3.6

Hispanic	0.0	5.0
Maternal Characteristics (%)		
Mother's Age <18	2.9	3.8
Mother's Age >=35	9.7	9.6
Mother < High School Education	26.0	20.6
Repeat Births to Teens	1.7	2.6
Repeat Births <12Months From Previous Birth	2.1	3.6
MCH SES Indicators		
Children Living in Poverty (%)	27.0	23.4
# of Children Enrolled in Medicaid	1,737	356,919
Median Household Income	39,128	41,489
Delivery Payment Source (%)		
Medicaid	8.8	45.1
Private	43.7	43.4
Other	47.5	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	70.5	75.5
Second Trimester Prenatal Care	22.2	19.3
Third Trimester Prenatal Care	6.0	3.9
No Prenatal Care	1.3	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.5	6.5
Gestational Diabetes	6.3	4.6
Pre-Pregnancy Obesity	32.8	26.6

Pre-Pregnancy Underweight	6.7	5.3
Smoking During Pregnancy	29.0	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	6.3	9.2
Very Low Birth Weight (<1500g)	0.0	1.5
Preterm Births (<37 weeks)	15.7	14.2
Late Preterm Births (34-36 weeks)	4.6	4.7
Infant Mortality (Rate per 1,000 live births)	11.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	72.7	64.8
Total C-Section Deliveries	27.3	35.2
Repeat C-Section	8.4	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	50.4	54.8
WIC Participation (%)	46.6	50.1
Children Indicators		
# of WIC Children 2-5 years	321	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	15.5	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	12.6	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	81	12,397
# Children Abused	39	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Bullitt County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Bullitt	KY
Total Live Births	727	58,923
# of Childbearing Women (15-44)	15,691	868,294
# of Children (<18)	18,014	1,015,949
Maternal Race/Ethnicity (%)		
White	98.1	85.6
Black	0.7	9.3
Asian/Pacific Islander	0.1	1.5
Other	1.1	3.6
Hispanic	1.9	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.3	3.8
Mother's Age >=35	10.4	9.6
Mother < High School Education	13.6	20.6
Repeat Births to Teens	1.8	2.6
Repeat Births <12Months From Previous Birth	4.1	3.6
MCH SES Indicators		
Children Living in Poverty (%)	13.3	23.4
# of Children Enrolled in Medicaid	4,199	356,919
Median Household Income	53,284	41,489

Delivery Payment Source (%)

Medicaid	27.9	45.1
Private	64.2	43.4
Other	7.8	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	84.5	75.5
Second Trimester Prenatal Care	12.3	19.3
Third Trimester Prenatal Care	2.5	3.9
No Prenatal Care	0.7	1.3

Adverse Birth Outcomes Risk Factors (%)

Gestational Hypertension	5.9	6.5
Gestational Diabetes	2.7	4.6
Pre-Pregnancy Obesity	27.9	26.6
Pre-Pregnancy Underweight	3.8	5.3
Smoking During Pregnancy	23.5	25.3

Adverse Birth Outcomes (%)

Low Birth Weight (<2500g)	8.1	9.2
Very Low Birth Weight (<1500g)	1.8	1.5
Preterm Births (<37 weeks)	13.5	14.2
Late Preterm Births (34-36 weeks)	5.0	4.7
Infant Mortality (Rate per 1,000 live births)	10.0	6.7

Method of Delivery (%)

Vaginal Deliveries	69.5	64.8
Total C-Section Deliveries	30.5	35.2

Repeat C-Section	10.3	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	64.1	54.8
WIC Participation (%)	29.6	50.1
Children Indicators		
# of WIC Children 2-5 years	665	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	18.7	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	15.7	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	138	12,397
# Children Abused	90	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Butler County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Butler	KY
Total Live Births	156	58,923
# of Childbearing Women (15-44)	2,651	868,294
# of Children (<18)	3,067	1,015,949
Maternal Race/Ethnicity (%)		
White	92.3	85.6

Black	0.0	9.3
Asian/Pacific Islander	1.3	1.5
Other	6.4	3.6
Hispanic	7.7	5.0
Maternal Characteristics (%)		
Mother's Age <18	5.8	3.8
Mother's Age >=35	7.7	9.6
Mother < High School Education	26.9	20.6
Repeat Births to Teens	1.3	2.6
Repeat Births <12Months From Previous Birth	5.2	3.6
MCH SES Indicators		
Children Living in Poverty (%)	26.6	23.4
# of Children Enrolled in Medicaid	1,266	356,919
Median Household Income	35,917	41,489
Delivery Payment Source (%)		
Medicaid	51.9	45.1
Private	39.7	43.4
Other	8.3	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	65.8	75.5
Second Trimester Prenatal Care	24.5	19.3
Third Trimester Prenatal Care	7.7	3.9
No Prenatal Care	1.9	1.3
Adverse Birth Outcomes Risk Factors (%)		

Gestational Hypertension	10.9	6.5
Gestational Diabetes	5.8	4.6
Pre-Pregnancy Obesity	25.0	26.6
Pre-Pregnancy Underweight	8.3	5.3
Smoking During Pregnancy	28.8	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.3	9.2
Very Low Birth Weight (<1500g)	0.6	1.5
Preterm Births (<37 weeks)	15.9	14.2
Late Preterm Births (34-36 weeks)	4.5	4.7
Infant Mortality (Rate per 1,000 live births)	16.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	70.5	64.8
Total C-Section Deliveries	29.5	35.2
Repeat C-Section	9.0	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	59.6	54.8
WIC Participation (%)	67.3	50.1
Children Indicators		
# of WIC Children 2-5 years	246	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	19.1	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	21.6	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	43	12,397
# Children Abused	54	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Caldwell County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Caldwell	KY
Total Live Births	169	58,923
# of Childbearing Women (15-44)	2,362	868,294
# of Children (<18)	2,769	1,015,949
Maternal Race/Ethnicity (%)		
White	91.1	85.6
Black	7.1	9.3
Asian/Pacific Islander	0.6	1.5
Other	1.2	3.6
Hispanic	0.0	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.1	3.8
Mother's Age >=35	4.7	9.6
Mother < High School Education	18.9	20.6
Repeat Births to Teens	4.7	2.6
Repeat Births <12Months From Previous Birth	4.1	3.6
MCH SES Indicators		

Children Living in Poverty (%)	23.4	23.4
# of Children Enrolled in Medicaid	1,062	356,919
Median Household Income	35,697	41,489
Delivery Payment Source (%)		
Medicaid	61.5	45.1
Private	34.9	43.4
Other	3.6	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	79.6	75.5
Second Trimester Prenatal Care	16.2	19.3
Third Trimester Prenatal Care	3.6	3.9
No Prenatal Care	0.6	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	1.8	6.5
Gestational Diabetes	2.4	4.6
Pre-Pregnancy Obesity	37.9	26.6
Pre-Pregnancy Underweight	5.3	5.3
Smoking During Pregnancy	30.2	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.5	9.2
Very Low Birth Weight (<1500g)	1.8	1.5
Preterm Births (<37 weeks)	18.5	14.2
Late Preterm Births (34-36 weeks)	7.1	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7

Method of Delivery (%)

Vaginal Deliveries	65.1	64.8
Total C-Section Deliveries	34.9	35.2
Repeat C-Section	15.4	12.3

Post-natal Nutrition

Breastfeeding initiation (%)	46.1	54.8
WIC Participation (%)	66.3	50.1

Children Indicators

# of WIC Children 2-5 years	218	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	14.6	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	13.6	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	9	12,397
# Children Abused	25	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008
US Census Bureau, Population Estimates Program, 2008
Vital Statistics, 2008
National Center for Health Statistics, National Vital Statistics Report 2007
PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)
Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Calloway County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Calloway	KY
Total Live Births	402	58,923
# of Childbearing Women (15-44)	8,472	868,294
# of Children (<18)	6,486	1,015,949

Maternal Race/Ethnicity (%)

White	91.8	85.6
Black	2.7	9.3
Asian/Pacific Islander	1.2	1.5
Other	4.2	3.6
Hispanic	5.0	5.0

Maternal Characteristics (%)

Mother's Age <18	2.2	3.8
Mother's Age >=35	9.9	9.6
Mother < High School Education	11.7	20.6
Repeat Births to Teens	2.0	2.6
Repeat Births <12Months From Previous Birth	4.3	3.6

MCH SES Indicators

Children Living in Poverty (%)	20.9	23.4
# of Children Enrolled in Medicaid	1,995	356,919
Median Household Income	36,284	41,489

Delivery Payment Source (%)

Medicaid	50.0	45.1
Private	44.5	43.4
Other	5.5	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	81.9	75.5
Second Trimester Prenatal Care	13.3	19.3
Third Trimester Prenatal Care	4.3	3.9

No Prenatal Care	0.5	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	9.4	6.5
Gestational Diabetes	3.7	4.6
Pre-Pregnancy Obesity	25.4	26.6
Pre-Pregnancy Underweight	3.2	5.3
Smoking During Pregnancy	22.1	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.2	9.2
Very Low Birth Weight (<1500g)	2.5	1.5
Preterm Births (<37 weeks)	12.2	14.2
Late Preterm Births (34-36 weeks)	4.0	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	63.9	64.8
Total C-Section Deliveries	36.1	35.2
Repeat C-Section	12.4	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	65.7	54.8
WIC Participation (%)	53.0	50.1
Children Indicators		
# of WIC Children 2-5 years	455	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	18.0	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	12.2	15.7

# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	79	12,397
# Children Abused	76	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Campbell County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Campbell	KY
Total Live Births	796	58,923
# of Childbearing Women (15-44)	18,935	868,294
# of Children (<18)	20,302	1,015,949
Maternal Race/Ethnicity (%)		
White	95.0	85.6
Black	2.0	9.3
Asian/Pacific Islander	0.6	1.5
Other	2.4	3.6
Hispanic	2.5	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.8	3.8
Mother's Age >=35	6.3	9.6
Mother < High School Education	20.3	20.6
Repeat Births to Teens	3.6	2.6

Repeat Births <12Months From Previous Birth	4.9	3.6
MCH SES Indicators		
Children Living in Poverty (%)	15.6	23.4
# of Children Enrolled in Medicaid	4,730	356,919
Median Household Income	50,566	41,489
Delivery Payment Source (%)		
Medicaid	46.2	45.1
Private	51.1	43.4
Other	2.6	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	67.2	75.5
Second Trimester Prenatal Care	27.8	19.3
Third Trimester Prenatal Care	4.0	3.9
No Prenatal Care	1.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.4	6.5
Gestational Diabetes	6.0	4.6
Pre-Pregnancy Obesity	21.7	26.6
Pre-Pregnancy Underweight	4.4	5.3
Smoking During Pregnancy	31.5	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	6.4	9.2
Very Low Birth Weight (<1500g)	0.2	1.5
Preterm Births (<37 weeks)	11.8	14.2

Late Preterm Births (34-36 weeks)	4.0	4.7
Infant Mortality (Rate per 1,000 live births)	11.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	64.3	64.8
Total C-Section Deliveries	35.7	35.2
Repeat C-Section	13.1	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	51.5	54.8
WIC Participation (%)	42.1	50.1
Children Indicators		
# of WIC Children 2-5 years	828	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	10.4	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	9.2	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	464	12,397
# Children Abused	191	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Carlisle County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Carlisle	KY

Total Live Births	63	58,923
# of Childbearing Women (15-44)	861	868,294
# of Children (<18)	1,145	1,015,949
Maternal Race/Ethnicity (%)		
White	93.6	85.6
Black	3.2	9.3
Asian/Pacific Islander	0.0	1.5
Other	3.2	3.6
Hispanic	1.6	5.0
Maternal Characteristics (%)		
Mother's Age <18	1.6	3.8
Mother's Age >=35	7.9	9.6
Mother < High School Education	20.6	20.6
Repeat Births to Teens	0.0	2.6
Repeat Births <12Months From Previous Birth	0.0	3.6
MCH SES Indicators		
Children Living in Poverty (%)	23.4	23.4
# of Children Enrolled in Medicaid	399	356,919
Median Household Income	36,545	41,489
Delivery Payment Source (%)		
Medicaid	57.1	45.1
Private	38.1	43.4
Other	4.8	11.6
Prenatal Care Entry (%)		

First Trimester Prenatal Care	80.6	75.5
Second Trimester Prenatal Care	12.9	19.3
Third Trimester Prenatal Care	1.6	3.9
No Prenatal Care	4.8	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	9.5	6.5
Gestational Diabetes	0.0	4.6
Pre-Pregnancy Obesity	28.6	26.6
Pre-Pregnancy Underweight	3.2	5.3
Smoking During Pregnancy	22.2	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.5	9.2
Very Low Birth Weight (<1500g)	1.6	1.5
Preterm Births (<37 weeks)	12.0	14.2
Late Preterm Births (34-36 weeks)	4.8	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	69.8	64.8
Total C-Section Deliveries	30.2	35.2
Repeat C-Section	14.3	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	50.8	54.8
WIC Participation (%)	61.9	50.1
Children Indicators		

# of WIC Children 2-5 years	111	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	23.1	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	18.3	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	7	12,397
# Children Abused	10	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Carroll County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Carroll	KY
Total Live Births	189	58,923
# of Childbearing Women (15-44)	2,071	868,294
# of Children (<18)	2,644	1,015,949
Maternal Race/Ethnicity (%)		
White	88.4	85.6
Black	2.6	9.3
Asian/Pacific Islander	0.0	1.5
Other	9.0	3.6
Hispanic	11.6	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.8	3.8

Mother's Age >=35	5.3	9.6
Mother < High School Education	28.6	20.6
Repeat Births to Teens	4.8	2.6
Repeat Births <12Months From Previous Birth	2.6	3.6
MCH SES Indicators		
Children Living in Poverty (%)	21.9	23.4
# of Children Enrolled in Medicaid	1,056	356,919
Median Household Income	43,720	41,489
Delivery Payment Source (%)		
Medicaid	49.2	45.1
Private	36.0	43.4
Other	14.8	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	66.7	75.5
Second Trimester Prenatal Care	24.9	19.3
Third Trimester Prenatal Care	7.4	3.9
No Prenatal Care	1.1	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	8.5	6.5
Gestational Diabetes	5.3	4.6
Pre-Pregnancy Obesity	20.6	26.6
Pre-Pregnancy Underweight	9.0	5.3
Smoking During Pregnancy	31.2	25.3
Adverse Birth Outcomes (%)		

Low Birth Weight (<2500g)	5.8	9.2
Very Low Birth Weight (<1500g)	0.0	1.5
Preterm Births (<37 weeks)	11.8	14.2
Late Preterm Births (34-36 weeks)	3.2	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	63.5	64.8
Total C-Section Deliveries	36.5	35.2
Repeat C-Section	13.8	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	43.4	54.8
WIC Participation (%)	51.3	50.1
Children Indicators		
# of WIC Children 2-5 years	239	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	19.1	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	20.7	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	16	12,397
# Children Abused	42	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

County Profile: Carter County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Carter	KY
Total Live Births	367	58,923
# of Childbearing Women (15-44)	5,571	868,294
# of Children (<18)	6,410	1,015,949
Maternal Race/Ethnicity (%)		
White	98.4	85.6
Black	0.5	9.3
Asian/Pacific Islander	0.3	1.5
Other	0.8	3.6
Hispanic	0.5	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.5	3.8
Mother's Age >=35	7.4	9.6
Mother < High School Education	18.3	20.6
Repeat Births to Teens	1.6	2.6
Repeat Births <12Months From Previous Birth	2.5	3.6
MCH SES Indicators		
Children Living in Poverty (%)	29.9	23.4
# of Children Enrolled in Medicaid	3,283	356,919
Median Household Income	33,435	41,489
Delivery Payment Source (%)		
Medicaid	68.0	45.1

Private	29.3	43.4
Other	2.7	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	74.4	75.5
Second Trimester Prenatal Care	17.4	19.3
Third Trimester Prenatal Care	3.8	3.9
No Prenatal Care	4.4	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	3.8	6.5
Gestational Diabetes	1.4	4.6
Pre-Pregnancy Obesity	34.0	26.6
Pre-Pregnancy Underweight	4.7	5.3
Smoking During Pregnancy	34.9	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.3	9.2
Very Low Birth Weight (<1500g)	1.9	1.5
Preterm Births (<37 weeks)	16.0	14.2
Late Preterm Births (34-36 weeks)	5.7	4.7
Infant Mortality (Rate per 1,000 live births)	8.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	59.7	64.8
Total C-Section Deliveries	39.8	35.2
Repeat C-Section	10.6	12.3
Post-natal Nutrition		

Breastfeeding initiation (%)	39.3	54.8
WIC Participation (%)	71.9	50.1
Children Indicators		
# of WIC Children 2-5 years	703	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.7	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	17.2	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	99	12,397
# Children Abused	246	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Casey County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Casey	KY
Total Live Births	195	58,923
# of Childbearing Women (15-44)	2,997	868,294
# of Children (<18)	3,962	1,015,949
Maternal Race/Ethnicity (%)		
White	96.9	85.6
Black	0.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	3.1	3.6

Hispanic	3.6	5.0
Maternal Characteristics (%)		
Mother's Age <18	7.2	3.8
Mother's Age >=35	8.7	9.6
Mother < High School Education	33.3	20.6
Repeat Births to Teens	2.6	2.6
Repeat Births <12Months From Previous Birth	0.0	3.6
MCH SES Indicators		
Children Living in Poverty (%)	37.2	23.4
# of Children Enrolled in Medicaid	1,813	356,919
Median Household Income	26,827	41,489
Delivery Payment Source (%)		
Medicaid	61.0	45.1
Private	24.1	43.4
Other	14.9	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	75.7	75.5
Second Trimester Prenatal Care	14.6	19.3
Third Trimester Prenatal Care	9.2	3.9
No Prenatal Care	0.5	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	9.2	6.5
Gestational Diabetes	6.1	4.6
Pre-Pregnancy Obesity	24.6	26.6

Pre-Pregnancy Underweight	5.1	5.3
Smoking During Pregnancy	35.4	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.7	9.2
Very Low Birth Weight (<1500g)	2.6	1.5
Preterm Births (<37 weeks)	14.1	14.2
Late Preterm Births (34-36 weeks)	5.6	4.7
Infant Mortality (Rate per 1,000 live births)	11.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	64.6	64.8
Total C-Section Deliveries	35.4	35.2
Repeat C-Section	10.3	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	45.1	54.8
WIC Participation (%)	64.6	50.1
Children Indicators		
# of WIC Children 2-5 years	292	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	13.4	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	15.2	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	9	12,397
# Children Abused	17	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Christian County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Christian	KY
Total Live Births	1,495	58,923
# of Childbearing Women (15-44)	16,966	868,294
# of Children (<18)	23,410	1,015,949
Maternal Race/Ethnicity (%)		
White	73.2	85.6
Black	20.9	9.3
Asian/Pacific Islander	1.1	1.5
Other	4.8	3.6
Hispanic	7.4	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.5	3.8
Mother's Age >=35	6.3	9.6
Mother < High School Education	18.5	20.6
Repeat Births to Teens	4.1	2.6
Repeat Births <12Months From Previous Birth	4.1	3.6
MCH SES Indicators		
Children Living in Poverty (%)	29.0	23.4
# of Children Enrolled in Medicaid	5,784	356,919
Median Household Income	37,775	41,489

Delivery Payment Source (%)

Medicaid	28.9	45.1
Private	17.1	43.4
Other	54.0	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	74.8	75.5
Second Trimester Prenatal Care	20.0	19.3
Third Trimester Prenatal Care	4.4	3.9
No Prenatal Care	0.7	1.3

Adverse Birth Outcomes Risk Factors (%)

Gestational Hypertension	6.1	6.5
Gestational Diabetes	2.9	4.6
Pre-Pregnancy Obesity	23.2	26.6
Pre-Pregnancy Underweight	4.0	5.3
Smoking During Pregnancy	20.2	25.3

Adverse Birth Outcomes (%)

Low Birth Weight (<2500g)	10.1	9.2
Very Low Birth Weight (<1500g)	1.9	1.5
Preterm Births (<37 weeks)	14.9	14.2
Late Preterm Births (34-36 weeks)	6.4	4.7
Infant Mortality (Rate per 1,000 live births)	6.0	6.7

Method of Delivery (%)

Vaginal Deliveries	66.6	64.8
Total C-Section Deliveries	33.4	35.2

Repeat C-Section	10.0	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	34.9	54.8
WIC Participation (%)	62.6	50.1
Children Indicators		
# of WIC Children 2-5 years	2,099	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	13.2	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	9.4	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	121	12,397
# Children Abused	206	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Clark County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Clark	KY
Total Live Births	451	58,923
# of Childbearing Women (15-44)	7,193	868,294
# of Children (<18)	8,338	1,015,949
Maternal Race/Ethnicity (%)		
White	90.0	85.6

Black	6.0	9.3
Asian/Pacific Islander	0.4	1.5
Other	3.6	3.6
Hispanic	4.0	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.5	3.8
Mother's Age >=35	10.6	9.6
Mother < High School Education	20.8	20.6
Repeat Births to Teens	2.4	2.6
Repeat Births <12Months From Previous Birth	2.8	3.6
MCH SES Indicators		
Children Living in Poverty (%)	21.4	23.4
# of Children Enrolled in Medicaid	3,155	356,919
Median Household Income	44,907	41,489
Delivery Payment Source (%)		
Medicaid	50.0	45.1
Private	43.6	43.4
Other	6.4	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	82.2	75.5
Second Trimester Prenatal Care	12.8	19.3
Third Trimester Prenatal Care	3.3	3.9
No Prenatal Care	1.7	1.3
Adverse Birth Outcomes Risk Factors (%)		

Gestational Hypertension	7.1	6.5
Gestational Diabetes	8.0	4.6
Pre-Pregnancy Obesity	24.4	26.6
Pre-Pregnancy Underweight	3.8	5.3
Smoking During Pregnancy	25.5	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.9	9.2
Very Low Birth Weight (<1500g)	1.3	1.5
Preterm Births (<37 weeks)	17.2	14.2
Late Preterm Births (34-36 weeks)	5.1	4.7
Infant Mortality (Rate per 1,000 live births)	9.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	67.6	64.8
Total C-Section Deliveries	32.4	35.2
Repeat C-Section	9.3	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	52.2	54.8
WIC Participation (%)	48.7	50.1
Children Indicators		
# of WIC Children 2-5 years	480	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	20.4	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	19.1	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	76	12,397
# Children Abused	121	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Clay County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Clay	KY
Total Live Births	280	58,923
# of Childbearing Women (15-44)	4,657	868,294
# of Children (<18)	5,543	1,015,949
Maternal Race/Ethnicity (%)		
White	99.3	85.6
Black	0.7	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.0	3.6
Hispanic	0.4	5.0
Maternal Characteristics (%)		
Mother's Age <18	5.7	3.8
Mother's Age >=35	6.4	9.6
Mother < High School Education	37.5	20.6
Repeat Births to Teens	3.6	2.6
Repeat Births <12Months From Previous Birth	4.8	3.6
MCH SES Indicators		

Children Living in Poverty (%)	48.8	23.4
# of Children Enrolled in Medicaid	3,378	356,919
Median Household Income	22,365	41,489
Delivery Payment Source (%)		
Medicaid	76.4	45.1
Private	20.7	43.4
Other	2.9	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	75.2	75.5
Second Trimester Prenatal Care	16.4	19.3
Third Trimester Prenatal Care	7.6	3.9
No Prenatal Care	0.8	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	9.6	6.5
Gestational Diabetes	6.4	4.6
Pre-Pregnancy Obesity	29.3	26.6
Pre-Pregnancy Underweight	5.7	5.3
Smoking During Pregnancy	45.4	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.9	9.2
Very Low Birth Weight (<1500g)	1.8	1.5
Preterm Births (<37 weeks)	8.2	14.2
Late Preterm Births (34-36 weeks)	1.8	4.7
Infant Mortality (Rate per 1,000 live births)	7.0	6.7

Method of Delivery (%)

Vaginal Deliveries	60.7	64.8
Total C-Section Deliveries	39.3	35.2
Repeat C-Section	13.6	12.3

Post-natal Nutrition

Breastfeeding initiation (%)	23.9	54.8
WIC Participation (%)	82.5	50.1

Children Indicators

# of WIC Children 2-5 years	621	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	20.2	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	21.2	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	208	12,397
# Children Abused	195	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008
US Census Bureau, Population Estimates Program, 2008
Vital Statistics, 2008
National Center for Health Statistics, National Vital Statistics Report 2007
PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)
Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Clinton County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Clinton	KY
Total Live Births	142	58,923
# of Childbearing Women (15-44)	1,811	868,294
# of Children (<18)	2,106	1,015,949

Maternal Race/Ethnicity (%)

White	89.4	85.6
Black	0.7	9.3
Asian/Pacific Islander	0.7	1.5
Other	9.2	3.6
Hispanic	7.7	5.0

Maternal Characteristics (%)

Mother's Age <18	4.2	3.8
Mother's Age >=35	7.0	9.6
Mother < High School Education	33.1	20.6
Repeat Births to Teens	4.9	2.6
Repeat Births <12Months From Previous Birth	3.4	3.6

MCH SES Indicators

Children Living in Poverty (%)	38.3	23.4
# of Children Enrolled in Medicaid	1,322	356,919
Median Household Income	25,029	41,489

Delivery Payment Source (%)

Medicaid	74.7	45.1
Private	17.6	43.4
Other	7.7	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	72.3	75.5
Second Trimester Prenatal Care	20.0	19.3
Third Trimester Prenatal Care	4.6	3.9

No Prenatal Care	3.1	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.6	6.5
Gestational Diabetes	8.4	4.6
Pre-Pregnancy Obesity	28.9	26.6
Pre-Pregnancy Underweight	8.4	5.3
Smoking During Pregnancy	27.5	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.6	9.2
Very Low Birth Weight (<1500g)	0.0	1.5
Preterm Births (<37 weeks)	11.0	14.2
Late Preterm Births (34-36 weeks)	2.8	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	75.4	64.8
Total C-Section Deliveries	24.6	35.2
Repeat C-Section	6.3	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	28.2	54.8
WIC Participation (%)	75.2	50.1
Children Indicators		
# of WIC Children 2-5 years	284	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	20.7	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	21.8	15.7

# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	30	12,397
# Children Abused	30	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Crittenden County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Crittenden	KY
Total Live Births	114	58,923
# of Childbearing Women (15-44)	1,599	868,294
# of Children (<18)	2,049	1,015,949
Maternal Race/Ethnicity (%)		
White	99.1	85.6
Black	0.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.9	3.6
Hispanic	1.7	5.0
Maternal Characteristics (%)		
Mother's Age <18	1.7	3.8
Mother's Age >=35	7.9	9.6
Mother < High School Education	33.3	20.6
Repeat Births to Teens	2.6	2.6

Repeat Births <12Months From Previous Birth	2.9	3.6
MCH SES Indicators		
Children Living in Poverty (%)	29.7	23.4
# of Children Enrolled in Medicaid	666	356,919
Median Household Income	34,009	41,489
Delivery Payment Source (%)		
Medicaid	47.4	45.1
Private	31.6	43.4
Other	21.0	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	67.9	75.5
Second Trimester Prenatal Care	18.3	19.3
Third Trimester Prenatal Care	10.1	3.9
No Prenatal Care	3.7	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.1	6.5
Gestational Diabetes	4.4	4.6
Pre-Pregnancy Obesity	29.8	26.6
Pre-Pregnancy Underweight	4.4	5.3
Smoking During Pregnancy	23.7	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.5	9.2
Very Low Birth Weight (<1500g)	0.9	1.5
Preterm Births (<37 weeks)	18.3	14.2

Late Preterm Births (34-36 weeks)	7.9	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	73.7	64.8
Total C-Section Deliveries	26.3	35.2
Repeat C-Section	10.5	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	51.7	54.8
WIC Participation (%)	45.6	50.1
Children Indicators		
# of WIC Children 2-5 years	149	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	18.5	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	13.0	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	12	12,397
# Children Abused	28	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Cumberland County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Cumberland	KY

Total Live Births	65	58,923
# of Childbearing Women (15-44)	1,190	868,294
# of Children (<18)	1,469	1,015,949
Maternal Race/Ethnicity (%)		
White	95.4	85.6
Black	3.1	9.3
Asian/Pacific Islander	0.0	1.5
Other	1.5	3.6
Hispanic	1.5	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.6	3.8
Mother's Age >=35	9.2	9.6
Mother < High School Education	23.1	20.6
Repeat Births to Teens	10.8	2.6
Repeat Births <12Months From Previous Birth	5.3	3.6
MCH SES Indicators		
Children Living in Poverty (%)	36.1	23.4
# of Children Enrolled in Medicaid	717	356,919
Median Household Income	28,825	41,489
Delivery Payment Source (%)		
Medicaid	64.6	45.1
Private	27.7	43.4
Other	7.7	11.6
Prenatal Care Entry (%)		

First Trimester Prenatal Care	60.3	75.5
Second Trimester Prenatal Care	33.3	19.3
Third Trimester Prenatal Care	6.4	3.9
No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	10.8	6.5
Gestational Diabetes	10.8	4.6
Pre-Pregnancy Obesity	30.8	26.6
Pre-Pregnancy Underweight	3.1	5.3
Smoking During Pregnancy	26.1	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.8	9.2
Very Low Birth Weight (<1500g)	1.5	1.5
Preterm Births (<37 weeks)	12.5	14.2
Late Preterm Births (34-36 weeks)	3.1	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	66.2	64.8
Total C-Section Deliveries	33.8	35.2
Repeat C-Section	13.8	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	35.4	54.8
WIC Participation (%)	72.3	50.1
Children Indicators		

# of WIC Children 2-5 years	154	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	21.8	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	20.4	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	0	12,397
# Children Abused	7	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Daviess County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Daviess	KY
Total Live Births	1,407	58,923
# of Childbearing Women (15-44)	18,169	868,294
# of Children (<18)	23,306	1,015,949
Maternal Race/Ethnicity (%)		
White	91.3	85.6
Black	5.1	9.3
Asian/Pacific Islander	0.9	1.5
Other	2.7	3.6
Hispanic	2.8	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.0	3.8

Mother's Age >=35	7.7	9.6
Mother < High School Education	16.1	20.6
Repeat Births to Teens	2.8	2.6
Repeat Births <12Months From Previous Birth	4.9	3.6
MCH SES Indicators		
Children Living in Poverty (%)	17.9	23.4
# of Children Enrolled in Medicaid	7,898	356,919
Median Household Income	43,075	41,489
Delivery Payment Source (%)		
Medicaid	45.6	45.1
Private	45.1	43.4
Other	9.3	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	69.7	75.5
Second Trimester Prenatal Care	26.7	19.3
Third Trimester Prenatal Care	2.8	3.9
No Prenatal Care	0.8	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	9.4	6.5
Gestational Diabetes	5.8	4.6
Pre-Pregnancy Obesity	23.4	26.6
Pre-Pregnancy Underweight	5.9	5.3
Smoking During Pregnancy	26.7	25.3
Adverse Birth Outcomes (%)		

Low Birth Weight (<2500g)	8.8	9.2
Very Low Birth Weight (<1500g)	1.2	1.5
Preterm Births (<37 weeks)	13.3	14.2
Late Preterm Births (34-36 weeks)	3.8	4.7
Infant Mortality (Rate per 1,000 live births)	7.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	61.0	64.8
Total C-Section Deliveries	39.0	35.2
Repeat C-Section	14.9	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	52.8	54.8
WIC Participation (%)	51.4	50.1
Children Indicators		
# of WIC Children 2-5 years	1,408	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	18.2	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	16.1	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	339	12,397
# Children Abused	421	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

County Profile: Edmonson County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Edmonson	KY
Total Live Births	118	58,923
# of Childbearing Women (15-44)	2,305	868,294
# of Children (<18)	2,579	1,015,949
Maternal Race/Ethnicity (%)		
White	97.5	85.6
Black	0.0	9.3
Asian/Pacific Islander	0.8	1.5
Other	1.7	3.6
Hispanic	1.7	5.0
Maternal Characteristics (%)		
Mother's Age <18	6.8	3.8
Mother's Age >=35	4.2	9.6
Mother < High School Education	16.9	20.6
Repeat Births to Teens	1.7	2.6
Repeat Births <12Months From Previous Birth	1.6	3.6
MCH SES Indicators		
Children Living in Poverty (%)	29.0	23.4
# of Children Enrolled in Medicaid	1,033	356,919
Median Household Income	33,785	41,489
Delivery Payment Source (%)		
Medicaid	45.3	45.1

Private	46.1	43.4
Other	8.6	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	62.9	75.5
Second Trimester Prenatal Care	31.9	19.3
Third Trimester Prenatal Care	4.3	3.9
No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.8	6.5
Gestational Diabetes	3.4	4.6
Pre-Pregnancy Obesity	33.3	26.6
Pre-Pregnancy Underweight	3.4	5.3
Smoking During Pregnancy	31.4	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.6	9.2
Very Low Birth Weight (<1500g)	1.7	1.5
Preterm Births (<37 weeks)	15.0	14.2
Late Preterm Births (34-36 weeks)	4.2	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	59.3	64.8
Total C-Section Deliveries	39.8	35.2
Repeat C-Section	12.7	12.3
Post-natal Nutrition		

Breastfeeding initiation (%)	56.4	54.8
WIC Participation (%)	61.5	50.1
Children Indicators		
# of WIC Children 2-5 years	198	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.9	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	17.4	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	50	12,397
# Children Abused	42	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Elliott County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Elliott	KY
Total Live Births	72	58,923
# of Childbearing Women (15-44)	1,443	868,294
# of Children (<18)	1,575	1,015,949
Maternal Race/Ethnicity (%)		
White	98.6	85.6
Black	1.4	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.0	3.6

Hispanic	0.0	5.0
Maternal Characteristics (%)		
Mother's Age <18	2.8	3.8
Mother's Age >=35	6.9	9.6
Mother < High School Education	26.4	20.6
Repeat Births to Teens	2.8	2.6
Repeat Births <12Months From Previous Birth	0.0	3.6
MCH SES Indicators		
Children Living in Poverty (%)	40.6	23.4
# of Children Enrolled in Medicaid	888	356,919
Median Household Income	26,464	41,489
Delivery Payment Source (%)		
Medicaid	67.1	45.1
Private	30.0	43.4
Other	2.9	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	82.6	75.5
Second Trimester Prenatal Care	13.0	19.3
Third Trimester Prenatal Care	4.4	3.9
No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	8.3	6.5
Gestational Diabetes	2.8	4.6
Pre-Pregnancy Obesity	40.0	26.6

Pre-Pregnancy Underweight	1.4	5.3
Smoking During Pregnancy	45.8	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	6.9	9.2
Very Low Birth Weight (<1500g)	0.0	1.5
Preterm Births (<37 weeks)	16.0	14.2
Late Preterm Births (34-36 weeks)	1.4	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	72.2	64.8
Total C-Section Deliveries	27.8	35.2
Repeat C-Section	13.9	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	32.9	54.8
WIC Participation (%)	77.1	50.1
Children Indicators		
# of WIC Children 2-5 years	204	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	17.9	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	13.8	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	24	12,397
# Children Abused	76	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Estill County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Estill	KY
Total Live Births	196	58,923
# of Childbearing Women (15-44)	2,913	868,294
# of Children (<18)	3,467	1,015,949
Maternal Race/Ethnicity (%)		
White	98.5	85.6
Black	0.5	9.3
Asian/Pacific Islander	0.0	1.5
Other	1.0	3.6
Hispanic	1.0	5.0
Maternal Characteristics (%)		
Mother's Age <18	2.8	3.8
Mother's Age >=35	7.6	9.6
Mother < High School Education	25.0	20.6
Repeat Births to Teens	2.0	2.6
Repeat Births <12Months From Previous Birth	4.3	3.6
MCH SES Indicators		
Children Living in Poverty (%)	36.3	23.4
# of Children Enrolled in Medicaid	1,900	356,919
Median Household Income	28,912	41,489

Delivery Payment Source (%)

Medicaid	64.8	45.1
Private	33.2	43.4
Other	2.0	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	89.8	75.5
Second Trimester Prenatal Care	8.6	19.3
Third Trimester Prenatal Care	0.5	3.9
No Prenatal Care	1.1	1.3

Adverse Birth Outcomes Risk Factors (%)

Gestational Hypertension	5.6	6.5
Gestational Diabetes	9.7	4.6
Pre-Pregnancy Obesity	34.2	26.6
Pre-Pregnancy Underweight	4.6	5.3
Smoking During Pregnancy	37.8	25.3

Adverse Birth Outcomes (%)

Low Birth Weight (<2500g)	8.7	9.2
Very Low Birth Weight (<1500g)	2.0	1.5
Preterm Births (<37 weeks)	12.6	14.2
Late Preterm Births (34-36 weeks)	3.1	4.7
Infant Mortality (Rate per 1,000 live births)	10.0	6.7

Method of Delivery (%)

Vaginal Deliveries	62.2	64.8
Total C-Section Deliveries	37.8	35.2

Repeat C-Section	9.7	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	32.9	54.8
WIC Participation (%)	67.3	50.1
Children Indicators		
# of WIC Children 2-5 years	355	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	15.8	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	19.0	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	50	12,397
# Children Abused	48	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Fayette County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Fayette	KY
Total Live Births	4,044	58,923
# of Childbearing Women (15-44)	67,669	868,294
# of Children (<18)	61,245	1,015,949
Maternal Race/Ethnicity (%)		
White	76.2	85.6

Black	17.6	9.3
Asian/Pacific Islander	4.2	1.5
Other	2.0	3.6
Hispanic	12.7	5.0
Maternal Characteristics (%)		
Mother's Age <18	2.8	3.8
Mother's Age >=35	12.0	9.6
Mother < High School Education	18.9	20.6
Repeat Births to Teens	2.0	2.6
Repeat Births <12Months From Previous Birth	2.9	3.6
MCH SES Indicators		
Children Living in Poverty (%)	19.2	23.4
# of Children Enrolled in Medicaid	16,468	356,919
Median Household Income	50,267	41,489
Delivery Payment Source (%)		
Medicaid	38.9	45.1
Private	54.1	43.4
Other	7.0	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	78.7	75.5
Second Trimester Prenatal Care	16.9	19.3
Third Trimester Prenatal Care	3.5	3.9
No Prenatal Care	0.9	1.3
Adverse Birth Outcomes Risk Factors (%)		

Gestational Hypertension	8.2	6.5
Gestational Diabetes	5.8	4.6
Pre-Pregnancy Obesity	20.2	26.6
Pre-Pregnancy Underweight	10.1	5.3
Smoking During Pregnancy	14.5	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.3	9.2
Very Low Birth Weight (<1500g)	1.3	1.5
Preterm Births (<37 weeks)	12.7	14.2
Late Preterm Births (34-36 weeks)	3.9	4.7
Infant Mortality (Rate per 1,000 live births)	7.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	64.0	64.8
Total C-Section Deliveries	36.0	35.2
Repeat C-Section	13.2	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	75.3	54.8
WIC Participation (%)	36.0	50.1
Children Indicators		
# of WIC Children 2-5 years	2,986	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	18.7	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	18.2	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	1,022	12,397
# Children Abused	739	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Fleming County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Fleming	KY
Total Live Births	188	58,923
# of Childbearing Women (15-44)	2,865	868,294
# of Children (<18)	3,592	1,015,949
Maternal Race/Ethnicity (%)		
White	97.9	85.6
Black	0.0	9.3
Asian/Pacific Islander	0.5	1.5
Other	1.6	3.6
Hispanic	1.6	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.3	3.8
Mother's Age >=35	4.3	9.6
Mother < High School Education	26.1	20.6
Repeat Births to Teens	1.1	2.6
Repeat Births <12Months From Previous Birth	5.0	3.6
MCH SES Indicators		

Children Living in Poverty (%)	27.7	23.4
# of Children Enrolled in Medicaid	1,292	356,919
Median Household Income	33,584	41,489
Delivery Payment Source (%)		
Medicaid	50.5	45.1
Private	37.8	43.4
Other	11.7	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	75.1	75.5
Second Trimester Prenatal Care	16.2	19.3
Third Trimester Prenatal Care	6.5	3.9
No Prenatal Care	2.2	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	9.0	6.5
Gestational Diabetes	2.7	4.6
Pre-Pregnancy Obesity	28.7	26.6
Pre-Pregnancy Underweight	5.8	5.3
Smoking During Pregnancy	28.7	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	6.9	9.2
Very Low Birth Weight (<1500g)	0.5	1.5
Preterm Births (<37 weeks)	13.9	14.2
Late Preterm Births (34-36 weeks)	5.8	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7

Method of Delivery (%)

Vaginal Deliveries	63.3	64.8
Total C-Section Deliveries	36.7	35.2
Repeat C-Section	17.0	12.3

Post-natal Nutrition

Breastfeeding initiation (%)	48.9	54.8
WIC Participation (%)	62.8	50.1

Children Indicators

# of WIC Children 2-5 years	315	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	11.5	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	18.5	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	69	12,397
# Children Abused	53	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008
US Census Bureau, Population Estimates Program, 2008
Vital Statistics, 2008
National Center for Health Statistics, National Vital Statistics Report 2007
PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)
Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Floyd County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Floyd	KY
Total Live Births	561	58,923
# of Childbearing Women (15-44)	8,900	868,294
# of Children (<18)	9,400	1,015,949

Maternal Race/Ethnicity (%)

White	99.1	85.6
Black	0.4	9.3
Asian/Pacific Islander	0.3	1.5
Other	0.2	3.6
Hispanic	0.4	5.0

Maternal Characteristics (%)

Mother's Age <18	4.3	3.8
Mother's Age >=35	6.6	9.6
Mother < High School Education	31.0	20.6
Repeat Births to Teens	2.9	2.6
Repeat Births <12Months From Previous Birth	2.2	3.6

MCH SES Indicators

Children Living in Poverty (%)	38.7	23.4
# of Children Enrolled in Medicaid	5,554	356,919
Median Household Income	27,462	41,489

Delivery Payment Source (%)

Medicaid	70.5	45.1
Private	23.4	43.4
Other	6.1	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	72.1	75.5
Second Trimester Prenatal Care	22.1	19.3
Third Trimester Prenatal Care	4.0	3.9

No Prenatal Care	1.7	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	3.7	6.5
Gestational Diabetes	4.5	4.6
Pre-Pregnancy Obesity	32.0	26.6
Pre-Pregnancy Underweight	4.1	5.3
Smoking During Pregnancy	36.5	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.3	9.2
Very Low Birth Weight (<1500g)	1.6	1.5
Preterm Births (<37 weeks)	17.2	14.2
Late Preterm Births (34-36 weeks)	6.4	4.7
Infant Mortality (Rate per 1,000 live births)	10.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	62.9	64.8
Total C-Section Deliveries	37.1	35.2
Repeat C-Section	13.9	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	28.6	54.8
WIC Participation (%)	71.6	50.1
Children Indicators		
# of WIC Children 2-5 years	1,020	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	11.4	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	12.2	15.7

# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	68	12,397
# Children Abused	345	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Franklin County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Franklin	KY
Total Live Births	599	58,923
# of Childbearing Women (15-44)	9,877	868,294
# of Children (<18)	10,658	1,015,949
Maternal Race/Ethnicity (%)		
White	82.3	85.6
Black	11.2	9.3
Asian/Pacific Islander	2.7	1.5
Other	3.8	3.6
Hispanic	4.5	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.5	3.8
Mother's Age >=35	9.2	9.6
Mother < High School Education	15.7	20.6
Repeat Births to Teens	3.7	2.6

Repeat Births <12Months From Previous Birth	4.9	3.6
MCH SES Indicators		
Children Living in Poverty (%)	18.1	23.4
# of Children Enrolled in Medicaid	3,180	356,919
Median Household Income	48,291	41,489
Delivery Payment Source (%)		
Medicaid	49.9	45.1
Private	45.4	43.4
Other	4.7	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	76.0	75.5
Second Trimester Prenatal Care	18.9	19.3
Third Trimester Prenatal Care	4.3	3.9
No Prenatal Care	0.8	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.7	6.5
Gestational Diabetes	4.7	4.6
Pre-Pregnancy Obesity	29.9	26.6
Pre-Pregnancy Underweight	1.8	5.3
Smoking During Pregnancy	27.7	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	11.5	9.2
Very Low Birth Weight (<1500g)	2.8	1.5
Preterm Births (<37 weeks)	13.0	14.2

Late Preterm Births (34-36 weeks)	4.0	4.7
Infant Mortality (Rate per 1,000 live births)	6.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	62.9	64.8
Total C-Section Deliveries	37.1	35.2
Repeat C-Section	13.2	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	63.3	54.8
WIC Participation (%)	50.9	50.1
Children Indicators		
# of WIC Children 2-5 years	605	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	20.6	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	20.6	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	83	12,397
# Children Abused	90	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Fulton County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Fulton	KY

Total Live Births	95	58,923
# of Childbearing Women (15-44)	1,197	868,294
# of Children (<18)	1,570	1,015,949
Maternal Race/Ethnicity (%)		
White	74.7	85.6
Black	24.2	9.3
Asian/Pacific Islander	0.0	1.5
Other	1.1	3.6
Hispanic	1.1	5.0
Maternal Characteristics (%)		
Mother's Age <18	2.1	3.8
Mother's Age >=35	9.5	9.6
Mother < High School Education	18.9	20.6
Repeat Births to Teens	6.3	2.6
Repeat Births <12Months From Previous Birth	8.6	3.6
MCH SES Indicators		
Children Living in Poverty (%)	44.7	23.4
# of Children Enrolled in Medicaid	907	356,919
Median Household Income	27,815	41,489
Delivery Payment Source (%)		
Medicaid	69.6	45.1
Private	27.2	43.4
Other	3.3	11.6
Prenatal Care Entry (%)		

First Trimester Prenatal Care	75.5	75.5
Second Trimester Prenatal Care	23.4	19.3
Third Trimester Prenatal Care	1.1	3.9
No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	11.6	6.5
Gestational Diabetes	7.4	4.6
Pre-Pregnancy Obesity	34.8	26.6
Pre-Pregnancy Underweight	6.5	5.3
Smoking During Pregnancy	33.7	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	13.7	9.2
Very Low Birth Weight (<1500g)	6.3	1.5
Preterm Births (<37 weeks)	20.7	14.2
Late Preterm Births (34-36 weeks)	3.2	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	63.2	64.8
Total C-Section Deliveries	36.8	35.2
Repeat C-Section	11.6	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	37.0	54.8
WIC Participation (%)	71.7	50.1
Children Indicators		

# of WIC Children 2-5 years	185	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.8	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	16.8	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	25	12,397
# Children Abused	23	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Gallatin County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Gallatin	KY
Total Live Births	110	58,923
# of Childbearing Women (15-44)	1,606	868,294
# of Children (<18)	2,152	1,015,949
Maternal Race/Ethnicity (%)		
White	89.1	85.6
Black	0.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	10.9	3.6
Hispanic	13.6	5.0
Maternal Characteristics (%)		
Mother's Age <18	6.4	3.8

Mother's Age >=35	2.7	9.6
Mother < High School Education	27.3	20.6
Repeat Births to Teens	3.6	2.6
Repeat Births <12Months From Previous Birth	4.9	3.6
MCH SES Indicators		
Children Living in Poverty (%)	24.2	23.4
# of Children Enrolled in Medicaid	865	356,919
Median Household Income	42,554	41,489
Delivery Payment Source (%)		
Medicaid	55.4	45.1
Private	40.0	43.4
Other	4.6	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	63.0	75.5
Second Trimester Prenatal Care	29.6	19.3
Third Trimester Prenatal Care	7.4	3.9
No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.4	6.5
Gestational Diabetes	10.0	4.6
Pre-Pregnancy Obesity	28.2	26.6
Pre-Pregnancy Underweight	5.5	5.3
Smoking During Pregnancy	31.8	25.3
Adverse Birth Outcomes (%)		

Low Birth Weight (<2500g)	2.7	9.2
Very Low Birth Weight (<1500g)	0.9	1.5
Preterm Births (<37 weeks)	11.8	14.2
Late Preterm Births (34-36 weeks)	6.4	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	54.6	64.8
Total C-Section Deliveries	45.4	35.2
Repeat C-Section	16.4	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	47.3	54.8
WIC Participation (%)	66.4	50.1
Children Indicators		
# of WIC Children 2-5 years	225	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	21.1	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	23.3	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	16	12,397
# Children Abused	31	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

County Profile: Garrard County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Garrard	KY
Total Live Births	199	58,923
# of Childbearing Women (15-44)	3,417	868,294
# of Children (<18)	3,955	1,015,949
Maternal Race/Ethnicity (%)		
White	95.5	85.6
Black	2.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	2.5	3.6
Hispanic	2.5	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.5	3.8
Mother's Age >=35	9.6	9.6
Mother < High School Education	19.6	20.6
Repeat Births to Teens	1.5	2.6
Repeat Births <12Months From Previous Birth	3.6	3.6
MCH SES Indicators		
Children Living in Poverty (%)	22.9	23.4
# of Children Enrolled in Medicaid	1,352	356,919
Median Household Income	40,083	41,489
Delivery Payment Source (%)		
Medicaid	56.3	45.1

Private	42.2	43.4
Other	1.5	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	84.1	75.5
Second Trimester Prenatal Care	14.9	19.3
Third Trimester Prenatal Care	1.0	3.9
No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	9.1	6.5
Gestational Diabetes	5.0	4.6
Pre-Pregnancy Obesity	29.6	26.6
Pre-Pregnancy Underweight	2.0	5.3
Smoking During Pregnancy	31.7	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	12.6	9.2
Very Low Birth Weight (<1500g)	1.0	1.5
Preterm Births (<37 weeks)	15.5	14.2
Late Preterm Births (34-36 weeks)	6.5	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	65.8	64.8
Total C-Section Deliveries	34.2	35.2
Repeat C-Section	10.5	12.3
Post-natal Nutrition		

Breastfeeding initiation (%)	53.3	54.8
WIC Participation (%)	56.8	50.1
Children Indicators		
# of WIC Children 2-5 years	292	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	15.8	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	16.1	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	80	12,397
# Children Abused	106	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Grant County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Grant	KY
Total Live Births	397	58,923
# of Childbearing Women (15-44)	5,330	868,294
# of Children (<18)	7,125	1,015,949
Maternal Race/Ethnicity (%)		
White	96.7	85.6
Black	0.2	9.3
Asian/Pacific Islander	0.8	1.5
Other	2.3	3.6

Hispanic	2.8	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.5	3.8
Mother's Age >=35	8.1	9.6
Mother < High School Education	20.6	20.6
Repeat Births to Teens	2.5	2.6
Repeat Births <12Months From Previous Birth	3.7	3.6
MCH SES Indicators		
Children Living in Poverty (%)	21.3	23.4
# of Children Enrolled in Medicaid	2,608	356,919
Median Household Income	45,697	41,489
Delivery Payment Source (%)		
Medicaid	55.7	45.1
Private	42.6	43.4
Other	1.8	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	64.6	75.5
Second Trimester Prenatal Care	30.5	19.3
Third Trimester Prenatal Care	3.9	3.9
No Prenatal Care	1.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.3	6.5
Gestational Diabetes	3.5	4.6
Pre-Pregnancy Obesity	25.7	26.6

Pre-Pregnancy Underweight	2.3	5.3
Smoking During Pregnancy	37.8	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	5.0	9.2
Very Low Birth Weight (<1500g)	0.3	1.5
Preterm Births (<37 weeks)	10.0	14.2
Late Preterm Births (34-36 weeks)	3.3	4.7
Infant Mortality (Rate per 1,000 live births)	6.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	68.3	64.8
Total C-Section Deliveries	31.7	35.2
Repeat C-Section	14.1	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	49.4	54.8
WIC Participation (%)	54.4	50.1
Children Indicators		
# of WIC Children 2-5 years	586	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	17.7	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	11.3	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	30	12,397
# Children Abused	73	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Graves County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Graves	KY
Total Live Births	530	58,923
# of Childbearing Women (15-44)	6,811	868,294
# of Children (<18)	9,078	1,015,949
Maternal Race/Ethnicity (%)		
White	79.3	85.6
Black	6.2	9.3
Asian/Pacific Islander	0.2	1.5
Other	14.3	3.6
Hispanic	13.8	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.4	3.8
Mother's Age >=35	8.7	9.6
Mother < High School Education	29.6	20.6
Repeat Births to Teens	2.8	2.6
Repeat Births <12Months From Previous Birth	3.0	3.6
MCH SES Indicators		
Children Living in Poverty (%)	28.7	23.4
# of Children Enrolled in Medicaid	3,363	356,919
Median Household Income	36,771	41,489

Delivery Payment Source (%)

Medicaid	51.4	45.1
Private	36.3	43.4
Other	12.3	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	73.8	75.5
Second Trimester Prenatal Care	20.9	19.3
Third Trimester Prenatal Care	3.8	3.9
No Prenatal Care	1.5	1.3

Adverse Birth Outcomes Risk Factors (%)

Gestational Hypertension	7.0	6.5
Gestational Diabetes	5.3	4.6
Pre-Pregnancy Obesity	27.4	26.6
Pre-Pregnancy Underweight	7.2	5.3
Smoking During Pregnancy	26.2	25.3

Adverse Birth Outcomes (%)

Low Birth Weight (<2500g)	8.3	9.2
Very Low Birth Weight (<1500g)	1.3	1.5
Preterm Births (<37 weeks)	14.6	14.2
Late Preterm Births (34-36 weeks)	4.3	4.7
Infant Mortality (Rate per 1,000 live births)	7.0	6.7

Method of Delivery (%)

Vaginal Deliveries	62.1	64.8
Total C-Section Deliveries	37.9	35.2

Repeat C-Section	11.1	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	48.2	54.8
WIC Participation (%)	62.6	50.1
Children Indicators		
# of WIC Children 2-5 years	693	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	20.5	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	16.9	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	169	12,397
# Children Abused	102	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Grayson County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Grayson	KY
Total Live Births	324	58,923
# of Childbearing Women (15-44)	4,739	868,294
# of Children (<18)	6,305	1,015,949
Maternal Race/Ethnicity (%)		
White	98.8	85.6

Black	0.6	9.3
Asian/Pacific Islander	0.3	1.5
Other	0.3	3.6
Hispanic	0.9	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.4	3.8
Mother's Age >=35	9.9	9.6
Mother < High School Education	22.8	20.6
Repeat Births to Teens	1.8	2.6
Repeat Births <12Months From Previous Birth	5.0	3.6
MCH SES Indicators		
Children Living in Poverty (%)	27.5	23.4
# of Children Enrolled in Medicaid	2,624	356,919
Median Household Income	33,791	41,489
Delivery Payment Source (%)		
Medicaid	6.5	45.1
Private	37.0	43.4
Other	56.5	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	77.0	75.5
Second Trimester Prenatal Care	18.0	19.3
Third Trimester Prenatal Care	4.4	3.9
No Prenatal Care	0.6	1.3
Adverse Birth Outcomes Risk Factors (%)		

Gestational Hypertension	8.0	6.5
Gestational Diabetes	6.5	4.6
Pre-Pregnancy Obesity	33.3	26.6
Pre-Pregnancy Underweight	3.7	5.3
Smoking During Pregnancy	37.3	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.3	9.2
Very Low Birth Weight (<1500g)	0.9	1.5
Preterm Births (<37 weeks)	21.0	14.2
Late Preterm Births (34-36 weeks)	8.0	4.7
Infant Mortality (Rate per 1,000 live births)	7.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	64.2	64.8
Total C-Section Deliveries	35.8	35.2
Repeat C-Section	12.3	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	47.5	54.8
WIC Participation (%)	65.7	50.1
Children Indicators		
# of WIC Children 2-5 years	569	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	17.8	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	14.6	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	226	12,397
# Children Abused	44	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Green County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Green	KY
Total Live Births	125	58,923
# of Childbearing Women (15-44)	1,987	868,294
# of Children (<18)	2,533	1,015,949
Maternal Race/Ethnicity (%)		
White	94.4	85.6
Black	2.4	9.3
Asian/Pacific Islander	0.0	1.5
Other	3.2	3.6
Hispanic	2.4	5.0
Maternal Characteristics (%)		
Mother's Age <18	5.6	3.8
Mother's Age >=35	6.4	9.6
Mother < High School Education	17.6	20.6
Repeat Births to Teens	3.2	2.6
Repeat Births <12Months From Previous Birth	4.7	3.6
MCH SES Indicators		

Children Living in Poverty (%)	29.8	23.4
# of Children Enrolled in Medicaid	972	356,919
Median Household Income	33,509	41,489
Delivery Payment Source (%)		
Medicaid	48.0	45.1
Private	43.2	43.4
Other	8.8	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	75.2	75.5
Second Trimester Prenatal Care	21.6	19.3
Third Trimester Prenatal Care	2.4	3.9
No Prenatal Care	0.8	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	10.4	6.5
Gestational Diabetes	8.0	4.6
Pre-Pregnancy Obesity	32.8	26.6
Pre-Pregnancy Underweight	2.4	5.3
Smoking During Pregnancy	27.2	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.2	9.2
Very Low Birth Weight (<1500g)	0.8	1.5
Preterm Births (<37 weeks)	12.3	14.2
Late Preterm Births (34-36 weeks)	5.6	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7

Method of Delivery (%)

Vaginal Deliveries	60.8	64.8
Total C-Section Deliveries	39.2	35.2
Repeat C-Section	16.8	12.3

Post-natal Nutrition

Breastfeeding initiation (%)	52.8	54.8
WIC Participation (%)	64.0	50.1

Children Indicators

# of WIC Children 2-5 years	217	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	20.3	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	18.0	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	17	12,397
# Children Abused	46	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008
US Census Bureau, Population Estimates Program, 2008
Vital Statistics, 2008
National Center for Health Statistics, National Vital Statistics Report 2007
PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)
Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Greenup County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Greenup	KY
Total Live Births	378	58,923
# of Childbearing Women (15-44)	6,906	868,294
# of Children (<18)	8,329	1,015,949

Maternal Race/Ethnicity (%)

White	98.4	85.6
Black	0.3	9.3
Asian/Pacific Islander	0.8	1.5
Other	0.5	3.6
Hispanic	0.8	5.0

Maternal Characteristics (%)

Mother's Age <18	4.5	3.8
Mother's Age >=35	9.0	9.6
Mother < High School Education	18.5	20.6
Repeat Births to Teens	2.4	2.6
Repeat Births <12Months From Previous Birth	5.4	3.6

MCH SES Indicators

Children Living in Poverty (%)	22.0	23.4
# of Children Enrolled in Medicaid	3,123	356,919
Median Household Income	39,479	41,489

Delivery Payment Source (%)

Medicaid	56.5	45.1
Private	42.1	43.4
Other	1.4	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	78.6	75.5
Second Trimester Prenatal Care	12.9	19.3
Third Trimester Prenatal Care	3.5	3.9

No Prenatal Care	5.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.5	6.5
Gestational Diabetes	1.3	4.6
Pre-Pregnancy Obesity	26.7	26.6
Pre-Pregnancy Underweight	4.7	5.3
Smoking During Pregnancy	26.7	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.8	9.2
Very Low Birth Weight (<1500g)	1.3	1.5
Preterm Births (<37 weeks)	15.1	14.2
Late Preterm Births (34-36 weeks)	5.0	4.7
Infant Mortality (Rate per 1,000 live births)	8.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	60.8	64.8
Total C-Section Deliveries	39.2	35.2
Repeat C-Section	10.3	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	46.4	54.8
WIC Participation (%)	55.0	50.1
Children Indicators		
# of WIC Children 2-5 years	479	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	14.4	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	18.0	15.7

# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	132	12,397
# Children Abused	115	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Hancock County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Hancock	KY
Total Live Births	113	58,923
# of Childbearing Women (15-44)	1,609	868,294
# of Children (<18)	2,296	1,015,949
Maternal Race/Ethnicity (%)		
White	94.7	85.6
Black	1.8	9.3
Asian/Pacific Islander	2.6	1.5
Other	0.9	3.6
Hispanic	0.9	5.0
Maternal Characteristics (%)		
Mother's Age <18	0.9	3.8
Mother's Age >=35	7.1	9.6
Mother < High School Education	7.1	20.6
Repeat Births to Teens	1.8	2.6

Repeat Births <12Months From Previous Birth	5.7	3.6
MCH SES Indicators		
Children Living in Poverty (%)	17.1	23.4
# of Children Enrolled in Medicaid	627	356,919
Median Household Income	46,518	41,489
Delivery Payment Source (%)		
Medicaid	33.6	45.1
Private	53.1	43.4
Other	13.3	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	77.7	75.5
Second Trimester Prenatal Care	19.6	19.3
Third Trimester Prenatal Care	2.7	3.9
No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	13.3	6.5
Gestational Diabetes	5.3	4.6
Pre-Pregnancy Obesity	31.9	26.6
Pre-Pregnancy Underweight	6.2	5.3
Smoking During Pregnancy	24.8	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	11.5	9.2
Very Low Birth Weight (<1500g)	1.8	1.5
Preterm Births (<37 weeks)	16.7	14.2

Late Preterm Births (34-36 weeks)	6.2	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	63.7	64.8
Total C-Section Deliveries	36.3	35.2
Repeat C-Section	14.2	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	54.0	54.8
WIC Participation (%)	42.5	50.1
Children Indicators		
# of WIC Children 2-5 years	137	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	26.3	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	15.3	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	8	12,397
# Children Abused	21	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Hardin County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Hardin	KY

Total Live Births	1,659	58,923
# of Childbearing Women (15-44)	19,663	868,294
# of Children (<18)	25,804	1,015,949
Maternal Race/Ethnicity (%)		
White	81.0	85.6
Black	11.8	9.3
Asian/Pacific Islander	2.4	1.5
Other	4.8	3.6
Hispanic	6.9	5.0
Maternal Characteristics (%)		
Mother's Age <18	2.4	3.8
Mother's Age >=35	7.6	9.6
Mother < High School Education	12.3	20.6
Repeat Births to Teens	1.8	2.6
Repeat Births <12Months From Previous Birth	4.9	3.6
MCH SES Indicators		
Children Living in Poverty (%)	18.3	23.4
# of Children Enrolled in Medicaid	6,968	356,919
Median Household Income	49,532	41,489
Delivery Payment Source (%)		
Medicaid	19.9	45.1
Private	36.7	43.4
Other	43.4	11.6
Prenatal Care Entry (%)		

First Trimester Prenatal Care	69.6	75.5
Second Trimester Prenatal Care	23.5	19.3
Third Trimester Prenatal Care	5.6	3.9
No Prenatal Care	1.3	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.6	6.5
Gestational Diabetes	5.1	4.6
Pre-Pregnancy Obesity	37.4	26.6
Pre-Pregnancy Underweight	2.5	5.3
Smoking During Pregnancy	21.7	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.7	9.2
Very Low Birth Weight (<1500g)	1.6	1.5
Preterm Births (<37 weeks)	13.4	14.2
Late Preterm Births (34-36 weeks)	4.0	4.7
Infant Mortality (Rate per 1,000 live births)	7.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	71.7	64.8
Total C-Section Deliveries	28.3	35.2
Repeat C-Section	9.9	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	57.0	54.8
WIC Participation (%)	47.7	50.1
Children Indicators		

# of WIC Children 2-5 years	1,622	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	15.1	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	14.3	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	333	12,397
# Children Abused	167	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Harlan County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Harlan	KY
Total Live Births	450	58,923
# of Childbearing Women (15-44)	6,005	868,294
# of Children (<18)	7,378	1,015,949
Maternal Race/Ethnicity (%)		
White	96.9	85.6
Black	1.6	9.3
Asian/Pacific Islander	0.4	1.5
Other	1.1	3.6
Hispanic	0.7	5.0
Maternal Characteristics (%)		
Mother's Age <18	8.0	3.8

Mother's Age >=35	6.2	9.6
Mother < High School Education	32.0	20.6
Repeat Births to Teens	5.3	2.6
Repeat Births <12Months From Previous Birth	3.5	3.6
MCH SES Indicators		
Children Living in Poverty (%)	41.6	23.4
# of Children Enrolled in Medicaid	4,177	356,919
Median Household Income	23,648	41,489
Delivery Payment Source (%)		
Medicaid	77.9	45.1
Private	18.9	43.4
Other	3.2	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	70.3	75.5
Second Trimester Prenatal Care	22.4	19.3
Third Trimester Prenatal Care	5.3	3.9
No Prenatal Care	2.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	3.8	6.5
Gestational Diabetes	4.4	4.6
Pre-Pregnancy Obesity	27.6	26.6
Pre-Pregnancy Underweight	6.4	5.3
Smoking During Pregnancy	41.3	25.3
Adverse Birth Outcomes (%)		

Low Birth Weight (<2500g)	14.7	9.2
Very Low Birth Weight (<1500g)	1.6	1.5
Preterm Births (<37 weeks)	18.1	14.2
Late Preterm Births (34-36 weeks)	6.7	4.7
Infant Mortality (Rate per 1,000 live births)	7.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	55.8	64.8
Total C-Section Deliveries	44.2	35.2
Repeat C-Section	12.9	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	19.5	54.8
WIC Participation (%)	78.8	50.1
Children Indicators		
# of WIC Children 2-5 years	790	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	21.3	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	22.0	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	153	12,397
# Children Abused	138	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

County Profile: Harrison County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Harrison	KY
Total Live Births	227	58,923
# of Childbearing Women (15-44)	3,529	868,294
# of Children (<18)	4,410	1,015,949
Maternal Race/Ethnicity (%)		
White	95.2	85.6
Black	2.2	9.3
Asian/Pacific Islander	0.4	1.5
Other	2.2	3.6
Hispanic	2.2	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.0	3.8
Mother's Age >=35	8.4	9.6
Mother < High School Education	19.4	20.6
Repeat Births to Teens	4.4	2.6
Repeat Births <12Months From Previous Birth	1.4	3.6
MCH SES Indicators		
Children Living in Poverty (%)	21.6	23.4
# of Children Enrolled in Medicaid	1,494	356,919
Median Household Income	42,445	41,489
Delivery Payment Source (%)		
Medicaid	52.9	45.1

Private	42.3	43.4
Other	4.8	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	76.1	75.5
Second Trimester Prenatal Care	16.7	19.3
Third Trimester Prenatal Care	7.2	3.9
No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.9	6.5
Gestational Diabetes	4.0	4.6
Pre-Pregnancy Obesity	32.6	26.6
Pre-Pregnancy Underweight	3.5	5.3
Smoking During Pregnancy	35.7	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.1	9.2
Very Low Birth Weight (<1500g)	0.4	1.5
Preterm Births (<37 weeks)	15.2	14.2
Late Preterm Births (34-36 weeks)	4.8	4.7
Infant Mortality (Rate per 1,000 live births)	10.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	59.5	64.8
Total C-Section Deliveries	40.5	35.2
Repeat C-Section	13.2	12.3
Post-natal Nutrition		

Breastfeeding initiation (%)	51.5	54.8
WIC Participation (%)	56.4	50.1
Children Indicators		
# of WIC Children 2-5 years	313	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	18.2	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	11.8	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	9	12,397
# Children Abused	17	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Hart County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Hart	KY
Total Live Births	267	58,923
# of Childbearing Women (15-44)	3,540	868,294
# of Children (<18)	4,462	1,015,949
Maternal Race/Ethnicity (%)		
White	93.3	85.6
Black	4.5	9.3
Asian/Pacific Islander	0.4	1.5
Other	1.9	3.6

Hispanic	2.2	5.0
Maternal Characteristics (%)		
Mother's Age <18	2.6	3.8
Mother's Age >=35	7.1	9.6
Mother < High School Education	39.7	20.6
Repeat Births to Teens	1.5	2.6
Repeat Births <12Months From Previous Birth	5.1	3.6
MCH SES Indicators		
Children Living in Poverty (%)	32.0	23.4
# of Children Enrolled in Medicaid	1,788	356,919
Median Household Income	31,166	41,489
Delivery Payment Source (%)		
Medicaid	49.4	45.1
Private	27.3	43.4
Other	23.2	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	55.6	75.5
Second Trimester Prenatal Care	36.5	19.3
Third Trimester Prenatal Care	6.8	3.9
No Prenatal Care	1.1	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.1	6.5
Gestational Diabetes	4.9	4.6
Pre-Pregnancy Obesity	32.2	26.6

Pre-Pregnancy Underweight	2.6	5.3
Smoking During Pregnancy	25.1	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.4	9.2
Very Low Birth Weight (<1500g)	1.5	1.5
Preterm Births (<37 weeks)	10.8	14.2
Late Preterm Births (34-36 weeks)	3.7	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	72.3	64.8
Total C-Section Deliveries	27.7	35.2
Repeat C-Section	9.4	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	61.4	54.8
WIC Participation (%)	56.5	50.1
Children Indicators		
# of WIC Children 2-5 years	307	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	13.0	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	17.3	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	51	12,397
# Children Abused	73	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Henderson County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Henderson	KY
Total Live Births	645	58,923
# of Childbearing Women (15-44)	8,756	868,294
# of Children (<18)	10,730	1,015,949
Maternal Race/Ethnicity (%)		
White	86.5	85.6
Black	10.2	9.3
Asian/Pacific Islander	1.1	1.5
Other	2.2	3.6
Hispanic	3.9	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.2	3.8
Mother's Age >=35	6.1	9.6
Mother < High School Education	19.8	20.6
Repeat Births to Teens	4.3	2.6
Repeat Births <12Months From Previous Birth	6.8	3.6
MCH SES Indicators		
Children Living in Poverty (%)	20.9	23.4
# of Children Enrolled in Medicaid	3,695	356,919
Median Household Income	42,025	41,489

Delivery Payment Source (%)

Medicaid	54.9	45.1
Private	17.7	43.4
Other	27.4	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	57.0	75.5
Second Trimester Prenatal Care	38.7	19.3
Third Trimester Prenatal Care	3.4	3.9
No Prenatal Care	0.9	1.3

Adverse Birth Outcomes Risk Factors (%)

Gestational Hypertension	2.3	6.5
Gestational Diabetes	2.3	4.6
Pre-Pregnancy Obesity	19.7	26.6
Pre-Pregnancy Underweight	27.3	5.3
Smoking During Pregnancy	25.1	25.3

Adverse Birth Outcomes (%)

Low Birth Weight (<2500g)	9.9	9.2
Very Low Birth Weight (<1500g)	1.7	1.5
Preterm Births (<37 weeks)	14.7	14.2
Late Preterm Births (34-36 weeks)	5.1	4.7
Infant Mortality (Rate per 1,000 live births)	11.0	6.7

Method of Delivery (%)

Vaginal Deliveries	55.7	64.8
Total C-Section Deliveries	44.3	35.2

Repeat C-Section	18.5	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	25.9	54.8
WIC Participation (%)	53.9	50.1
Children Indicators		
# of WIC Children 2-5 years	581	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	11.0	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	15.0	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	117	12,397
# Children Abused	133	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Henry County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Henry	KY
Total Live Births	181	58,923
# of Childbearing Women (15-44)	2,882	868,294
# of Children (<18)	3,913	1,015,949
Maternal Race/Ethnicity (%)		
White	96.1	85.6

Black	2.8	9.3
Asian/Pacific Islander	0.0	1.5
Other	1.1	3.6
Hispanic	1.1	5.0
Maternal Characteristics (%)		
Mother's Age <18	2.8	3.8
Mother's Age >=35	6.1	9.6
Mother < High School Education	14.9	20.6
Repeat Births to Teens	1.1	2.6
Repeat Births <12Months From Previous Birth	2.0	3.6
MCH SES Indicators		
Children Living in Poverty (%)	22.0	23.4
# of Children Enrolled in Medicaid	1,145	356,919
Median Household Income	43,524	41,489
Delivery Payment Source (%)		
Medicaid	39.2	45.1
Private	55.3	43.4
Other	5.5	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	79.5	75.5
Second Trimester Prenatal Care	17.1	19.3
Third Trimester Prenatal Care	3.4	3.9
No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		

Gestational Hypertension	7.7	6.5
Gestational Diabetes	3.3	4.6
Pre-Pregnancy Obesity	27.6	26.6
Pre-Pregnancy Underweight	4.4	5.3
Smoking During Pregnancy	28.7	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.2	9.2
Very Low Birth Weight (<1500g)	2.8	1.5
Preterm Births (<37 weeks)	9.8	14.2
Late Preterm Births (34-36 weeks)	1.7	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	64.1	64.8
Total C-Section Deliveries	35.9	35.2
Repeat C-Section	13.3	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	58.6	54.8
WIC Participation (%)	43.6	50.1
Children Indicators		
# of WIC Children 2-5 years	212	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.5	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	17.0	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	22	12,397
# Children Abused	68	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Hickman County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Hickman	KY
Total Live Births	42	58,923
# of Childbearing Women (15-44)	900	868,294
# of Children (<18)	1,044	1,015,949
Maternal Race/Ethnicity (%)		
White	85.7	85.6
Black	14.3	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.0	3.6
Hispanic	0.0	5.0
Maternal Characteristics (%)		
Mother's Age <18	2.4	3.8
Mother's Age >=35	4.8	9.6
Mother < High School Education	26.2	20.6
Repeat Births to Teens	4.8	2.6
Repeat Births <12Months From Previous Birth	0.0	3.6
MCH SES Indicators		

Children Living in Poverty (%)	27.5	23.4
# of Children Enrolled in Medicaid	336	356,919
Median Household Income	37,451	41,489
Delivery Payment Source (%)		
Medicaid	69.0	45.1
Private	28.6	43.4
Other	2.4	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	75.0	75.5
Second Trimester Prenatal Care	17.5	19.3
Third Trimester Prenatal Care	7.5	3.9
No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.1	6.5
Gestational Diabetes	4.8	4.6
Pre-Pregnancy Obesity	40.5	26.6
Pre-Pregnancy Underweight	0.0	5.3
Smoking During Pregnancy	33.3	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	2.4	9.2
Very Low Birth Weight (<1500g)	0.0	1.5
Preterm Births (<37 weeks)	11.8	14.2
Late Preterm Births (34-36 weeks)	2.4	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7

Method of Delivery (%)

Vaginal Deliveries	61.9	64.8
Total C-Section Deliveries	38.1	35.2
Repeat C-Section	14.3	12.3

Post-natal Nutrition

Breastfeeding initiation (%)	30.9	54.8
WIC Participation (%)	71.4	50.1

Children Indicators

# of WIC Children 2-5 years	61	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	n/a **	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	n/a **	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	11	12,397
# Children Abused	15	14,802

*Rate not calculated for counties with <6 infant deaths.

**Not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Hopkins County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Hopkins	KY
Total Live Births	629	58,923
# of Childbearing Women (15-44)	8,693	868,294
# of Children (<18)	10,726	1,015,949

Maternal Race/Ethnicity (%)

White	90.9	85.6
Black	6.5	9.3
Asian/Pacific Islander	0.8	1.5
Other	1.8	3.6
Hispanic	1.4	5.0

Maternal Characteristics (%)

Mother's Age <18	4.1	3.8
Mother's Age >=35	7.9	9.6
Mother < High School Education	22.6	20.6
Repeat Births to Teens	3.0	2.6
Repeat Births <12Months From Previous Birth	4.9	3.6

MCH SES Indicators

Children Living in Poverty (%)	26.5	23.4
# of Children Enrolled in Medicaid	3,942	356,919
Median Household Income	40,027	41,489

Delivery Payment Source (%)

Medicaid	56.8	45.1
Private	38.1	43.4
Other	5.1	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	82.3	75.5
Second Trimester Prenatal Care	14.5	19.3
Third Trimester Prenatal Care	1.9	3.9

No Prenatal Care	1.3	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.8	6.5
Gestational Diabetes	3.0	4.6
Pre-Pregnancy Obesity	32.6	26.6
Pre-Pregnancy Underweight	7.2	5.3
Smoking During Pregnancy	33.5	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.6	9.2
Very Low Birth Weight (<1500g)	2.4	1.5
Preterm Births (<37 weeks)	18.9	14.2
Late Preterm Births (34-36 weeks)	6.0	4.7
Infant Mortality (Rate per 1,000 live births)	7.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	52.5	64.8
Total C-Section Deliveries	47.5	35.2
Repeat C-Section	18.9	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	51.0	54.8
WIC Participation (%)	61.6	50.1
Children Indicators		
# of WIC Children 2-5 years	813	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	19.8	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	15.7	15.7

# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	79	12,397
# Children Abused	110	14,802

*Rate not calculated for counties with <6 infant deaths.

**Not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Jackson County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Jackson	KY
Total Live Births	163	58,923
# of Childbearing Women (15-44)	2,836	868,294
# of Children (<18)	3,122	1,015,949
Maternal Race/Ethnicity (%)		
White	98.8	85.6
Black	0.0	9.3
Asian/Pacific Islander	0.6	1.5
Other	0.6	3.6
Hispanic	1.2	5.0
Maternal Characteristics (%)		
Mother's Age <18	6.1	3.8
Mother's Age >=35	6.7	9.6
Mother < High School Education	33.7	20.6
Repeat Births to Teens	4.9	2.6

Repeat Births <12Months From Previous Birth	3.2	3.6
MCH SES Indicators		
Children Living in Poverty (%)	36.7	23.4
# of Children Enrolled in Medicaid	1,717	356,919
Median Household Income	25,084	41,489
Delivery Payment Source (%)		
Medicaid	68.7	45.1
Private	28.2	43.4
Other	3.1	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	82.4	75.5
Second Trimester Prenatal Care	13.8	19.3
Third Trimester Prenatal Care	3.8	3.9
No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.4	6.5
Gestational Diabetes	6.1	4.6
Pre-Pregnancy Obesity	31.9	26.6
Pre-Pregnancy Underweight	4.9	5.3
Smoking During Pregnancy	40.5	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.2	9.2
Very Low Birth Weight (<1500g)	1.2	1.5
Preterm Births (<37 weeks)	14.2	14.2

Late Preterm Births (34-36 weeks)	3.7	4.7
Infant Mortality (Rate per 1,000 live births)	11.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	63.2	64.8
Total C-Section Deliveries	36.8	35.2
Repeat C-Section	9.2	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	42.3	54.8
WIC Participation (%)	74.2	50.1
Children Indicators		
# of WIC Children 2-5 years	317	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	15.5	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	17.7	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	48	12,397
# Children Abused	62	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Jefferson County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Jefferson	KY

Total Live Births	10,554	58,923
# of Childbearing Women (15-44)	146,376	868,294
# of Children (<18)	169,293	1,015,949
Maternal Race/Ethnicity (%)		
White	64.4	85.6
Black	26.4	9.3
Asian/Pacific Islander	2.9	1.5
Other	6.3	3.6
Hispanic	7.5	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.6	3.8
Mother's Age >=35	11.5	9.6
Mother < High School Education	19.8	20.6
Repeat Births to Teens	2.1	2.6
Repeat Births <12Months From Previous Birth	2.7	3.6
MCH SES Indicators		
Children Living in Poverty (%)	21.7	23.4
# of Children Enrolled in Medicaid	57,293	356,919
Median Household Income	46,745	41,489
Delivery Payment Source (%)		
Medicaid	31.3	45.1
Private	50.2	43.4
Other	18.5	11.6
Prenatal Care Entry (%)		

First Trimester Prenatal Care	78.5	75.5
Second Trimester Prenatal Care	16.7	19.3
Third Trimester Prenatal Care	3.0	3.9
No Prenatal Care	1.8	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.1	6.5
Gestational Diabetes	3.2	4.6
Pre-Pregnancy Obesity	24.5	26.6
Pre-Pregnancy Underweight	5.9	5.3
Smoking During Pregnancy	16.8	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.7	9.2
Very Low Birth Weight (<1500g)	1.8	1.5
Preterm Births (<37 weeks)	14.3	14.2
Late Preterm Births (34-36 weeks)	4.7	4.7
Infant Mortality (Rate per 1,000 live births)	7.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	69.3	64.8
Total C-Section Deliveries	30.7	35.2
Repeat C-Section	9.7	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	65.2	54.8
WIC Participation (%)	37.4	50.1
Children Indicators		

# of WIC Children 2-5 years	7,262	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	15.6	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	12.7	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	1,777	12,397
# Children Abused	2,520	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Jessamine County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Jessamine	KY
Total Live Births	686	58,923
# of Childbearing Women (15-44)	10,105	868,294
# of Children (<18)	11,570	1,015,949
Maternal Race/Ethnicity (%)		
White	94.2	85.6
Black	3.6	9.3
Asian/Pacific Islander	1.2	1.5
Other	1.0	3.6
Hispanic	2.5	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.8	3.8

Mother's Age >=35	9.2	9.6
Mother < High School Education	18.4	20.6
Repeat Births to Teens	1.2	2.6
Repeat Births <12Months From Previous Birth	1.6	3.6
MCH SES Indicators		
Children Living in Poverty (%)	17.9	23.4
# of Children Enrolled in Medicaid	3,585	356,919
Median Household Income	51,579	41,489
Delivery Payment Source (%)		
Medicaid	48.1	45.1
Private	49.1	43.4
Other	2.8	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	78.9	75.5
Second Trimester Prenatal Care	16.8	19.3
Third Trimester Prenatal Care	4.0	3.9
No Prenatal Care	0.3	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.9	6.5
Gestational Diabetes	4.5	4.6
Pre-Pregnancy Obesity	22.0	26.6
Pre-Pregnancy Underweight	6.0	5.3
Smoking During Pregnancy	24.8	25.3
Adverse Birth Outcomes (%)		

Low Birth Weight (<2500g)	5.7	9.2
Very Low Birth Weight (<1500g)	0.6	1.5
Preterm Births (<37 weeks)	11.4	14.2
Late Preterm Births (34-36 weeks)	4.1	4.7
Infant Mortality (Rate per 1,000 live births)	7.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	63.7	64.8
Total C-Section Deliveries	36.3	35.2
Repeat C-Section	13.4	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	67.1	54.8
WIC Participation (%)	45.8	50.1
Children Indicators		
# of WIC Children 2-5 years	736	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	17.0	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	12.2	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	113	12,397
# Children Abused	134	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

County Profile: Johnson County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Johnson	KY
Total Live Births	319	58,923
# of Childbearing Women (15-44)	4,805	868,294
# of Children (<18)	5,673	1,015,949
Maternal Race/Ethnicity (%)		
White	99.4	85.6
Black	0.3	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.3	3.6
Hispanic	0.0	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.7	3.8
Mother's Age >=35	6.9	9.6
Mother < High School Education	31.7	20.6
Repeat Births to Teens	2.2	2.6
Repeat Births <12Months From Previous Birth	3.8	3.6
MCH SES Indicators		
Children Living in Poverty (%)	34.7	23.4
# of Children Enrolled in Medicaid	2,810	356,919
Median Household Income	31,116	41,489
Delivery Payment Source (%)		
Medicaid	69.6	45.1

Private	25.7	43.4
Other	4.6	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	74.1	75.5
Second Trimester Prenatal Care	20.3	19.3
Third Trimester Prenatal Care	3.6	3.9
No Prenatal Care	2.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.7	6.5
Gestational Diabetes	4.1	4.6
Pre-Pregnancy Obesity	32.7	26.6
Pre-Pregnancy Underweight	4.3	5.3
Smoking During Pregnancy	35.7	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.0	9.2
Very Low Birth Weight (<1500g)	2.8	1.5
Preterm Births (<37 weeks)	18.5	14.2
Late Preterm Births (34-36 weeks)	7.2	4.7
Infant Mortality (Rate per 1,000 live births)	7.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	55.5	64.8
Total C-Section Deliveries	44.5	35.2
Repeat C-Section	15.4	12.3
Post-natal Nutrition		

Breastfeeding initiation (%)	28.4	54.8
WIC Participation (%)	69.0	50.1
Children Indicators		
# of WIC Children 2-5 years	519	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	18.7	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	19.8	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	145	12,397
# Children Abused	211	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Kenton County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Kenton	KY
Total Live Births	1,986	58,923
# of Childbearing Women (15-44)	33,352	868,294
# of Children (<18)	39,256	1,015,949
Maternal Race/Ethnicity (%)		
White	88.6	85.6
Black	5.3	9.3
Asian/Pacific Islander	1.6	1.5
Other	4.4	3.6

Hispanic	4.8	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.3	3.8
Mother's Age >=35	10.5	9.6
Mother < High School Education	21.8	20.6
Repeat Births to Teens	2.3	2.6
Repeat Births <12Months From Previous Birth	3.4	3.6
MCH SES Indicators		
Children Living in Poverty (%)	15.5	23.4
# of Children Enrolled in Medicaid	10,921	356,919
Median Household Income	52,633	41,489
Delivery Payment Source (%)		
Medicaid	46.3	45.1
Private	50.1	43.4
Other	3.6	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	64.5	75.5
Second Trimester Prenatal Care	28.9	19.3
Third Trimester Prenatal Care	5.1	3.9
No Prenatal Care	1.5	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.5	6.5
Gestational Diabetes	4.1	4.6
Pre-Pregnancy Obesity	23.2	26.6

Pre-Pregnancy Underweight	3.9	5.3
Smoking During Pregnancy	29.7	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	6.7	9.2
Very Low Birth Weight (<1500g)	0.6	1.5
Preterm Births (<37 weeks)	10.1	14.2
Late Preterm Births (34-36 weeks)	3.6	4.7
Infant Mortality (Rate per 1,000 live births)	11.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	67.1	64.8
Total C-Section Deliveries	32.9	35.2
Repeat C-Section	13.5	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	56.3	54.8
WIC Participation (%)	37.9	50.1
Children Indicators		
# of WIC Children 2-5 years	1,145	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	17.9	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	14.7	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	493	12,397
# Children Abused	569	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Knott County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Knott	KY
Total Live Births	195	58,923
# of Childbearing Women (15-44)	3,550	868,294
# of Children (<18)	3,714	1,015,949
Maternal Race/Ethnicity (%)		
White	98.5	85.6
Black	1.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.5	3.6
Hispanic	0.5	5.0
Maternal Characteristics (%)		
Mother's Age <18	6.1	3.8
Mother's Age >=35	7.2	9.6
Mother < High School Education	33.3	20.6
Repeat Births to Teens	1.0	2.6
Repeat Births <12Months From Previous Birth	6.2	3.6
MCH SES Indicators		
Children Living in Poverty (%)	39.4	23.4
# of Children Enrolled in Medicaid	2,050	356,919
Median Household Income	26,948	41,489

Delivery Payment Source (%)

Medicaid	71.8	45.1
Private	20.5	43.4
Other	7.7	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	85.8	75.5
Second Trimester Prenatal Care	10.4	19.3
Third Trimester Prenatal Care	2.7	3.9
No Prenatal Care	1.1	1.3

Adverse Birth Outcomes Risk Factors (%)

Gestational Hypertension	4.1	6.5
Gestational Diabetes	4.6	4.6
Pre-Pregnancy Obesity	32.3	26.6
Pre-Pregnancy Underweight	1.0	5.3
Smoking During Pregnancy	35.4	25.3

Adverse Birth Outcomes (%)

Low Birth Weight (<2500g)	15.4	9.2
Very Low Birth Weight (<1500g)	0.5	1.5
Preterm Births (<37 weeks)	11.7	14.2
Late Preterm Births (34-36 weeks)	3.6	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7

Method of Delivery (%)

Vaginal Deliveries	64.1	64.8
Total C-Section Deliveries	35.9	35.2

Repeat C-Section	11.3	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	25.6	54.8
WIC Participation (%)	70.8	50.1
Children Indicators		
# of WIC Children 2-5 years	324	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	15.1	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	22.5	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	48	12,397
# Children Abused	134	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Knox County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Knox	KY
Total Live Births		58,923
# of Childbearing Women (15-44)		868,294
# of Children (<18)		1,015,949
Maternal Race/Ethnicity (%)		
White		85.6

Black	9.3
Asian/Pacific Islander	1.5
Other	3.6
Hispanic	5.0
Maternal Characteristics (%)	
Mother's Age <18	3.8
Mother's Age >=35	9.6
Mother < High School Education	20.6
Repeat Births to Teens	2.6
Repeat Births <12Months From Previous Birth	3.6
MCH SES Indicators	
Children Living in Poverty (%)	23.4
# of Children Enrolled in Medicaid	356,919
Median Household Income	41,489
Delivery Payment Source (%)	
Medicaid	45.1
Private	43.4
Other	11.6
Prenatal Care Entry (%)	
First Trimester Prenatal Care	75.5
Second Trimester Prenatal Care	19.3
Third Trimester Prenatal Care	3.9
No Prenatal Care	1.3
Adverse Birth Outcomes Risk Factors (%)	

Gestational Hypertension	6.5
Gestational Diabetes	4.6
Pre-Pregnancy Obesity	26.6
Pre-Pregnancy Underweight	5.3
Smoking During Pregnancy	25.3
Adverse Birth Outcomes (%)	
Low Birth Weight (<2500g)	9.2
Very Low Birth Weight (<1500g)	1.5
Preterm Births (<37 weeks)	14.2
Late Preterm Births (34-36 weeks)	4.7
Infant Mortality (Rate per 1,000 live births)	6.7
Method of Delivery (%)	
Vaginal Deliveries	64.8
Total C-Section Deliveries	35.2
Repeat C-Section	12.3
Post-natal Nutrition	
Breastfeeding initiation (%)	54.8
WIC Participation (%)	50.1
Children Indicators	
# of WIC Children 2-5 years	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	12,397
# Children Abused	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Larue County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Larue	KY
Total Live Births	154	58,923
# of Childbearing Women (15-44)	2,396	868,294
# of Children (<18)	3,123	1,015,949
Maternal Race/Ethnicity (%)		
White	91.6	85.6
Black	3.2	9.3
Asian/Pacific Islander	1.3	1.5
Other	3.9	3.6
Hispanic	7.8	5.0
Maternal Characteristics (%)		
Mother's Age <18	2.6	3.8
Mother's Age >=35	5.8	9.6
Mother < High School Education	18.8	20.6
Repeat Births to Teens	4.5	2.6
Repeat Births <12Months From Previous Birth	5.3	3.6
MCH SES Indicators		

Children Living in Poverty (%)	23.8	23.4
# of Children Enrolled in Medicaid	1,207	356,919
Median Household Income	38,547	41,489
Delivery Payment Source (%)		
Medicaid	24.7	45.1
Private	46.7	43.4
Other	28.6	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	77.1	75.5
Second Trimester Prenatal Care	19.0	19.3
Third Trimester Prenatal Care	2.6	3.9
No Prenatal Care	1.3	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.8	6.5
Gestational Diabetes	3.9	4.6
Pre-Pregnancy Obesity	44.2	26.6
Pre-Pregnancy Underweight	2.6	5.3
Smoking During Pregnancy	20.8	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.7	9.2
Very Low Birth Weight (<1500g)	1.3	1.5
Preterm Births (<37 weeks)	13.7	14.2
Late Preterm Births (34-36 weeks)	2.6	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7

Method of Delivery (%)

Vaginal Deliveries	61.0	64.8
Total C-Section Deliveries	39.0	35.2
Repeat C-Section	12.3	12.3

Post-natal Nutrition

Breastfeeding initiation (%)	57.8	54.8
WIC Participation (%)	54.5	50.1

Children Indicators

# of WIC Children 2-5 years	272	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	19.1	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	20.6	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	34	12,397
# Children Abused	89	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008
US Census Bureau, Population Estimates Program, 2008
Vital Statistics, 2008
National Center for Health Statistics, National Vital Statistics Report 2007
PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)
Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Laurel County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Laurel	KY
Total Live Births	799	58,923
# of Childbearing Women (15-44)	11,793	868,294
# of Children (<18)	13,856	1,015,949

Maternal Race/Ethnicity (%)

White	98.5	85.6
Black	0.6	9.3
Asian/Pacific Islander	0.8	1.5
Other	0.1	3.6
Hispanic	1.1	5.0

Maternal Characteristics (%)

Mother's Age <18	5.5	3.8
Mother's Age >=35	6.5	9.6
Mother < High School Education	27.8	20.6
Repeat Births to Teens	3.4	2.6
Repeat Births <12Months From Previous Birth	2.1	3.6

MCH SES Indicators

Children Living in Poverty (%)	27.9	23.4
# of Children Enrolled in Medicaid	6,511	356,919
Median Household Income	34,304	41,489

Delivery Payment Source (%)

Medicaid	64.5	45.1
Private	33.3	43.4
Other	2.2	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	82.6	75.5
Second Trimester Prenatal Care	13.8	19.3
Third Trimester Prenatal Care	3.2	3.9

No Prenatal Care	0.4	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	9.1	6.5
Gestational Diabetes	7.1	4.6
Pre-Pregnancy Obesity	26.4	26.6
Pre-Pregnancy Underweight	5.0	5.3
Smoking During Pregnancy	33.5	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.1	9.2
Very Low Birth Weight (<1500g)	1.6	1.5
Preterm Births (<37 weeks)	12.2	14.2
Late Preterm Births (34-36 weeks)	3.5	4.7
Infant Mortality (Rate per 1,000 live births)	7.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	63.9	64.8
Total C-Section Deliveries	36.1	35.2
Repeat C-Section	15.4	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	48.3	54.8
WIC Participation (%)	67.1	50.1
Children Indicators		
# of WIC Children 2-5 years	936	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	17.0	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	18.1	15.7

# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	271	12,397
# Children Abused	298	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Lawrence County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Lawrence	KY
Total Live Births	226	58,923
# of Childbearing Women (15-44)	3,276	868,294
# of Children (<18)	3,905	1,015,949
Maternal Race/Ethnicity (%)		
White	99.1	85.6
Black	0.4	9.3
Asian/Pacific Islander	0.4	1.5
Other	0.0	3.6
Hispanic	0.4	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.5	3.8
Mother's Age >=35	8.0	9.6
Mother < High School Education	23.9	20.6
Repeat Births to Teens	3.5	2.6

Repeat Births <12Months From Previous Birth	8.4	3.6
MCH SES Indicators		
Children Living in Poverty (%)	35.5	23.4
# of Children Enrolled in Medicaid	1,960	356,919
Median Household Income	29,015	41,489
Delivery Payment Source (%)		
Medicaid	69.7	45.1
Private	27.3	43.4
Other	3.0	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	80.4	75.5
Second Trimester Prenatal Care	12.2	19.3
Third Trimester Prenatal Care	5.1	3.9
No Prenatal Care	2.3	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.6	6.5
Gestational Diabetes	7.1	4.6
Pre-Pregnancy Obesity	30.8	26.6
Pre-Pregnancy Underweight	5.1	5.3
Smoking During Pregnancy	32.3	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	20.4	9.2
Very Low Birth Weight (<1500g)	0.4	1.5
Preterm Births (<37 weeks)	32.5	14.2

Late Preterm Births (34-36 weeks)	13.3	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	52.7	64.8
Total C-Section Deliveries	47.3	35.2
Repeat C-Section	15.5	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	22.7	54.8
WIC Participation (%)	64.1	50.1
Children Indicators		
# of WIC Children 2-5 years	310	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	19.4	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	20.6	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	65	12,397
# Children Abused	145	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Lee County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Lee	KY

Total Live Births	75	58,923
# of Childbearing Women (15-44)	1,283	868,294
# of Children (<18)	1,485	1,015,949
Maternal Race/Ethnicity (%)		
White	100.0	85.6
Black	0.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.0	3.6
Hispanic	0.0	5.0
Maternal Characteristics (%)		
Mother's Age <18	5.3	3.8
Mother's Age >=35	4.0	9.6
Mother < High School Education	37.3	20.6
Repeat Births to Teens	5.3	2.6
Repeat Births <12Months From Previous Birth	4.3	3.6
MCH SES Indicators		
Children Living in Poverty (%)	46.2	23.4
# of Children Enrolled in Medicaid	1,030	356,919
Median Household Income	23,786	41,489
Delivery Payment Source (%)		
Medicaid	77.3	45.1
Private	17.3	43.4
Other	5.3	11.6
Prenatal Care Entry (%)		

First Trimester Prenatal Care	71.0	75.5
Second Trimester Prenatal Care	26.1	19.3
Third Trimester Prenatal Care	2.9	3.9
No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.3	6.5
Gestational Diabetes	6.7	4.6
Pre-Pregnancy Obesity	21.3	26.6
Pre-Pregnancy Underweight	2.7	5.3
Smoking During Pregnancy	58.7	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	13.3	9.2
Very Low Birth Weight (<1500g)	4.0	1.5
Preterm Births (<37 weeks)	19.7	14.2
Late Preterm Births (34-36 weeks)	9.3	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	69.3	64.8
Total C-Section Deliveries	30.7	35.2
Repeat C-Section	16.0	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	30.7	54.8
WIC Participation (%)	84.0	50.1
Children Indicators		

# of WIC Children 2-5 years	188	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	10.6	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	9.0	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	12	12,397
# Children Abused	28	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Leslie County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Leslie	KY
Total Live Births	171	58,923
# of Childbearing Women (15-44)	2,349	868,294
# of Children (<18)	2,615	1,015,949
Maternal Race/Ethnicity (%)		
White	100.0	85.6
Black	0.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.0	3.6
Hispanic	0.0	5.0
Maternal Characteristics (%)		
Mother's Age <18	2.9	3.8

Mother's Age >=35	4.1	9.6
Mother < High School Education	29.8	20.6
Repeat Births to Teens	5.3	2.6
Repeat Births <12Months From Previous Birth	2.9	3.6
MCH SES Indicators		
Children Living in Poverty (%)	36.8	23.4
# of Children Enrolled in Medicaid	1,426	356,919
Median Household Income	23,627	41,489
Delivery Payment Source (%)		
Medicaid	63.7	45.1
Private	35.1	43.4
Other	1.2	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	69.7	75.5
Second Trimester Prenatal Care	24.9	19.3
Third Trimester Prenatal Care	4.2	3.9
No Prenatal Care	1.2	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	12.3	6.5
Gestational Diabetes	8.8	4.6
Pre-Pregnancy Obesity	34.5	26.6
Pre-Pregnancy Underweight	5.8	5.3
Smoking During Pregnancy	40.3	25.3
Adverse Birth Outcomes (%)		

Low Birth Weight (<2500g)	8.8	9.2
Very Low Birth Weight (<1500g)	1.2	1.5
Preterm Births (<37 weeks)	15.4	14.2
Late Preterm Births (34-36 weeks)	7.0	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	64.9	64.8
Total C-Section Deliveries	35.1	35.2
Repeat C-Section	13.4	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	28.6	54.8
WIC Participation (%)	67.2	50.1
Children Indicators		
# of WIC Children 2-5 years	276	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	8.7	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	6.5	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	43	12,397
# Children Abused	48	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

County Profile: Letcher County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Letcher	KY
Total Live Births	303	58,923
# of Childbearing Women (15-44)	4,681	868,294
# of Children (<18)	5,357	1,015,949
Maternal Race/Ethnicity (%)		
White	100.0	85.6
Black	0.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.0	3.6
Hispanic	0.3	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.0	3.8
Mother's Age >=35	7.3	9.6
Mother < High School Education	24.1	20.6
Repeat Births to Teens	3.3	2.6
Repeat Births <12Months From Previous Birth	7.8	3.6
MCH SES Indicators		
Children Living in Poverty (%)	37.3	23.4
# of Children Enrolled in Medicaid	2,853	356,919
Median Household Income	27,374	41,489
Delivery Payment Source (%)		
Medicaid	68.3	45.1

Private	29.2	43.4
Other	2.5	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	85.9	75.5
Second Trimester Prenatal Care	11.4	19.3
Third Trimester Prenatal Care	2.7	3.9
No Prenatal Care	0.7	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	1.3	6.5
Gestational Diabetes	1.6	4.6
Pre-Pregnancy Obesity	31.0	26.6
Pre-Pregnancy Underweight	3.9	5.3
Smoking During Pregnancy	37.3	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	12.9	9.2
Very Low Birth Weight (<1500g)	1.3	1.5
Preterm Births (<37 weeks)	12.3	14.2
Late Preterm Births (34-36 weeks)	4.6	4.7
Infant Mortality (Rate per 1,000 live births)	6.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	71.6	64.8
Total C-Section Deliveries	28.4	35.2
Repeat C-Section	9.6	12.3
Post-natal Nutrition		

Breastfeeding initiation (%)	36.6	54.8
WIC Participation (%)	67.6	50.1
Children Indicators		
# of WIC Children 2-5 years	408	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	18.1	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	17.9	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	85	12,397
# Children Abused	221	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Lewis County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Lewis	KY
Total Live Births	84	58,923
# of Childbearing Women (15-44)	2,621	868,294
# of Children (<18)	3,238	1,015,949
Maternal Race/Ethnicity (%)		
White	98.8	85.6
Black	0.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	1.2	3.6

Hispanic	0.0	5.0
Maternal Characteristics (%)		
Mother's Age <18	7.1	3.8
Mother's Age >=35	7.1	9.6
Mother < High School Education	17.9	20.6
Repeat Births to Teens	1.2	2.6
Repeat Births <12Months From Previous Birth	0.0	3.6
MCH SES Indicators		
Children Living in Poverty (%)	38.3	23.4
# of Children Enrolled in Medicaid	1,795	356,919
Median Household Income	28,466	41,489
Delivery Payment Source (%)		
Medicaid	60.7	45.1
Private	38.0	43.4
Other	1.3	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	79.0	75.5
Second Trimester Prenatal Care	13.6	19.3
Third Trimester Prenatal Care	6.2	3.9
No Prenatal Care	1.2	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.9	6.5
Gestational Diabetes	3.6	4.6
Pre-Pregnancy Obesity	26.6	26.6

Pre-Pregnancy Underweight	6.3	5.3
Smoking During Pregnancy	28.6	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	14.3	9.2
Very Low Birth Weight (<1500g)	2.4	1.5
Preterm Births (<37 weeks)	17.6	14.2
Late Preterm Births (34-36 weeks)	7.1	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	69.1	64.8
Total C-Section Deliveries	30.9	35.2
Repeat C-Section	9.5	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	34.2	54.8
WIC Participation (%)	72.1	50.1
Children Indicators		
# of WIC Children 2-5 years	234	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	12.7	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	15.7	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	27	12,397
# Children Abused	69	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Lincoln County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Lincoln	KY
Total Live Births	319	58,923
# of Childbearing Women (15-44)	4,963	868,294
# of Children (<18)	6,194	1,015,949
Maternal Race/Ethnicity (%)		
White	98.1	85.6
Black	0.9	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.9	3.6
Hispanic	0.9	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.7	3.8
Mother's Age >=35	5.3	9.6
Mother < High School Education	25.7	20.6
Repeat Births to Teens	4.1	2.6
Repeat Births <12Months From Previous Birth	2.1	3.6
MCH SES Indicators		
Children Living in Poverty (%)	29.2	23.4
# of Children Enrolled in Medicaid	2,399	356,919
Median Household Income	34,401	41,489

Delivery Payment Source (%)

Medicaid	47.0	45.1
Private	43.6	43.4
Other	9.4	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	82.4	75.5
Second Trimester Prenatal Care	13.5	19.3
Third Trimester Prenatal Care	3.8	3.9
No Prenatal Care	0.3	1.3

Adverse Birth Outcomes Risk Factors (%)

Gestational Hypertension	5.6	6.5
Gestational Diabetes	5.0	4.6
Pre-Pregnancy Obesity	24.1	26.6
Pre-Pregnancy Underweight	4.1	5.3
Smoking During Pregnancy	27.9	25.3

Adverse Birth Outcomes (%)

Low Birth Weight (<2500g)	7.2	9.2
Very Low Birth Weight (<1500g)	1.2	1.5
Preterm Births (<37 weeks)	10.0	14.2
Late Preterm Births (34-36 weeks)	3.1	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7

Method of Delivery (%)

Vaginal Deliveries	69.3	64.8
Total C-Section Deliveries	30.7	35.2

Repeat C-Section	10.7	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	50.8	54.8
WIC Participation (%)	56.4	50.1
Children Indicators		
# of WIC Children 2-5 years	433	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.6	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	13.4	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	64	12,397
# Children Abused	41	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Livingston County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Livingston	KY
Total Live Births	92	58,923
# of Childbearing Women (15-44)	1,777	868,294
# of Children (<18)	1,902	1,015,949
Maternal Race/Ethnicity (%)		
White	97.8	85.6

Black	0.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	2.2	3.6
Hispanic	1.1	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.3	3.8
Mother's Age >=35	7.6	9.6
Mother < High School Education	16.3	20.6
Repeat Births to Teens	4.3	2.6
Repeat Births <12Months From Previous Birth	9.4	3.6
MCH SES Indicators		
Children Living in Poverty (%)	19.8	23.4
# of Children Enrolled in Medicaid	638	356,919
Median Household Income	38,712	41,489
Delivery Payment Source (%)		
Medicaid	56.5	45.1
Private	40.2	43.4
Other	3.3	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	88.4	75.5
Second Trimester Prenatal Care	9.3	19.3
Third Trimester Prenatal Care	1.2	3.9
No Prenatal Care	1.2	1.3
Adverse Birth Outcomes Risk Factors (%)		

Gestational Hypertension	17.4	6.5
Gestational Diabetes	3.3	4.6
Pre-Pregnancy Obesity	43.5	26.6
Pre-Pregnancy Underweight	4.3	5.3
Smoking During Pregnancy	21.7	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.8	9.2
Very Low Birth Weight (<1500g)	0.0	1.5
Preterm Births (<37 weeks)	16.4	14.2
Late Preterm Births (34-36 weeks)	8.7	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	64.1	64.8
Total C-Section Deliveries	35.9	35.2
Repeat C-Section	14.1	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	50.0	54.8
WIC Participation (%)	55.4	50.1
Children Indicators		
# of WIC Children 2-5 years	160	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	21.9	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	11.3	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	10	12,397
# Children Abused	29	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Logan County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Logan	KY
Total Live Births	347	58,923
# of Childbearing Women (15-44)	5,105	868,294
# of Children (<18)	6,300	1,015,949
Maternal Race/Ethnicity (%)		
White	87.6	85.6
Black	8.4	9.3
Asian/Pacific Islander	0.6	1.5
Other	3.5	3.6
Hispanic	3.2	5.0
Maternal Characteristics (%)		
Mother's Age <18	7.2	3.8
Mother's Age >=35	7.5	9.6
Mother < High School Education	25.6	20.6
Repeat Births to Teens	6.3	2.6
Repeat Births <12Months From Previous Birth	6.0	3.6
MCH SES Indicators		

Children Living in Poverty (%)	23.1	23.4
# of Children Enrolled in Medicaid	2,147	356,919
Median Household Income	39,176	41,489
Delivery Payment Source (%)		
Medicaid	54.5	45.1
Private	36.6	43.4
Other	8.9	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	60.0	75.5
Second Trimester Prenatal Care	19.1	19.3
Third Trimester Prenatal Care	10.0	3.9
No Prenatal Care	0.9	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.6	6.5
Gestational Diabetes	6.3	4.6
Pre-Pregnancy Obesity	26.2	26.6
Pre-Pregnancy Underweight	2.3	5.3
Smoking During Pregnancy	27.4	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.6	9.2
Very Low Birth Weight (<1500g)	0.6	1.5
Preterm Births (<37 weeks)	16.5	14.2
Late Preterm Births (34-36 weeks)	6.9	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7

Method of Delivery (%)

Vaginal Deliveries	71.5	64.8
Total C-Section Deliveries	28.5	35.2
Repeat C-Section	10.9	12.3

Post-natal Nutrition

Breastfeeding initiation (%)	63.4	54.8
WIC Participation (%)	52.4	50.1

Children Indicators

# of WIC Children 2-5 years	389	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	15.4	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	20.1	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	73	12,397
# Children Abused	70	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008
US Census Bureau, Population Estimates Program, 2008
Vital Statistics, 2008
National Center for Health Statistics, National Vital Statistics Report 2007
PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)
Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Lyon County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Lyon	KY
Total Live Births	67	58,923
# of Childbearing Women (15-44)	1,025	868,294
# of Children (<18)	1,124	1,015,949

Maternal Race/Ethnicity (%)

White	97.0	85.6
Black	1.5	9.3
Asian/Pacific Islander	1.5	1.5
Other	0.0	3.6
Hispanic	0.0	5.0

Maternal Characteristics (%)

Mother's Age <18	4.5	3.8
Mother's Age >=35	16.4	9.6
Mother < High School Education	9.0	20.6
Repeat Births to Teens	1.5	2.6
Repeat Births <12Months From Previous Birth	2.8	3.6

MCH SES Indicators

Children Living in Poverty (%)	19.2	23.4
# of Children Enrolled in Medicaid	393	356,919
Median Household Income	40,932	41,489

Delivery Payment Source (%)

Medicaid	43.9	45.1
Private	48.5	43.4
Other	7.6	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	82.3	75.5
Second Trimester Prenatal Care	11.3	19.3
Third Trimester Prenatal Care	1.6	3.9

No Prenatal Care	4.8	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	11.9	6.5
Gestational Diabetes	3.0	4.6
Pre-Pregnancy Obesity	37.9	26.6
Pre-Pregnancy Underweight	3.0	5.3
Smoking During Pregnancy	20.9	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	4.5	9.2
Very Low Birth Weight (<1500g)	0.0	1.5
Preterm Births (<37 weeks)	12.0	14.2
Late Preterm Births (34-36 weeks)	0.0	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	62.7	64.8
Total C-Section Deliveries	37.3	35.2
Repeat C-Section	16.4	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	54.5	54.8
WIC Participation (%)	51.5	50.1
Children Indicators		
# of WIC Children 2-5 years	87	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	n/a**	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	n/a**	15.7

# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	18	12,397
# Children Abused	24	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Madison County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Madison	KY
Total Live Births	1,037	58,923
# of Childbearing Women (15-44)	20,407	868,294
# of Children (<18)	17,405	1,015,949
Maternal Race/Ethnicity (%)		
White	92.3	85.6
Black	4.3	9.3
Asian/Pacific Islander	1.2	1.5
Other	2.2	3.6
Hispanic	2.8	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.4	3.8
Mother's Age >=35	9.4	9.6
Mother < High School Education	17.1	20.6
Repeat Births to Teens	2.1	2.6

Repeat Births <12Months From Previous Birth	3.4	3.6
MCH SES Indicators		
Children Living in Poverty (%)	17.5	23.4
# of Children Enrolled in Medicaid	5,756	356,919
Median Household Income	43,358	41,489
Delivery Payment Source (%)		
Medicaid	49.7	45.1
Private	48.1	43.4
Other	2.2	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	83.6	75.5
Second Trimester Prenatal Care	12.7	19.3
Third Trimester Prenatal Care	2.2	3.9
No Prenatal Care	1.5	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.7	6.5
Gestational Diabetes	9.4	4.6
Pre-Pregnancy Obesity	25.1	26.6
Pre-Pregnancy Underweight	4.9	5.3
Smoking During Pregnancy	23.5	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.1	9.2
Very Low Birth Weight (<1500g)	1.5	1.5
Preterm Births (<37 weeks)	12.8	14.2

Late Preterm Births (34-36 weeks)	2.8	4.7
Infant Mortality (Rate per 1,000 live births)	4.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	56.9	64.8
Total C-Section Deliveries	43.1	35.2
Repeat C-Section	10.1	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	59.7	54.8
WIC Participation (%)	50.7	50.1
Children Indicators		
# of WIC Children 2-5 years	985	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.1	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	14.4	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	234	12,397
# Children Abused	243	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Magoffin County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Magoffin	KY

Total Live Births	164	58,923
# of Childbearing Women (15-44)	2,727	868,294
# of Children (<18)	3,244	1,015,949
Maternal Race/Ethnicity (%)		
White	99.4	85.6
Black	0.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.3	3.6
Hispanic	0.0	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.7	3.8
Mother's Age >=35	7.3	9.6
Mother < High School Education	23.9	20.6
Repeat Births to Teens	4.9	2.6
Repeat Births <12Months From Previous Birth	6.2	3.6
MCH SES Indicators		
Children Living in Poverty (%)	46.3	23.4
# of Children Enrolled in Medicaid	2,104	356,919
Median Household Income	25,890	41,489
Delivery Payment Source (%)		
Medicaid	73.9	45.1
Private	22.4	43.4
Other	3.7	11.6
Prenatal Care Entry (%)		

First Trimester Prenatal Care	78.3	75.5
Second Trimester Prenatal Care	16.5	19.3
Third Trimester Prenatal Care	2.6	3.9
No Prenatal Care	2.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.7	6.5
Gestational Diabetes	4.3	4.6
Pre-Pregnancy Obesity	37.3	26.6
Pre-Pregnancy Underweight	5.0	5.3
Smoking During Pregnancy	31.7	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.3	9.2
Very Low Birth Weight (<1500g)	1.2	1.5
Preterm Births (<37 weeks)	17.5	14.2
Late Preterm Births (34-36 weeks)	6.7	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	60.4	64.8
Total C-Section Deliveries	39.6	35.2
Repeat C-Section	14.0	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	34.8	54.8
WIC Participation (%)	70.8	50.1
Children Indicators		

# of WIC Children 2-5 years	407	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	24.8	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	23.6	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	92	12,397
# Children Abused	133	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Marion County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Marion	KY
Total Live Births	273	58,923
# of Childbearing Women (15-44)	3,516	868,294
# of Children (<18)	4,811	1,015,949
Maternal Race/Ethnicity (%)		
White	84.6	85.6
Black	6.6	9.3
Asian/Pacific Islander	1.8	1.5
Other	7.0	3.6
Hispanic	7.7	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.0	3.8

Mother's Age >=35	9.5	9.6
Mother < High School Education	23.1	20.6
Repeat Births to Teens	2.6	2.6
Repeat Births <12Months From Previous Birth	4.2	3.6
MCH SES Indicators		
Children Living in Poverty (%)	23.0	23.4
# of Children Enrolled in Medicaid	1,519	356,919
Median Household Income	37,766	41,489
Delivery Payment Source (%)		
Medicaid	7.0	45.1
Private	45.0	43.4
Other	48.0	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	64.3	75.5
Second Trimester Prenatal Care	29.0	19.3
Third Trimester Prenatal Care	5.5	3.9
No Prenatal Care	1.1	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.6	6.5
Gestational Diabetes	8.4	4.6
Pre-Pregnancy Obesity	21.2	26.6
Pre-Pregnancy Underweight	2.9	5.3
Smoking During Pregnancy	29.7	25.3
Adverse Birth Outcomes (%)		

Low Birth Weight (<2500g)	10.6	9.2
Very Low Birth Weight (<1500g)	1.5	1.5
Preterm Births (<37 weeks)	12.3	14.2
Late Preterm Births (34-36 weeks)	5.9	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	63.7	64.8
Total C-Section Deliveries	36.3	35.2
Repeat C-Section	13.9	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	43.6	54.8
WIC Participation (%)	61.5	50.1
Children Indicators		
# of WIC Children 2-5 years	379	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.6	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	19.3	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	68	12,397
# Children Abused	62	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

County Profile: Marshall County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Marshall	KY
Total Live Births	323	58,923
# of Childbearing Women (15-44)	5,367	868,294
# of Children (<18)	6,432	1,015,949
Maternal Race/Ethnicity (%)		
White	99.7	85.6
Black	0.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.3	3.6
Hispanic	1.2	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.0	3.8
Mother's Age >=35	7.1	9.6
Mother < High School Education	18.9	20.6
Repeat Births to Teens	1.6	2.6
Repeat Births <12Months From Previous Birth	3.0	3.6
MCH SES Indicators		
Children Living in Poverty (%)	17.5	23.4
# of Children Enrolled in Medicaid	1,932	356,919
Median Household Income	43,776	41,489
Delivery Payment Source (%)		
Medicaid	50.8	45.1

Private	47.0	43.4
Other	2.2	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	84.4	75.5
Second Trimester Prenatal Care	11.1	19.3
Third Trimester Prenatal Care	2.9	3.9
No Prenatal Care	1.6	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	9.3	6.5
Gestational Diabetes	4.3	4.6
Pre-Pregnancy Obesity	30.5	26.6
Pre-Pregnancy Underweight	3.1	5.3
Smoking During Pregnancy	27.6	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.1	9.2
Very Low Birth Weight (<1500g)	0.3	1.5
Preterm Births (<37 weeks)	14.3	14.2
Late Preterm Births (34-36 weeks)	4.9	4.7
Infant Mortality (Rate per 1,000 live births)	6.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	66.6	64.8
Total C-Section Deliveries	33.4	35.2
Repeat C-Section	11.8	12.3
Post-natal Nutrition		

Breastfeeding initiation (%)	53.9	54.8
WIC Participation (%)	55.8	50.1
Children Indicators		
# of WIC Children 2-5 years	469	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	10.4	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	10.0	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	72	12,397
# Children Abused	86	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Martin County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Martin	KY
Total Live Births	177	58,923
# of Childbearing Women (15-44)	2,702	868,294
# of Children (<18)	3,059	1,015,949
Maternal Race/Ethnicity (%)		
White	98.8	85.6
Black	0.6	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.6	3.6

Hispanic	0.6	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.0	3.8
Mother's Age >=35	6.8	9.6
Mother < High School Education	37.3	20.6
Repeat Births to Teens	3.4	2.6
Repeat Births <12Months From Previous Birth	6.5	3.6
MCH SES Indicators		
Children Living in Poverty (%)	46.6	23.4
# of Children Enrolled in Medicaid	1,848	356,919
Median Household Income	22,841	41,489
Delivery Payment Source (%)		
Medicaid	79.1	45.1
Private	18.4	43.4
Other	2.5	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	68.7	75.5
Second Trimester Prenatal Care	22.3	19.3
Third Trimester Prenatal Care	5.4	3.9
No Prenatal Care	3.6	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.5	6.5
Gestational Diabetes	1.7	4.6
Pre-Pregnancy Obesity	33.7	26.6

Pre-Pregnancy Underweight	3.7	5.3
Smoking During Pregnancy	40.7	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	14.7	9.2
Very Low Birth Weight (<1500g)	0.6	1.5
Preterm Births (<37 weeks)	17.7	14.2
Late Preterm Births (34-36 weeks)	10.7	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	45.8	64.8
Total C-Section Deliveries	54.2	35.2
Repeat C-Section	20.3	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	22.7	54.8
WIC Participation (%)	73.0	50.1
Children Indicators		
# of WIC Children 2-5 years	331	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	15.7	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	16.6	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	62	12,397
# Children Abused	230	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Mason County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Mason	KY
Total Live Births	229	58,923
# of Childbearing Women (15-44)	3,188	868,294
# of Children (<18)	4,001	1,015,949
Maternal Race/Ethnicity (%)		
White	88.6	85.6
Black	7.9	9.3
Asian/Pacific Islander	0.0	1.5
Other	3.5	3.6
Hispanic	3.1	5.0
Maternal Characteristics (%)		
Mother's Age <18	6.5	3.8
Mother's Age >=35	10.0	9.6
Mother < High School Education	24.4	20.6
Repeat Births to Teens	4.8	2.6
Repeat Births <12Months From Previous Birth	5.7	3.6
MCH SES Indicators		
Children Living in Poverty (%)	26.4	23.4
# of Children Enrolled in Medicaid	1,668	356,919
Median Household Income	38,209	41,489

Delivery Payment Source (%)

Medicaid	62.4	45.1
Private	29.3	43.4
Other	8.3	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	71.7	75.5
Second Trimester Prenatal Care	17.5	19.3
Third Trimester Prenatal Care	9.0	3.9
No Prenatal Care	1.8	1.3

Adverse Birth Outcomes Risk Factors (%)

Gestational Hypertension	7.9	6.5
Gestational Diabetes	1.8	4.6
Pre-Pregnancy Obesity	25.8	26.6
Pre-Pregnancy Underweight	7.0	5.3
Smoking During Pregnancy	40.6	25.3

Adverse Birth Outcomes (%)

Low Birth Weight (<2500g)	11.4	9.2
Very Low Birth Weight (<1500g)	1.7	1.5
Preterm Births (<37 weeks)	15.5	14.2
Late Preterm Births (34-36 weeks)	4.8	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7

Method of Delivery (%)

Vaginal Deliveries	64.6	64.8
Total C-Section Deliveries	35.4	35.2

Repeat C-Section	15.7	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	41.9	54.8
WIC Participation (%)	60.3	50.1
Children Indicators		
# of WIC Children 2-5 years	230	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.5	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	17.4	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	24	12,397
# Children Abused	62	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: McCracken County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	McCracken	KY
Total Live Births	790	58,923
# of Childbearing Women (15-44)	12,032	868,294
# of Children (<18)	14,768	1,015,949
Maternal Race/Ethnicity (%)		
White	81.0	85.6

Black	15.6	9.3
Asian/Pacific Islander	1.0	1.5
Other	2.4	3.6
Hispanic	2.5	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.2	3.8
Mother's Age >=35	10.8	9.6
Mother < High School Education	18.5	20.6
Repeat Births to Teens	1.8	2.6
Repeat Births <12Months From Previous Birth	2.9	3.6
MCH SES Indicators		
Children Living in Poverty (%)	23.4	23.4
# of Children Enrolled in Medicaid	5,066	356,919
Median Household Income	41,586	41,489
Delivery Payment Source (%)		
Medicaid	51.3	45.1
Private	46.4	43.4
Other	2.3	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	88.3	75.5
Second Trimester Prenatal Care	7.2	19.3
Third Trimester Prenatal Care	1.7	3.9
No Prenatal Care	2.8	1.3
Adverse Birth Outcomes Risk Factors (%)		

Gestational Hypertension	7.5	6.5
Gestational Diabetes	2.7	4.6
Pre-Pregnancy Obesity	33.2	26.6
Pre-Pregnancy Underweight	3.4	5.3
Smoking During Pregnancy	17.5	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.5	9.2
Very Low Birth Weight (<1500g)	2.3	1.5
Preterm Births (<37 weeks)	13.5	14.2
Late Preterm Births (34-36 weeks)	3.3	4.7
Infant Mortality (Rate per 1,000 live births)	4.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	63.9	64.8
Total C-Section Deliveries	36.1	35.2
Repeat C-Section	12.0	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	54.1	54.8
WIC Participation (%)	48.2	50.1
Children Indicators		
# of WIC Children 2-5 years	880	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	15.2	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	13.3	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	207	12,397
# Children Abused	257	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: McCreary County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	McCreary	KY
Total Live Births	209	58,923
# of Childbearing Women (15-44)	3,350	868,294
# of Children (<18)	4,349	1,015,949
Maternal Race/Ethnicity (%)		
White	98.1	85.6
Black	1.0	9.3
Asian/Pacific Islander	0.5	1.5
Other	0.5	3.6
Hispanic	0.5	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.8	3.8
Mother's Age >=35	3.8	9.6
Mother < High School Education	23.4	20.6
Repeat Births to Teens	5.3	2.6
Repeat Births <12Months From Previous Birth	5.1	3.6
MCH SES Indicators		

Children Living in Poverty (%)	51.1	23.4
# of Children Enrolled in Medicaid	2,749	356,919
Median Household Income	22,253	41,489
Delivery Payment Source (%)		
Medicaid	81.3	45.1
Private	16.8	43.4
Other	1.9	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	79.5	75.5
Second Trimester Prenatal Care	18.4	19.3
Third Trimester Prenatal Care	2.1	3.9
No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	9.6	6.5
Gestational Diabetes	4.8	4.6
Pre-Pregnancy Obesity	24.9	26.6
Pre-Pregnancy Underweight	11.5	5.3
Smoking During Pregnancy	41.6	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	11.5	9.2
Very Low Birth Weight (<1500g)	2.4	1.5
Preterm Births (<37 weeks)	13.2	14.2
Late Preterm Births (34-36 weeks)	1.9	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7

Method of Delivery (%)

Vaginal Deliveries	67.0	64.8
Total C-Section Deliveries	33.0	35.2
Repeat C-Section	8.6	12.3

Post-natal Nutrition

Breastfeeding initiation (%)	28.2	54.8
WIC Participation (%)	83.7	50.1

Children Indicators

# of WIC Children 2-5 years	541	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	15.2	16.6
Obese (\geq 95 th) WIC Children 2-5 years (%)	14.8	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	80	12,397
# Children Abused	89	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: McLean County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	McLean	KY
Total Live Births	100	58,923
# of Childbearing Women (15-44)	1,743	868,294
# of Children (<18)	2,258	1,015,949

Maternal Race/Ethnicity (%)

White	98.0	85.6
Black	1.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	1.0	3.6
Hispanic	1.0	5.0

Maternal Characteristics (%)

Mother's Age <18	10.0	3.8
Mother's Age >=35	5.0	9.6
Mother < High School Education	20.0	20.6
Repeat Births to Teens	3.0	2.6
Repeat Births <12Months From Previous Birth	1.9	3.6

MCH SES Indicators

Children Living in Poverty (%)	24.7	23.4
# of Children Enrolled in Medicaid	788	356,919
Median Household Income	37,353	41,489

Delivery Payment Source (%)

Medicaid	48.0	45.1
Private	44.0	43.4
Other	8.0	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	76.0	75.5
Second Trimester Prenatal Care	22.0	19.3
Third Trimester Prenatal Care	2.0	3.9

No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	11.0	6.5
Gestational Diabetes	3.0	4.6
Pre-Pregnancy Obesity	28.0	26.6
Pre-Pregnancy Underweight	6.0	5.3
Smoking During Pregnancy	28.0	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	6.0	9.2
Very Low Birth Weight (<1500g)	1.0	1.5
Preterm Births (<37 weeks)	8.5	14.2
Late Preterm Births (34-36 weeks)	2.0	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	61.0	64.8
Total C-Section Deliveries	39.0	35.2
Repeat C-Section	14.0	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	49.0	54.8
WIC Participation (%)	55.0	50.1
Children Indicators		
# of WIC Children 2-5 years	190	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	15.3	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	17.9	15.7

# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	12	12,397
# Children Abused	46	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Meade County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Meade	KY
Total Live Births	263	58,923
# of Childbearing Women (15-44)	5,893	868,294
# of Children (<18)	7,053	1,015,949
Maternal Race/Ethnicity (%)		
White	96.2	85.6
Black	1.1	9.3
Asian/Pacific Islander	1.1	1.5
Other	1.5	3.6
Hispanic	1.1	5.0
Maternal Characteristics (%)		
Mother's Age <18	7.2	3.8
Mother's Age >=35	13.3	9.6
Mother < High School Education	19.0	20.6
Repeat Births to Teens	2.3	2.6

Repeat Births <12Months From Previous Birth	3.0	3.6
MCH SES Indicators		
Children Living in Poverty (%)	17.5	23.4
# of Children Enrolled in Medicaid	1,841	356,919
Median Household Income	44,122	41,489
Delivery Payment Source (%)		
Medicaid	33.2	45.1
Private	42.0	43.4
Other	24.8	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	69.4	75.5
Second Trimester Prenatal Care	26.4	19.3
Third Trimester Prenatal Care	2.7	3.9
No Prenatal Care	1.2	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.7	6.5
Gestational Diabetes	3.0	4.6
Pre-Pregnancy Obesity	31.7	26.6
Pre-Pregnancy Underweight	5.3	5.3
Smoking During Pregnancy	27.4	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.9	9.2
Very Low Birth Weight (<1500g)	1.1	1.5
Preterm Births (<37 weeks)	14.0	14.2

Late Preterm Births (34-36 weeks)	4.6	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	63.9	64.8
Total C-Section Deliveries	35.7	35.2
Repeat C-Section	9.1	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	49.2	54.8
WIC Participation (%)	50.8	50.1
Children Indicators		
# of WIC Children 2-5 years	314	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	15.0	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	11.1	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	54	12,397
# Children Abused	41	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Menifee County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Menifee	KY

Total Live Births	88	58,923
# of Childbearing Women (15-44)	1,313	868,294
# of Children (<18)	1,531	1,015,949
Maternal Race/Ethnicity (%)		
White	100.0	85.6
Black	0.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.0	3.6
Hispanic	0.0	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.5	3.8
Mother's Age >=35	6.7	9.6
Mother < High School Education	27.3	20.6
Repeat Births to Teens	3.4	2.6
Repeat Births <12Months From Previous Birth	2.1	3.6
MCH SES Indicators		
Children Living in Poverty (%)	43.0	23.4
# of Children Enrolled in Medicaid	883	356,919
Median Household Income	27,140	41,489
Delivery Payment Source (%)		
Medicaid	77.3	45.1
Private	21.6	43.4
Other	1.1	11.6
Prenatal Care Entry (%)		

First Trimester Prenatal Care	83.8	75.5
Second Trimester Prenatal Care	11.2	19.3
Third Trimester Prenatal Care	5.0	3.9
No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	10.2	6.5
Gestational Diabetes	6.8	4.6
Pre-Pregnancy Obesity	35.2	26.6
Pre-Pregnancy Underweight	2.3	5.3
Smoking During Pregnancy	37.5	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	6.8	9.2
Very Low Birth Weight (<1500g)	0.0	1.5
Preterm Births (<37 weeks)	11.6	14.2
Late Preterm Births (34-36 weeks)	3.4	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	68.2	64.8
Total C-Section Deliveries	31.8	35.2
Repeat C-Section	11.4	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	42.0	54.8
WIC Participation (%)	80.7	50.1
Children Indicators		

# of WIC Children 2-5 years	178	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.9	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	17.4	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	29	12,397
# Children Abused	48	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Mercer County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Mercer	KY
Total Live Births	294	58,923
# of Childbearing Women (15-44)	3,954	868,294
# of Children (<18)	5,281	1,015,949
Maternal Race/Ethnicity (%)		
White	91.2	85.6
Black	3.1	9.3
Asian/Pacific Islander	1.4	1.5
Other	4.4	3.6
Hispanic	4.1	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.7	3.8

Mother's Age >=35	8.5	9.6
Mother < High School Education	17.3	20.6
Repeat Births to Teens	2.7	2.6
Repeat Births <12Months From Previous Birth	4.1	3.6
MCH SES Indicators		
Children Living in Poverty (%)	20.7	23.4
# of Children Enrolled in Medicaid	1,570	356,919
Median Household Income	42,912	41,489
Delivery Payment Source (%)		
Medicaid	47.6	45.1
Private	46.9	43.4
Other	5.4	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	75.6	75.5
Second Trimester Prenatal Care	18.1	19.3
Third Trimester Prenatal Care	5.2	3.9
No Prenatal Care	1.1	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	9.2	6.5
Gestational Diabetes	7.1	4.6
Pre-Pregnancy Obesity	24.5	26.6
Pre-Pregnancy Underweight	3.1	5.3
Smoking During Pregnancy	27.9	25.3
Adverse Birth Outcomes (%)		

Low Birth Weight (<2500g)	9.9	9.2
Very Low Birth Weight (<1500g)	0.7	1.5
Preterm Births (<37 weeks)	13.5	14.2
Late Preterm Births (34-36 weeks)	3.7	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	55.4	64.8
Total C-Section Deliveries	44.6	35.2
Repeat C-Section	14.0	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	49.3	54.8
WIC Participation (%)	53.1	50.1
Children Indicators		
# of WIC Children 2-5 years	373	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	15.0	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	16.9	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	56	12,397
# Children Abused	52	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

County Profile: Metcalfe County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Metcalfe	KY
Total Live Births	124	58,923
# of Childbearing Women (15-44)	1,917	868,294
# of Children (<18)	2,387	1,015,949
Maternal Race/Ethnicity (%)		
White	97.6	85.6
Black	1.6	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.8	3.6
Hispanic	0.8	5.0
Maternal Characteristics (%)		
Mother's Age <18	8.9	3.8
Mother's Age >=35	10.5	9.6
Mother < High School Education	25.0	20.6
Repeat Births to Teens	3.2	2.6
Repeat Births <12Months From Previous Birth	1.4	3.6
MCH SES Indicators		
Children Living in Poverty (%)	35.0	23.4
# of Children Enrolled in Medicaid	1,081	356,919
Median Household Income	31,942	41,489
Delivery Payment Source (%)		
Medicaid	58.1	45.1

Private	36.3	43.4
Other	5.6	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	68.3	75.5
Second Trimester Prenatal Care	24.4	19.3
Third Trimester Prenatal Care	4.1	3.9
No Prenatal Care	3.2	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.4	6.5
Gestational Diabetes	6.4	4.6
Pre-Pregnancy Obesity	30.6	26.6
Pre-Pregnancy Underweight	5.6	5.3
Smoking During Pregnancy	33.9	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	5.6	9.2
Very Low Birth Weight (<1500g)	1.6	1.5
Preterm Births (<37 weeks)	15.6	14.2
Late Preterm Births (34-36 weeks)	4.0	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	71.8	64.8
Total C-Section Deliveries	28.2	35.2
Repeat C-Section	15.3	12.3
Post-natal Nutrition		

Breastfeeding initiation (%)	46.0	54.8
WIC Participation (%)	64.5	50.1
Children Indicators		
# of WIC Children 2-5 years	201	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	15.4	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	13.4	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	23	12,397
# Children Abused	48	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Monroe County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Monroe	KY
Total Live Births	149	58,923
# of Childbearing Women (15-44)	2,253	868,294
# of Children (<18)	2,703	1,015,949
Maternal Race/Ethnicity (%)		
White	97.3	85.6
Black	0.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	2.7	3.6

Hispanic	2.7	5.0
Maternal Characteristics (%)		
Mother's Age <18	6.0	3.8
Mother's Age >=35	8.7	9.6
Mother < High School Education	26.2	20.6
Repeat Births to Teens	4.7	2.6
Repeat Births <12Months From Previous Birth	7.7	3.6
MCH SES Indicators		
Children Living in Poverty (%)	33.6	23.4
# of Children Enrolled in Medicaid	1,126	356,919
Median Household Income	27,410	41,489
Delivery Payment Source (%)		
Medicaid	57.7	45.1
Private	32.9	43.4
Other	9.4	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	63.7	75.5
Second Trimester Prenatal Care	30.1	19.3
Third Trimester Prenatal Care	5.5	3.9
No Prenatal Care	0.7	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.0	6.5
Gestational Diabetes	2.0	4.6
Pre-Pregnancy Obesity	28.9	26.6

Pre-Pregnancy Underweight	2.0	5.3
Smoking During Pregnancy	26.9	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.1	9.2
Very Low Birth Weight (<1500g)	2.7	1.5
Preterm Births (<37 weeks)	12.2	14.2
Late Preterm Births (34-36 weeks)	3.4	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	76.5	64.8
Total C-Section Deliveries	23.5	35.2
Repeat C-Section	10.1	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	34.2	54.8
WIC Participation (%)	62.4	50.1
Children Indicators		
# of WIC Children 2-5 years	198	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	17.7	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	21.2	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	32	12,397
# Children Abused	45	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Montgomery County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Montgomery	KY
Total Live Births	387	58,923
# of Childbearing Women (15-44)	5,074	868,294
# of Children (<18)	6,198	1,015,949
Maternal Race/Ethnicity (%)		
White	96.4	85.6
Black	1.5	9.3
Asian/Pacific Islander	0.0	1.5
Other	2.1	3.6
Hispanic	2.8	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.4	3.8
Mother's Age >=35	6.5	9.6
Mother < High School Education	20.9	20.6
Repeat Births to Teens	2.8	2.6
Repeat Births <12Months From Previous Birth	3.3	3.6
MCH SES Indicators		
Children Living in Poverty (%)	22.9	23.4
# of Children Enrolled in Medicaid	2,406	356,919
Median Household Income	38,264	41,489

Delivery Payment Source (%)

Medicaid	54.3	45.1
Private	37.7	43.4
Other	8.0	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	84.1	75.5
Second Trimester Prenatal Care	12.7	19.3
Third Trimester Prenatal Care	2.7	3.9
No Prenatal Care	0.5	1.3

Adverse Birth Outcomes Risk Factors (%)

Gestational Hypertension	6.7	6.5
Gestational Diabetes	5.2	4.6
Pre-Pregnancy Obesity	29.2	26.6
Pre-Pregnancy Underweight	2.8	5.3
Smoking During Pregnancy	33.1	25.3

Adverse Birth Outcomes (%)

Low Birth Weight (<2500g)	10.1	9.2
Very Low Birth Weight (<1500g)	1.6	1.5
Preterm Births (<37 weeks)	13.3	14.2
Late Preterm Births (34-36 weeks)	3.9	4.7
Infant Mortality (Rate per 1,000 live births)	11.0	6.7

Method of Delivery (%)

Vaginal Deliveries	68.5	64.8
Total C-Section Deliveries	31.5	35.2

Repeat C-Section	9.6	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	48.3	54.8
WIC Participation (%)	63.6	50.1
Children Indicators		
# of WIC Children 2-5 years	516	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	15.7	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	14.5	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	48	12,397
# Children Abused	104	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Morgan County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Morgan	KY
Total Live Births	140	58,923
# of Childbearing Women (15-44)	2,479	868,294
# of Children (<18)	2,940	1,015,949
Maternal Race/Ethnicity (%)		
White	100.0	85.6

Black	0.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.0	3.6
Hispanic	0.0	5.0
Maternal Characteristics (%)		
Mother's Age <18	5.0	3.8
Mother's Age >=35	10.0	9.6
Mother < High School Education	23.6	20.6
Repeat Births to Teens	3.6	2.6
Repeat Births <12Months From Previous Birth	2.8	3.6
MCH SES Indicators		
Children Living in Poverty (%)	36.7	23.4
# of Children Enrolled in Medicaid	1,491	356,919
Median Household Income	29,424	41,489
Delivery Payment Source (%)		
Medicaid	60.7	45.1
Private	32.1	43.4
Other	7.1	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	71.4	75.5
Second Trimester Prenatal Care	24.8	19.3
Third Trimester Prenatal Care	3.0	3.9
No Prenatal Care	0.8	1.3
Adverse Birth Outcomes Risk Factors (%)		

Gestational Hypertension	8.6	6.5
Gestational Diabetes	3.6	4.6
Pre-Pregnancy Obesity	24.3	26.6
Pre-Pregnancy Underweight	2.9	5.3
Smoking During Pregnancy	35.0	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.6	9.2
Very Low Birth Weight (<1500g)	0.7	1.5
Preterm Births (<37 weeks)	11.5	14.2
Late Preterm Births (34-36 weeks)	2.1	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	65.7	64.8
Total C-Section Deliveries	34.3	35.2
Repeat C-Section	11.4	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	47.1	54.8
WIC Participation (%)	65.7	50.1
Children Indicators		
# of WIC Children 2-5 years	318	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	15.4	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	14.8	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	28	12,397
# Children Abused	36	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Muhlenberg County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Muhlenberg	KY
Total Live Births	339	58,923
# of Childbearing Women (15-44)	5,809	868,294
# of Children (<18)	6,997	1,015,949
Maternal Race/Ethnicity (%)		
White	97.3	85.6
Black	2.4	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.3	3.6
Hispanic	0.6	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.4	3.8
Mother's Age >=35	7.1	9.6
Mother < High School Education	22.4	20.6
Repeat Births to Teens	2.4	2.6
Repeat Births <12Months From Previous Birth	2.4	3.6
MCH SES Indicators		

Children Living in Poverty (%)	29.1	23.4
# of Children Enrolled in Medicaid	2,842	356,919
Median Household Income	35,163	41,489
Delivery Payment Source (%)		
Medicaid	61.7	45.1
Private	35.1	43.4
Other	3.2	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	82.0	75.5
Second Trimester Prenatal Care	13.0	19.3
Third Trimester Prenatal Care	3.2	3.9
No Prenatal Care	1.8	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.6	6.5
Gestational Diabetes	3.0	4.6
Pre-Pregnancy Obesity	36.6	26.6
Pre-Pregnancy Underweight	2.7	5.3
Smoking During Pregnancy	37.8	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	6.2	9.2
Very Low Birth Weight (<1500g)	0.6	1.5
Preterm Births (<37 weeks)	12.1	14.2
Late Preterm Births (34-36 weeks)	3.5	4.7
Infant Mortality (Rate per 1,000 live births)	5.0	6.7

Method of Delivery (%)

Vaginal Deliveries	61.4	64.8
Total C-Section Deliveries	38.6	35.2
Repeat C-Section	16.2	12.3

Post-natal Nutrition

Breastfeeding initiation (%)	42.2	54.8
WIC Participation (%)	63.7	50.1

Children Indicators

# of WIC Children 2-5 years	501	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.2	16.6
Obese (\geq 95 th) WIC Children 2-5 years (%)	15.4	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	53	12,397
# Children Abused	67	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Nelson County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Nelson	KY
Total Live Births	622	58,923
# of Childbearing Women (15-44)	8,684	868,294
# of Children (<18)	11,051	1,015,949

Maternal Race/Ethnicity (%)

White	93.4	85.6
Black	4.2	9.3
Asian/Pacific Islander	1.1	1.5
Other	1.2	3.6
Hispanic	1.9	5.0

Maternal Characteristics (%)

Mother's Age <18	4.5	3.8
Mother's Age >=35	8.7	9.6
Mother < High School Education	14.0	20.6
Repeat Births to Teens	2.1	2.6
Repeat Births <12Months From Previous Birth	2.2	3.6

MCH SES Indicators

Children Living in Poverty (%)	16.4	23.4
# of Children Enrolled in Medicaid	3.107	356,919
Median Household Income	48,125	41,489

Delivery Payment Source (%)

Medicaid	34.7	45.1
Private	52.7	43.4
Other	12.5	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	82.7	75.5
Second Trimester Prenatal Care	14.5	19.3
Third Trimester Prenatal Care	2.1	3.9

No Prenatal Care	0.7	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.1	6.5
Gestational Diabetes	5.8	4.6
Pre-Pregnancy Obesity	31.0	26.6
Pre-Pregnancy Underweight	3.5	5.3
Smoking During Pregnancy	25.6	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.0	9.2
Very Low Birth Weight (<1500g)	1.3	1.5
Preterm Births (<37 weeks)	15.5	14.2
Late Preterm Births (34-36 weeks)	5.5	4.7
Infant Mortality (Rate per 1,000 live births)	5.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	61.4	64.8
Total C-Section Deliveries	38.6	35.2
Repeat C-Section	13.5	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	53.2	54.8
WIC Participation (%)	48.2	50.1
Children Indicators		
# of WIC Children 2-5 years	585	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	15.0	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	12.3	15.7

# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	42	12,397
# Children Abused	114	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Nicholas County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Nicholas	KY
Total Live Births	99	58,923
# of Childbearing Women (15-44)	1,333	868,294
# of Children (<18)	1,606	1,015,949
Maternal Race/Ethnicity (%)		
White	95.0	85.6
Black	1.0	9.3
Asian/Pacific Islander	1.0	1.5
Other	3.0	3.6
Hispanic	3.0	5.0
Maternal Characteristics (%)		
Mother's Age <18	5.1	3.8
Mother's Age >=35	11.1	9.6
Mother < High School Education	19.2	20.6
Repeat Births to Teens	4.0	2.6

Repeat Births <12Months From Previous Birth	3.1	3.6
MCH SES Indicators		
Children Living in Poverty (%)	25.0	23.4
# of Children Enrolled in Medicaid	797	356,919
Median Household Income	35.496	41,489
Delivery Payment Source (%)		
Medicaid	50.5	45.1
Private	43.4	43.4
Other	6.1	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	81.1	75.5
Second Trimester Prenatal Care	14.7	19.3
Third Trimester Prenatal Care	4.2	3.9
No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	11.1	6.5
Gestational Diabetes	5.1	4.6
Pre-Pregnancy Obesity	32.2	26.6
Pre-Pregnancy Underweight	3.0	5.3
Smoking During Pregnancy	35.4	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.1	9.2
Very Low Birth Weight (<1500g)	1.0	1.5
Preterm Births (<37 weeks)	13.2	14.2

Late Preterm Births (34-36 weeks)	5.1	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	56.6	64.8
Total C-Section Deliveries	43.4	35.2
Repeat C-Section	15.1	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	43.4	54.8
WIC Participation (%)	50.5	50.1
Children Indicators		
# of WIC Children 2-5 years	132	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	6.8	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	9.8	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	8	12,397
# Children Abused	7	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Ohio County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Ohio	KY

Total Live Births	327	58,923
# of Childbearing Women (15-44)	5,523	868,294
# of Children (<18)	5,545	1,015,949
Maternal Race/Ethnicity (%)		
White	87.8	85.6
Black	0.3	9.3
Asian/Pacific Islander	0.9	1.5
Other	11.0	3.6
Hispanic	11.0	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.0	3.8
Mother's Age >=35	9.2	9.6
Mother < High School Education	30.0	20.6
Repeat Births to Teens	2.4	2.6
Repeat Births <12Months From Previous Birth	5.1	3.6
MCH SES Indicators		
Children Living in Poverty (%)	27.7	23.4
# of Children Enrolled in Medicaid	2,460	356,919
Median Household Income	35,953	41,489
Delivery Payment Source (%)		
Medicaid	48.0	45.1
Private	39.8	43.4
Other	12.2	11.6
Prenatal Care Entry (%)		

First Trimester Prenatal Care	71.8	75.5
Second Trimester Prenatal Care	24.5	19.3
Third Trimester Prenatal Care	2.4	3.9
No Prenatal Care	1.2	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	10.4	6.5
Gestational Diabetes	4.9	4.6
Pre-Pregnancy Obesity	26.9	26.6
Pre-Pregnancy Underweight	4.0	5.3
Smoking During Pregnancy	23.2	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	5.8	9.2
Very Low Birth Weight (<1500g)	0.9	1.5
Preterm Births (<37 weeks)	13.2	14.2
Late Preterm Births (34-36 weeks)	4.3	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	58.7	64.8
Total C-Section Deliveries	41.3	35.2
Repeat C-Section	18.3	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	51.7	54.8
WIC Participation (%)	62.1	50.1
Children Indicators		

# of WIC Children 2-5 years	516	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.7	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	14.7	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	88	12,397
# Children Abused	86	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Oldham County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Oldham	KY
Total Live Births	571	58,923
# of Childbearing Women (15-44)	9,941	868,294
# of Children (<18)	15,004	1,015,949
Maternal Race/Ethnicity (%)		
White	90.5	85.6
Black	3.0	9.3
Asian/Pacific Islander	1.1	1.5
Other	5.4	3.6
Hispanic	5.6	5.0
Maternal Characteristics (%)		
Mother's Age <18	1.9	3.8

Mother's Age >=35	21.4	9.6
Mother < High School Education	11.0	20.6
Repeat Births to Teens	1.7	2.6
Repeat Births <12Months From Previous Birth	2.2	3.6
MCH SES Indicators		
Children Living in Poverty (%)	6.1	23.4
# of Children Enrolled in Medicaid	1,647	356,919
Median Household Income	84,884	41,489
Delivery Payment Source (%)		
Medicaid	23.1	45.1
Private	67.4	43.4
Other	9.5	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	86.4	75.5
Second Trimester Prenatal Care	11.5	19.3
Third Trimester Prenatal Care	1.6	3.9
No Prenatal Care	0.5	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.4	6.5
Gestational Diabetes	3.3	4.6
Pre-Pregnancy Obesity	18.9	26.6
Pre-Pregnancy Underweight	5.2	5.3
Smoking During Pregnancy	14.4	25.3
Adverse Birth Outcomes (%)		

Low Birth Weight (<2500g)	6.5	9.2
Very Low Birth Weight (<1500g)	0.5	1.5
Preterm Births (<37 weeks)	11.1	14.2
Late Preterm Births (34-36 weeks)	3.9	4.7
Infant Mortality (Rate per 1,000 live births)	4.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	70.2	64.8
Total C-Section Deliveries	29.8	35.2
Repeat C-Section	12.1	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	72.5	54.8
WIC Participation (%)	22.6	50.1
Children Indicators		
# of WIC Children 2-5 years	376	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.8	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	15.7	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	57	12,397
# Children Abused	46	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

County Profile: Owen County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Owen	KY
Total Live Births	119	58,923
# of Childbearing Women (15-44)	2,239	868,294
# of Children (<18)	2,699	1,015,949
Maternal Race/Ethnicity (%)		
White	95.0	85.6
Black	0.8	9.3
Asian/Pacific Islander	0.0	1.5
Other	4.2	3.6
Hispanic	4.2	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.4	3.8
Mother's Age >=35	6.7	9.6
Mother < High School Education	17.6	20.6
Repeat Births to Teens	3.4	2.6
Repeat Births <12Months From Previous Birth	6.8	3.6
MCH SES Indicators		
Children Living in Poverty (%)	23.1	23.4
# of Children Enrolled in Medicaid	901	356,919
Median Household Income	41,697	41,489
Delivery Payment Source (%)		
Medicaid	46.2	45.1

Private	48.7	43.4
Other	5.0	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	68.6	75.5
Second Trimester Prenatal Care	25.4	19.3
Third Trimester Prenatal Care	5.9	3.9
No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.2	6.5
Gestational Diabetes	7.6	4.6
Pre-Pregnancy Obesity	29.4	26.6
Pre-Pregnancy Underweight	5.1	5.3
Smoking During Pregnancy	34.5	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	12.6	9.2
Very Low Birth Weight (<1500g)	1.7	1.5
Preterm Births (<37 weeks)	14.4	14.2
Late Preterm Births (34-36 weeks)	3.4	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	62.2	64.8
Total C-Section Deliveries	37.8	35.2
Repeat C-Section	15.1	12.3
Post-natal Nutrition		

Breastfeeding initiation (%)	51.3	54.8
WIC Participation (%)	54.6	50.1
Children Indicators		
# of WIC Children 2-5 years	148	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	25.0	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	24.3	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	7	12,397
# Children Abused	37	14,802

*Rate not calculated for counties with <6 infant deaths.

** Percentage not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Owsley County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Owsley	KY
Total Live Births	53	58,923
# of Childbearing Women (15-44)	858	868,294
# of Children (<18)	980	1,015,949
Maternal Race/Ethnicity (%)		
White	100.0	85.6
Black	0.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.0	3.6

Hispanic	0.0	5.0
Maternal Characteristics (%)		
Mother's Age <18	5.7	3.8
Mother's Age >=35	11.3	9.6
Mother < High School Education	26.4	20.6
Repeat Births to Teens	1.9	2.6
Repeat Births <12Months From Previous Birth	0.0	3.6
MCH SES Indicators		
Children Living in Poverty (%)	52.9	23.4
# of Children Enrolled in Medicaid	783	356,919
Median Household Income	19,829	41,489
Delivery Payment Source (%)		
Medicaid	77.4	45.1
Private	20.7	43.4
Other	1.9	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	83.3	75.5
Second Trimester Prenatal Care	16.7	19.3
Third Trimester Prenatal Care	0.0	3.9
No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.5	6.5
Gestational Diabetes	5.7	4.6
Pre-Pregnancy Obesity	28.3	26.6

Pre-Pregnancy Underweight	9.4	5.3
Smoking During Pregnancy	47.2	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.4	9.2
Very Low Birth Weight (<1500g)	0.0	1.5
Preterm Births (<37 weeks)	29.3	14.2
Late Preterm Births (34-36 weeks)	7.5	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	47.2	64.8
Total C-Section Deliveries	52.8	35.2
Repeat C-Section	18.9	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	32.1	54.8
WIC Participation (%)	83.0	50.1
Children Indicators		
# of WIC Children 2-5 years	146	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	20.5	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	28.8	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	43	12,397
# Children Abused	64	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Pendleton County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Pendleton	KY
Total Live Births	164	58,923
# of Childbearing Women (15-44)	2,992	868,294
# of Children (<18)	3,020	1,015,949
Maternal Race/Ethnicity (%)		
White	99.4	85.6
Black	0.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.6	3.6
Hispanic	0.6	5.0
Maternal Characteristics (%)		
Mother's Age <18	5.5	3.8
Mother's Age >=35	7.3	9.6
Mother < High School Education	15.9	20.6
Repeat Births to Teens	2.4	2.6
Repeat Births <12Months From Previous Birth	4.1	3.6
MCH SES Indicators		
Children Living in Poverty (%)	21.1	23.4
# of Children Enrolled in Medicaid	1,169	356,919
Median Household Income	45,165	41,489

Delivery Payment Source (%)

Medicaid	50.0	45.1
Private	47.0	43.4
Other	3.0	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	56.4	75.5
Second Trimester Prenatal Care	38.0	19.3
Third Trimester Prenatal Care	4.3	3.9
No Prenatal Care	1.2	1.3

Adverse Birth Outcomes Risk Factors (%)

Gestational Hypertension	4.9	6.5
Gestational Diabetes	9.8	4.6
Pre-Pregnancy Obesity	26.2	26.6
Pre-Pregnancy Underweight	1.8	5.3
Smoking During Pregnancy	31.1	25.3

Adverse Birth Outcomes (%)

Low Birth Weight (<2500g)	5.5	9.2
Very Low Birth Weight (<1500g)	0.6	1.5
Preterm Births (<37 weeks)	13.6	14.2
Late Preterm Births (34-36 weeks)	4.3	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7

Method of Delivery (%)

Vaginal Deliveries	62.2	64.8
Total C-Section Deliveries	37.8	35.2

Repeat C-Section	18.9	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	51.2	54.8
WIC Participation (%)	50.0	50.1
Children Indicators		
# of WIC Children 2-5 years	167	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.8	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	16.2	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	25	12,397
# Children Abused	45	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Perry County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Perry	KY
Total Live Births	419	58,923
# of Childbearing Women (15-44)	5,884	868,294
# of Children (<18)	6,905	1,015,949
Maternal Race/Ethnicity (%)		
White	98.1	85.6

Black	1.7	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.2	3.6
Hispanic	0.7	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.8	3.8
Mother's Age >=35	6.0	9.6
Mother < High School Education	28.4	20.6
Repeat Births to Teens	3.8	2.6
Repeat Births <12Months From Previous Birth	3.4	3.6
MCH SES Indicators		
Children Living in Poverty (%)	35.4	23.4
# of Children Enrolled in Medicaid	3,753	356,919
Median Household Income	28,124	41,489
Delivery Payment Source (%)		
Medicaid	68.3	45.1
Private	30.1	43.4
Other	1.7	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	74.3	75.5
Second Trimester Prenatal Care	21.5	19.3
Third Trimester Prenatal Care	3.2	3.9
No Prenatal Care	1.0	1.3
Adverse Birth Outcomes Risk Factors (%)		

Gestational Hypertension	6.7	6.5
Gestational Diabetes	7.2	4.6
Pre-Pregnancy Obesity	34.1	26.6
Pre-Pregnancy Underweight	6.0	5.3
Smoking During Pregnancy	37.5	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	11.2	9.2
Very Low Birth Weight (<1500g)	1.2	1.5
Preterm Births (<37 weeks)	14.7	14.2
Late Preterm Births (34-36 weeks)	5.0	4.7
Infant Mortality (Rate per 1,000 live births)	9.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	61.1	64.8
Total C-Section Deliveries	38.9	35.2
Repeat C-Section	14.6	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	29.8	54.8
WIC Participation (%)	70.6	50.1
Children Indicators		
# of WIC Children 2-5 years	525	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	17.3	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	23.0	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	179	12,397
# Children Abused	175	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Pike County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Pike	KY
Total Live Births	787	58,923
# of Childbearing Women (15-44)	13,140	868,294
# of Children (<18)	14,546	1,015,949
Maternal Race/Ethnicity (%)		
White	98.7	85.6
Black	0.5	9.3
Asian/Pacific Islander	0.5	1.5
Other	0.3	3.6
Hispanic	0.4	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.6	3.8
Mother's Age >=35	8.8	9.6
Mother < High School Education	21.7	20.6
Repeat Births to Teens	2.8	2.6
Repeat Births <12Months From Previous Birth	2.8	3.6
MCH SES Indicators		

Children Living in Poverty (%)	33.1	23.4
# of Children Enrolled in Medicaid	6,642	356,919
Median Household Income	31,012	41,489
Delivery Payment Source (%)		
Medicaid	62.9	45.1
Private	34.8	43.4
Other	2.3	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	76.5	75.5
Second Trimester Prenatal Care	17.4	19.3
Third Trimester Prenatal Care	2.5	3.9
No Prenatal Care	3.2	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.1	6.5
Gestational Diabetes	5.2	4.6
Pre-Pregnancy Obesity	34.0	26.6
Pre-Pregnancy Underweight	2.4	5.3
Smoking During Pregnancy	34.8	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	12.3	9.2
Very Low Birth Weight (<1500g)	2.2	1.5
Preterm Births (<37 weeks)	20.5	14.2
Late Preterm Births (34-36 weeks)	6.0	4.7
Infant Mortality (Rate per 1,000 live births)	7.0	6.7

Method of Delivery (%)

Vaginal Deliveries	55.2	64.8
Total C-Section Deliveries	44.7	35.2
Repeat C-Section	15.6	12.3

Post-natal Nutrition

Breastfeeding initiation (%)	32.7	54.8
WIC Participation (%)	66.0	50.1

Children Indicators

# of WIC Children 2-5 years	918	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	10.8	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	11.2	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	111	12,397
# Children Abused	380	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Powell County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Powell	KY
Total Live Births	2174	58,923
# of Childbearing Women (15-44)	2,597	868,294
# of Children (<18)	3,193	1,015,949

Maternal Race/Ethnicity (%)

White	94.1	85.6
Black	3.6	9.3
Asian/Pacific Islander	0.8	1.5
Other	1.5	3.6
Hispanic	1.7	5.0

Maternal Characteristics (%)

Mother's Age <18	2.2	3.8
Mother's Age >=35	11.7	9.6
Mother < High School Education	14.6	20.6
Repeat Births to Teens	1.8	2.6
Repeat Births <12Months From Previous Birth	4.2	3.6

MCH SES Indicators

Children Living in Poverty (%)	36.4	23.4
# of Children Enrolled in Medicaid	1,869	356,919
Median Household Income	30,737	41,489

Delivery Payment Source (%)

Medicaid	35.2	45.1
Private	58.4	43.4
Other	6.4	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	81.3	75.5
Second Trimester Prenatal Care	13.3	19.3
Third Trimester Prenatal Care	3.4	3.9

No Prenatal Care	1.9	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.0	6.5
Gestational Diabetes	5.9	4.6
Pre-Pregnancy Obesity	28.4	26.6
Pre-Pregnancy Underweight	3.5	5.3
Smoking During Pregnancy	24.3	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	14.7	9.2
Very Low Birth Weight (<1500g)	2.9	1.5
Preterm Births (<37 weeks)	21.1	14.2
Late Preterm Births (34-36 weeks)	8.0	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	60.0	64.8
Total C-Section Deliveries	40.0	35.2
Repeat C-Section	13.3	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	56.0	54.8
WIC Participation (%)	37.6	50.1
Children Indicators		
# of WIC Children 2-5 years	328	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	17.4	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	16.5	15.7

# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	36	12,397
# Children Abused	68	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Pulaski County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Pulaski	KY
Total Live Births	815	58,923
# of Childbearing Women (15-44)	11,241	868,294
# of Children (<18)	13,486	1,015,949
Maternal Race/Ethnicity (%)		
White	95.0	85.6
Black	0.7	9.3
Asian/Pacific Islander	0.7	1.5
Other	3.6	3.6
Hispanic	3.9	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.7	3.8
Mother's Age >=35	8.7	9.6
Mother < High School Education	22.1	20.6
Repeat Births to Teens	3.2	2.6

Repeat Births <12Months From Previous Birth	5.4	3.6
MCH SES Indicators		
Children Living in Poverty (%)	31.9	23.4
# of Children Enrolled in Medicaid	6,067	356,919
Median Household Income	32,901	41,489
Delivery Payment Source (%)		
Medicaid	63.4	45.1
Private	32.4	43.4
Other	4.2	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	84.7	75.5
Second Trimester Prenatal Care	12.8	19.3
Third Trimester Prenatal Care	1.5	3.9
No Prenatal Care	1.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.7	6.5
Gestational Diabetes	5.8	4.6
Pre-Pregnancy Obesity	26.6	26.6
Pre-Pregnancy Underweight	3.2	5.3
Smoking During Pregnancy	27.6	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	8.2	9.2
Very Low Birth Weight (<1500g)	1.7	1.5
Preterm Births (<37 weeks)	16.1	14.2

Late Preterm Births (34-36 weeks)	5.1	4.7
Infant Mortality (Rate per 1,000 live births)	5.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	62.7	64.8
Total C-Section Deliveries	37.3	35.2
Repeat C-Section	11.9	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	48.2	54.8
WIC Participation (%)	66.3	50.1
Children Indicators		
# of WIC Children 2-5 years	1,061	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.5	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	11.1	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	164	12,397
# Children Abused	173	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Robertson County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Robertson	KY

Total Live Births	29	58,923
# of Childbearing Women (15-44)	377	868,294
# of Children (<18)	512	1,015,949
Maternal Race/Ethnicity (%)		
White	96.9	85.6
Black	3.4	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.0	3.6
Hispanic	0.0	5.0
Maternal Characteristics (%)		
Mother's Age <18	6.9	3.8
Mother's Age >=35	6.9	9.6
Mother < High School Education	31.0	20.6
Repeat Births to Teens	0.0	2.6
Repeat Births <12Months From Previous Birth	0.0	3.6
MCH SES Indicators		
Children Living in Poverty (%)	33.0	23.4
# of Children Enrolled in Medicaid	204	356,919
Median Household Income	35,621	41,489
Delivery Payment Source (%)		
Medicaid	55.2	45.1
Private	37.9	43.4
Other	6.9	11.6
Prenatal Care Entry (%)		

First Trimester Prenatal Care	75.9	75.5
Second Trimester Prenatal Care	24.1	19.3
Third Trimester Prenatal Care	0.0	3.9
No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	3.4	6.5
Gestational Diabetes	3.4	4.6
Pre-Pregnancy Obesity	24.1	26.6
Pre-Pregnancy Underweight	0.0	5.3
Smoking During Pregnancy	44.8	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	6.9	9.2
Very Low Birth Weight (<1500g)	0.0	1.5
Preterm Births (<37 weeks)	7.7	14.2
Late Preterm Births (34-36 weeks)	3.4	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	69.0	64.8
Total C-Section Deliveries	31.0	35.2
Repeat C-Section	6.9	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	44.8	54.8
WIC Participation (%)	72.4	50.1
Children Indicators		

# of WIC Children 2-5 years	61	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	n/a**	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	n/a**	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	0	12,397
# Children Abused	0	14,802

*Rate not calculated for counties with <6 infant deaths.

**Not calculated for <100 records

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Rockcastle County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Rockcastle	KY
Total Live Births	191	58,923
# of Childbearing Women (15-44)	3,242	868,294
# of Children (<18)	3,842	1,015,949
Maternal Race/Ethnicity (%)		
White	98.4	85.6
Black	1.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.5	3.6
Hispanic	1.0	5.0
Maternal Characteristics (%)		
Mother's Age <18	5.2	3.8

Mother's Age >=35	8.4	9.6
Mother < High School Education	19.9	20.6
Repeat Births to Teens	3.7	2.6
Repeat Births <12Months From Previous Birth	0.9	3.6
MCH SES Indicators		
Children Living in Poverty (%)	35.9	23.4
# of Children Enrolled in Medicaid	1,949	356,919
Median Household Income	24,650	41,489
Delivery Payment Source (%)		
Medicaid	66.0	45.1
Private	33.0	43.4
Other	1.0	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	84.6	75.5
Second Trimester Prenatal Care	12.6	19.3
Third Trimester Prenatal Care	2.2	3.9
No Prenatal Care	0.6	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.3	6.5
Gestational Diabetes	9.9	4.6
Pre-Pregnancy Obesity	24.1	26.6
Pre-Pregnancy Underweight	4.7	5.3
Smoking During Pregnancy	28.8	25.3
Adverse Birth Outcomes (%)		

Low Birth Weight (<2500g)	11.0	9.2
Very Low Birth Weight (<1500g)	2.1	1.5
Preterm Births (<37 weeks)	15.7	14.2
Late Preterm Births (34-36 weeks)	3.7	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	64.9	64.8
Total C-Section Deliveries	35.1	35.2
Repeat C-Section	9.4	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	45.5	54.8
WIC Participation (%)	71.2	50.1
Children Indicators		
# of WIC Children 2-5 years	391	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	19.4	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	16.6	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	70	12,397
# Children Abused	68	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

County Profile: Rowan County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Rowan	KY
Total Live Births	289	58,923
# of Childbearing Women (15-44)	5,603	868,294
# of Children (<18)	4,848	1,015,949
Maternal Race/Ethnicity (%)		
White	97.2	85.6
Black	0.7	9.3
Asian/Pacific Islander	0.7	1.5
Other	1.4	3.6
Hispanic	1.4	5.0
Maternal Characteristics (%)		
Mother's Age <18	2.8	3.8
Mother's Age >=35	11.4	9.6
Mother < High School Education	19.7	20.6
Repeat Births to Teens	2.8	2.6
Repeat Births <12Months From Previous Birth	5.0	3.6
MCH SES Indicators		
Children Living in Poverty (%)	28.5	23.4
# of Children Enrolled in Medicaid	1,968	356,919
Median Household Income	34,333	41,489
Delivery Payment Source (%)		
Medicaid	58.4	45.1

Private	38.1	43.4
Other	3.5	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	85.9	75.5
Second Trimester Prenatal Care	10.1	19.3
Third Trimester Prenatal Care	2.2	3.9
No Prenatal Care	1.8	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.3	6.5
Gestational Diabetes	4.2	4.6
Pre-Pregnancy Obesity	28.7	26.6
Pre-Pregnancy Underweight	3.5	5.3
Smoking During Pregnancy	33.6	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.3	9.2
Very Low Birth Weight (<1500g)	0.7	1.5
Preterm Births (<37 weeks)	14.2	14.2
Late Preterm Births (34-36 weeks)	4.8	4.7
Infant Mortality (Rate per 1,000 live births)	12.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	59.5	64.8
Total C-Section Deliveries	40.5	35.2
Repeat C-Section	18.7	12.3
Post-natal Nutrition		

Breastfeeding initiation (%)	48.6	54.8
WIC Participation (%)	60.1	50.1
Children Indicators		
# of WIC Children 2-5 years	373	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.6	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	15.5	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	118	12,397
# Children Abused	111	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Russell County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Russell	KY
Total Live Births	234	58,923
# of Childbearing Women (15-44)	3,170	868,294
# of Children (<18)	3,854	1,015,949
Maternal Race/Ethnicity (%)		
White	94.9	85.6
Black	0.4	9.3
Asian/Pacific Islander	0.4	1.5
Other	4.3	3.6

Hispanic	5.6	5.0
Maternal Characteristics (%)		
Mother's Age <18	8.1	3.8
Mother's Age >=35	5.6	9.6
Mother < High School Education	29.5	20.6
Repeat Births to Teens	7.3	2.6
Repeat Births <12Months From Previous Birth	7.3	3.6
MCH SES Indicators		
Children Living in Poverty (%)	33.0	23.4
# of Children Enrolled in Medicaid	1,916	356,919
Median Household Income	27,866	41,489
Delivery Payment Source (%)		
Medicaid	74.3	45.1
Private	22.7	43.4
Other	3.0	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	78.9	75.5
Second Trimester Prenatal Care	18.7	19.3
Third Trimester Prenatal Care	2.4	3.9
No Prenatal Care	0.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.7	6.5
Gestational Diabetes	6.4	4.6
Pre-Pregnancy Obesity	24.9	26.6

Pre-Pregnancy Underweight	5.6	5.3
Smoking During Pregnancy	38.5	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.7	9.2
Very Low Birth Weight (<1500g)	1.7	1.5
Preterm Births (<37 weeks)	12.8	14.2
Late Preterm Births (34-36 weeks)	2.6	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	67.1	64.8
Total C-Section Deliveries	32.5	35.2
Repeat C-Section	8.5	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	48.9	54.8
WIC Participation (%)	73.4	50.1
Children Indicators		
# of WIC Children 2-5 years	351	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	19.7	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	22.8	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	28	12,397
# Children Abused	32	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Scott County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Scott	KY
Total Live Births	665	58,923
# of Childbearing Women (15-44)	9,835	868,294
# of Children (<18)	11,233	1,015,949
Maternal Race/Ethnicity (%)		
White	90.4	85.6
Black	3.5	9.3
Asian/Pacific Islander	0.9	1.5
Other	5.3	3.6
Hispanic	6.3	5.0
Maternal Characteristics (%)		
Mother's Age <18	1.8	3.8
Mother's Age >=35	12.6	9.6
Mother < High School Education	13.8	20.6
Repeat Births to Teens	1.0	2.6
Repeat Births <12Months From Previous Birth	3.8	3.6
MCH SES Indicators		
Children Living in Poverty (%)	13.7	23.4
# of Children Enrolled in Medicaid	2,936	356,919
Median Household Income	58,596	41,489

Delivery Payment Source (%)

Medicaid	34.7	45.1
Private	59.6	43.4
Other	5.7	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	79.4	75.5
Second Trimester Prenatal Care	17.1	19.3
Third Trimester Prenatal Care	3.2	3.9
No Prenatal Care	0.3	1.3

Adverse Birth Outcomes Risk Factors (%)

Gestational Hypertension	8.7	6.5
Gestational Diabetes	5.0	4.6
Pre-Pregnancy Obesity	28.0	26.6
Pre-Pregnancy Underweight	3.8	5.3
Smoking During Pregnancy	21.9	25.3

Adverse Birth Outcomes (%)

Low Birth Weight (<2500g)	7.8	9.2
Very Low Birth Weight (<1500g)	0.7	1.5
Preterm Births (<37 weeks)	14.0	14.2
Late Preterm Births (34-36 weeks)	3.0	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7

Method of Delivery (%)

Vaginal Deliveries	62.7	64.8
Total C-Section Deliveries	37.3	35.2

Repeat C-Section	12.3	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	65.1	54.8
WIC Participation (%)	36.8	50.1
Children Indicators		
# of WIC Children 2-5 years	472	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	13.6	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	15.0	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	111	12,397
# Children Abused	76	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Shelby County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Shelby	KY
Total Live Births	600	58,923
# of Childbearing Women (15-44)	8,327	868,294
# of Children (<18)	10,000	1,015,949
Maternal Race/Ethnicity (%)		
White	74.8	85.6

Black	6.3	9.3
Asian/Pacific Islander	1.2	1.5
Other	17.7	3.6
Hispanic	20.3	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.7	3.8
Mother's Age >=35	12.0	9.6
Mother < High School Education	26.3	20.6
Repeat Births to Teens	2.0	2.6
Repeat Births <12Months From Previous Birth	2.1	3.6
MCH SES Indicators		
Children Living in Poverty (%)	15.7	23.4
# of Children Enrolled in Medicaid	2,767	356,919
Median Household Income	58,042	41,489
Delivery Payment Source (%)		
Medicaid	43.0	45.1
Private	43.5	43.4
Other	13.5	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	79.0	75.5
Second Trimester Prenatal Care	13.5	19.3
Third Trimester Prenatal Care	5.5	3.9
No Prenatal Care	2.1	1.3
Adverse Birth Outcomes Risk Factors (%)		

Gestational Hypertension	4.5	6.5
Gestational Diabetes	4.2	4.6
Pre-Pregnancy Obesity	24.2	26.6
Pre-Pregnancy Underweight	3.0	5.3
Smoking During Pregnancy	23.7	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.3	9.2
Very Low Birth Weight (<1500g)	1.5	1.5
Preterm Births (<37 weeks)	10.9	14.2
Late Preterm Births (34-36 weeks)	4.0	4.7
Infant Mortality (Rate per 1,000 live births)	6.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	66.0	64.8
Total C-Section Deliveries	34.0	35.2
Repeat C-Section	12.2	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	63.8	54.8
WIC Participation (%)	43.8	50.1
Children Indicators		
# of WIC Children 2-5 years	499	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.6	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	16.0	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	159	12,397
# Children Abused	96	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Simpson County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Simpson	KY
Total Live Births	237	58,923
# of Childbearing Women (15-44)	3,334	868,294
# of Children (<18)	4,165	1,015,949
Maternal Race/Ethnicity (%)		
White	87.3	85.6
Black	10.5	9.3
Asian/Pacific Islander	0.4	1.5
Other	1.7	3.6
Hispanic	0.8	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.0	3.8
Mother's Age >=35	10.1	9.6
Mother < High School Education	15.6	20.6
Repeat Births to Teens	3.4	2.6
Repeat Births <12Months From Previous Birth	2.2	3.6
MCH SES Indicators		

Children Living in Poverty (%)	20.6	23.4
# of Children Enrolled in Medicaid	1,316	356,919
Median Household Income	44,959	41,489
Delivery Payment Source (%)		
Medicaid	49.8	45.1
Private	41.8	43.4
Other	8.4	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	55.4	75.5
Second Trimester Prenatal Care	34.6	19.3
Third Trimester Prenatal Care	7.4	3.9
No Prenatal Care	2.6	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.9	6.5
Gestational Diabetes	4.6	4.6
Pre-Pregnancy Obesity	26.6	26.6
Pre-Pregnancy Underweight	5.1	5.3
Smoking During Pregnancy	22.4	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	5.5	9.2
Very Low Birth Weight (<1500g)	0.8	1.5
Preterm Births (<37 weeks)	12.0	14.2
Late Preterm Births (34-36 weeks)	5.9	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7

Method of Delivery (%)

Vaginal Deliveries	71.3	64.8
Total C-Section Deliveries	28.7	35.2
Repeat C-Section	11.0	12.3

Post-natal Nutrition

Breastfeeding initiation (%)	64.1	54.8
WIC Participation (%)	52.7	50.1

Children Indicators

# of WIC Children 2-5 years	227	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	17.2	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	11.9	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	61	12,397
# Children Abused	68	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008
US Census Bureau, Population Estimates Program, 2008
Vital Statistics, 2008
National Center for Health Statistics, National Vital Statistics Report 2007
PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)
Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Spencer County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Spencer	KY
Total Live Births	211	58,923
# of Childbearing Women (15-44)	3,528	868,294
# of Children (<18)	4,110	1,015,949

Maternal Race/Ethnicity (%)

White	98.1	85.6
Black	0.5	9.3
Asian/Pacific Islander	0.0	1.5
Other	1.4	3.6
Hispanic	1.9	5.0

Maternal Characteristics (%)

Mother's Age <18	2.8	3.8
Mother's Age >=35	11.4	9.6
Mother < High School Education	10.0	20.6
Repeat Births to Teens	1.0	2.6
Repeat Births <12Months From Previous Birth	2.7	3.6

MCH SES Indicators

Children Living in Poverty (%)	11.2	23.4
# of Children Enrolled in Medicaid	827	356,919
Median Household Income	64,286	41,489

Delivery Payment Source (%)

Medicaid	25.1	45.1
Private	69.2	43.4
Other	5.7	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	87.5	75.5
Second Trimester Prenatal Care	10.1	19.3
Third Trimester Prenatal Care	1.9	3.9

No Prenatal Care	0.5	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.7	6.5
Gestational Diabetes	1.4	4.6
Pre-Pregnancy Obesity	20.9	26.6
Pre-Pregnancy Underweight	2.8	5.3
Smoking During Pregnancy	19.0	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	5.7	9.2
Very Low Birth Weight (<1500g)	1.9	1.5
Preterm Births (<37 weeks)	13.0	14.2
Late Preterm Births (34-36 weeks)	3.3	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	66.8	64.8
Total C-Section Deliveries	33.2	35.2
Repeat C-Section	8.1	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	70.6	54.8
WIC Participation (%)	27.0	50.1
Children Indicators		
# of WIC Children 2-5 years	192	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.1	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	13.0	15.7

# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	27	12,397
# Children Abused	27	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Taylor County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Taylor	KY
Total Live Births	334	58,923
# of Childbearing Women (15-44)	4,698	868,294
# of Children (<18)	5,423	1,015,949
Maternal Race/Ethnicity (%)		
White	93.1	85.6
Black	5.1	9.3
Asian/Pacific Islander	0.3	1.5
Other	1.5	3.6
Hispanic	2.4	5.0
Maternal Characteristics (%)		
Mother's Age <18	2.7	3.8
Mother's Age >=35	6.3	9.6
Mother < High School Education	19.8	20.6
Repeat Births to Teens	2.7	2.6

Repeat Births <12Months From Previous Birth	2.0	3.6
MCH SES Indicators		
Children Living in Poverty (%)	25.9	23.4
# of Children Enrolled in Medicaid	2,062	356,919
Median Household Income	35,615	41,489
Delivery Payment Source (%)		
Medicaid	52.0	45.1
Private	43.2	43.4
Other	4.8	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	69.2	75.5
Second Trimester Prenatal Care	27.5	19.3
Third Trimester Prenatal Care	2.7	3.9
No Prenatal Care	0.6	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.5	6.5
Gestational Diabetes	3.9	4.6
Pre-Pregnancy Obesity	30.3	26.6
Pre-Pregnancy Underweight	4.8	5.3
Smoking During Pregnancy	38.0	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.9	9.2
Very Low Birth Weight (<1500g)	1.5	1.5
Preterm Births (<37 weeks)	15.2	14.2

Late Preterm Births (34-36 weeks)	4.2	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	61.7	64.8
Total C-Section Deliveries	38.3	35.2
Repeat C-Section	18.9	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	49.5	54.8
WIC Participation (%)	60.4	50.1
Children Indicators		
# of WIC Children 2-5 years	370	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	16.5	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	14.6	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	56	12,397
# Children Abused	85	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Todd County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Todd	KY

Total Live Births	178	58,923
# of Childbearing Women (15-44)	2,333	868,294
# of Children (<18)	3,227	1,015,949
Maternal Race/Ethnicity (%)		
White	88.2	85.6
Black	6.2	9.3
Asian/Pacific Islander	0.0	1.5
Other	5.6	3.6
Hispanic	5.6	5.0
Maternal Characteristics (%)		
Mother's Age <18	2.8	3.8
Mother's Age >=35	14.6	9.6
Mother < High School Education	41.6	20.6
Repeat Births to Teens	1.7	2.6
Repeat Births <12Months From Previous Birth	3.7	3.6
MCH SES Indicators		
Children Living in Poverty (%)	27.3	23.4
# of Children Enrolled in Medicaid	1,149	356,919
Median Household Income	36,083	41,489
Delivery Payment Source (%)		
Medicaid	42.7	45.1
Private	28.1	43.4
Other	29.2	11.6
Prenatal Care Entry (%)		

First Trimester Prenatal Care	63.3	75.5
Second Trimester Prenatal Care	27.1	19.3
Third Trimester Prenatal Care	8.5	3.9
No Prenatal Care	1.1	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.2	6.5
Gestational Diabetes	2.8	4.6
Pre-Pregnancy Obesity	29.8	26.6
Pre-Pregnancy Underweight	2.3	5.3
Smoking During Pregnancy	23.6	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.3	9.2
Very Low Birth Weight (<1500g)	1.1	1.5
Preterm Births (<37 weeks)	13.6	14.2
Late Preterm Births (34-36 weeks)	3.9	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	64.6	64.8
Total C-Section Deliveries	35.4	35.2
Repeat C-Section	9.5	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	61.8	54.8
WIC Participation (%)	53.9	50.1
Children Indicators		

# of WIC Children 2-5 years	270	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	20.0	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	14.4	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	28	12,397
# Children Abused	34	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Trigg County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Trigg	KY
Total Live Births	135	58,923
# of Childbearing Women (15-44)	2,341	868,294
# of Children (<18)	2,871	1,015,949
Maternal Race/Ethnicity (%)		
White	91.9	85.6
Black	7.4	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.7	3.6
Hispanic	0.7	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.7	3.8

Mother's Age >=35	10.4	9.6
Mother < High School Education	19.3	20.6
Repeat Births to Teens	2.2	2.6
Repeat Births <12Months From Previous Birth	4.8	3.6
MCH SES Indicators		
Children Living in Poverty (%)	20.8	23.4
# of Children Enrolled in Medicaid	889	356,919
Median Household Income	43,316	41,489
Delivery Payment Source (%)		
Medicaid	55.6	45.1
Private	29.6	43.4
Other	14.8	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	67.9	75.5
Second Trimester Prenatal Care	27.6	19.3
Third Trimester Prenatal Care	3.7	3.9
No Prenatal Care	0.7	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	6.7	6.5
Gestational Diabetes	2.2	4.6
Pre-Pregnancy Obesity	30.4	26.6
Pre-Pregnancy Underweight	5.2	5.3
Smoking During Pregnancy	32.6	25.3
Adverse Birth Outcomes (%)		

Low Birth Weight (<2500g)	10.4	9.2
Very Low Birth Weight (<1500g)	1.5	1.5
Preterm Births (<37 weeks)	19.7	14.2
Late Preterm Births (34-36 weeks)	6.7	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	62.2	64.8
Total C-Section Deliveries	37.8	35.2
Repeat C-Section	16.3	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	44.4	54.8
WIC Participation (%)	59.3	50.1
Children Indicators		
# of WIC Children 2-5 years	226	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	15.5	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	13.7	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	20	12,397
# Children Abused	37	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

County Profile: Trimble County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Trimble	KY
Total Live Births	125	58,923
# of Childbearing Women (15-44)	1,818	868,294
# of Children (<18)	2,179	1,015,949
Maternal Race/Ethnicity (%)		
White	96.0	85.6
Black	0.8	9.3
Asian/Pacific Islander	0.0	1.5
Other	3.2	3.6
Hispanic	2.4	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.2	3.8
Mother's Age >=35	8.8	9.6
Mother < High School Education	22.4	20.6
Repeat Births to Teens	3.2	2.6
Repeat Births <12Months From Previous Birth	4.4	3.6
MCH SES Indicators		
Children Living in Poverty (%)	20.1	23.4
# of Children Enrolled in Medicaid	775	356,919
Median Household Income	45,322	41,489
Delivery Payment Source (%)		
Medicaid	34.4	45.1

Private	37.6	43.4
Other	28.0	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	73.4	75.5
Second Trimester Prenatal Care	23.4	19.3
Third Trimester Prenatal Care	2.1	3.9
No Prenatal Care	0.8	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	4.0	6.5
Gestational Diabetes	6.4	4.6
Pre-Pregnancy Obesity	20.8	26.6
Pre-Pregnancy Underweight	28.0	5.3
Smoking During Pregnancy	34.4	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	12.0	9.2
Very Low Birth Weight (<1500g)	0.8	1.5
Preterm Births (<37 weeks)	9.8	14.2
Late Preterm Births (34-36 weeks)	2.4	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	67.2	64.8
Total C-Section Deliveries	32.8	35.2
Repeat C-Section	9.6	12.3
Post-natal Nutrition		

Breastfeeding initiation (%)	48.8	54.8
WIC Participation (%)	35.2	50.1
Children Indicators		
# of WIC Children 2-5 years	135	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	14.8	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	16.3	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	20	12,397
# Children Abused	30	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Union County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Union	KY
Total Live Births	181	58,923
# of Childbearing Women (15-44)	3,072	868,294
# of Children (<18)	3,714	1,015,949
Maternal Race/Ethnicity (%)		
White	88.4	85.6
Black	9.4	9.3
Asian/Pacific Islander	0.0	1.5
Other	2.2	3.6

Hispanic	2.2	5.0
Maternal Characteristics (%)		
Mother's Age <18	5.5	3.8
Mother's Age >=35	5.0	9.6
Mother < High School Education	18.2	20.6
Repeat Births to Teens	5.5	2.6
Repeat Births <12Months From Previous Birth	5.7	3.6
MCH SES Indicators		
Children Living in Poverty (%)	22.7	23.4
# of Children Enrolled in Medicaid	1,213	356,919
Median Household Income	42,261	41,489
Delivery Payment Source (%)		
Medicaid	46.4	45.1
Private	29.8	43.4
Other	23.8	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	69.1	75.5
Second Trimester Prenatal Care	28.2	19.3
Third Trimester Prenatal Care	1.7	3.9
No Prenatal Care	1.1	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.5	6.5
Gestational Diabetes	2.8	4.6
Pre-Pregnancy Obesity	22.1	26.6

Pre-Pregnancy Underweight	26.0	5.3
Smoking During Pregnancy	21.6	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	14.9	9.2
Very Low Birth Weight (<1500g)	3.3	1.5
Preterm Births (<37 weeks)	13.2	14.2
Late Preterm Births (34-36 weeks)	5.0	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	53.6	64.8
Total C-Section Deliveries	46.4	35.2
Repeat C-Section	21.0	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	33.7	54.8
WIC Participation (%)	50.8	50.1
Children Indicators		
# of WIC Children 2-5 years	219	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	17.4	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	14.2	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	32	12,397
# Children Abused	61	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Warren County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Warren	KY
Total Live Births	1,428	58,923
# of Childbearing Women (15-44)	24,314	868,294
# of Children (<18)	24,034	1,015,949
Maternal Race/Ethnicity (%)		
White	79.6	85.6
Black	9.5	9.3
Asian/Pacific Islander	3.8	1.5
Other	7.1	3.6
Hispanic	7.4	5.0
Maternal Characteristics (%)		
Mother's Age <18	3.5	3.8
Mother's Age >=35	10.5	9.6
Mother < High School Education	17.9	20.6
Repeat Births to Teens	3.1	2.6
Repeat Births <12Months From Previous Birth	3.2	3.6
MCH SES Indicators		
Children Living in Poverty (%)	21.2	23.4
# of Children Enrolled in Medicaid	8,068	356,919
Median Household Income	43,368	41,489

Delivery Payment Source (%)

Medicaid	46.4	45.1
Private	48.9	43.4
Other	4.8	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	61.7	75.5
Second Trimester Prenatal Care	30.4	19.3
Third Trimester Prenatal Care	6.6	3.9
No Prenatal Care	1.2	1.3

Adverse Birth Outcomes Risk Factors (%)

Gestational Hypertension	6.4	6.5
Gestational Diabetes	3.8	4.6
Pre-Pregnancy Obesity	21.7	26.6
Pre-Pregnancy Underweight	3.6	5.3
Smoking During Pregnancy	17.7	25.3

Adverse Birth Outcomes (%)

Low Birth Weight (<2500g)	9.2	9.2
Very Low Birth Weight (<1500g)	1.3	1.5
Preterm Births (<37 weeks)	17.1	14.2
Late Preterm Births (34-36 weeks)	5.3	4.7
Infant Mortality (Rate per 1,000 live births)	8.0	6.7

Method of Delivery (%)

Vaginal Deliveries	71.6	64.8
Total C-Section Deliveries	28.4	35.2

Repeat C-Section	9.2	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	71.3	54.8
WIC Participation (%)	48.8	50.1
Children Indicators		
# of WIC Children 2-5 years	1,219	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	18.5	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	18.0	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	477	12,397
# Children Abused	306	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Washington County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Washington	KY
Total Live Births	136	58,923
# of Childbearing Women (15-44)	2,191	868,294
# of Children (<18)	2,784	1,015,949
Maternal Race/Ethnicity (%)		
White	88.2	85.6

Black	5.2	9.3
Asian/Pacific Islander	0.0	1.5
Other	6.6	3.6
Hispanic	7.3	5.0
Maternal Characteristics (%)		
Mother's Age <18	2.2	3.8
Mother's Age >=35	11.0	9.6
Mother < High School Education	13.2	20.6
Repeat Births to Teens	0.7	2.6
Repeat Births <12Months From Previous Birth	2.3	3.6
MCH SES Indicators		
Children Living in Poverty (%)	21.6	23.4
# of Children Enrolled in Medicaid	781	356,919
Median Household Income	40,375	41,489
Delivery Payment Source (%)		
Medicaid	19.8	45.1
Private	53.7	43.4
Other	26.5	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	79.1	75.5
Second Trimester Prenatal Care	15.7	19.3
Third Trimester Prenatal Care	4.5	3.9
No Prenatal Care	0.7	1.3
Adverse Birth Outcomes Risk Factors (%)		

Gestational Hypertension	6.6	6.5
Gestational Diabetes	7.4	4.6
Pre-Pregnancy Obesity	35.3	26.6
Pre-Pregnancy Underweight	1.5	5.3
Smoking During Pregnancy	22.8	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	7.4	9.2
Very Low Birth Weight (<1500g)	1.5	1.5
Preterm Births (<37 weeks)	12.4	14.2
Late Preterm Births (34-36 weeks)	2.9	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	63.2	64.8
Total C-Section Deliveries	36.8	35.2
Repeat C-Section	15.4	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	60.3	54.8
WIC Participation (%)	56.6	50.1
Children Indicators		
# of WIC Children 2-5 years	205	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	21.0	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	13.2	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	17	12,397
# Children Abused	67	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Wayne County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Wayne	KY
Total Live Births	254	58,923
# of Childbearing Women (15-44)	3,956	868,294
# of Children (<18)	4,794	1,015,949
Maternal Race/Ethnicity (%)		
White	92.9	85.6
Black	0.8	9.3
Asian/Pacific Islander	0.0	1.5
Other	6.3	3.6
Hispanic	6.3	5.0
Maternal Characteristics (%)		
Mother's Age <18	6.7	3.8
Mother's Age >=35	6.3	9.6
Mother < High School Education	32.7	20.6
Repeat Births to Teens	5.1	2.6
Repeat Births <12Months From Previous Birth	2.8	3.6
MCH SES Indicators		

Children Living in Poverty (%)	36.8	23.4
# of Children Enrolled in Medicaid	2,419	356,919
Median Household Income	27,343	41,489
Delivery Payment Source (%)		
Medicaid	70.4	45.1
Private	22.5	43.4
Other	7.1	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	80.7	75.5
Second Trimester Prenatal Care	17.1	19.3
Third Trimester Prenatal Care	1.8	3.9
No Prenatal Care	0.4	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	7.1	6.5
Gestational Diabetes	3.1	4.6
Pre-Pregnancy Obesity	29.6	26.6
Pre-Pregnancy Underweight	3.2	5.3
Smoking During Pregnancy	30.3	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	10.6	9.2
Very Low Birth Weight (<1500g)	2.0	1.5
Preterm Births (<37 weeks)	15.1	14.2
Late Preterm Births (34-36 weeks)	3.9	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7

Method of Delivery (%)

Vaginal Deliveries	63.0	64.8
Total C-Section Deliveries	37.0	35.2
Repeat C-Section	13.0	12.3

Post-natal Nutrition

Breastfeeding initiation (%)	35.2	54.8
WIC Participation (%)	77.1	50.1

Children Indicators

# of WIC Children 2-5 years	482	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	17.2	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	19.9	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	37	12,397
# Children Abused	87	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008
US Census Bureau, Population Estimates Program, 2008
Vital Statistics, 2008
National Center for Health Statistics, National Vital Statistics Report 2007
PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)
Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Webster County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Webster	KY
Total Live Births	179	58,923
# of Childbearing Women (15-44)	2,648	868,294
# of Children (<18)	3,291	1,015,949

Maternal Race/Ethnicity (%)

White	87.2	85.6
Black	5.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	7.8	3.6
Hispanic	8.4	5.0

Maternal Characteristics (%)

Mother's Age <18	2.8	3.8
Mother's Age >=35	3.9	9.6
Mother < High School Education	24.6	20.6
Repeat Births to Teens	4.5	2.6
Repeat Births <12Months From Previous Birth	7.3	3.6

MCH SES Indicators

Children Living in Poverty (%)	22.8	23.4
# of Children Enrolled in Medicaid	1,093	356,919
Median Household Income	39,754	41,489

Delivery Payment Source (%)

Medicaid	52.0	45.1
Private	30.7	43.4
Other	17.3	11.6

Prenatal Care Entry (%)

First Trimester Prenatal Care	64.6	75.5
Second Trimester Prenatal Care	28.7	19.3
Third Trimester Prenatal Care	5.6	3.9

No Prenatal Care	1.1	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	3.9	6.5
Gestational Diabetes	2.8	4.6
Pre-Pregnancy Obesity	23.5	26.6
Pre-Pregnancy Underweight	14.0	5.3
Smoking During Pregnancy	28.5	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	9.5	9.2
Very Low Birth Weight (<1500g)	2.2	1.5
Preterm Births (<37 weeks)	11.6	14.2
Late Preterm Births (34-36 weeks)	3.3	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	56.4	64.8
Total C-Section Deliveries	43.6	35.2
Repeat C-Section	15.6	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	44.1	54.8
WIC Participation (%)	54.7	50.1
Children Indicators		
# of WIC Children 2-5 years	211	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	19.0	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	18.0	15.7

# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	8	12,397
# Children Abused	40	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Whitley County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Whitley	KY
Total Live Births	526	58,923
# of Childbearing Women (15-44)	8,011	868,294
# of Children (<18)	9,373	1,015,949
Maternal Race/Ethnicity (%)		
White	95.8	85.6
Black	2.7	9.3
Asian/Pacific Islander	0.6	1.5
Other	1.0	3.6
Hispanic	0.6	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.4	3.8
Mother's Age >=35	6.3	9.6
Mother < High School Education	27.8	20.6
Repeat Births to Teens	3.6	2.6

Repeat Births <12Months From Previous Birth	5.3	3.6
MCH SES Indicators		
Children Living in Poverty (%)	35.6	23.4
# of Children Enrolled in Medicaid	5,302	356,919
Median Household Income	27,394	41,489
Delivery Payment Source (%)		
Medicaid	71.1	45.1
Private	26.2	43.4
Other	2.7	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	76.7	75.5
Second Trimester Prenatal Care	17.6	19.3
Third Trimester Prenatal Care	4.9	3.9
No Prenatal Care	0.8	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	5.9	6.5
Gestational Diabetes	3.8	4.6
Pre-Pregnancy Obesity	28.1	26.6
Pre-Pregnancy Underweight	5.9	5.3
Smoking During Pregnancy	39.4	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	11.4	9.2
Very Low Birth Weight (<1500g)	2.3	1.5
Preterm Births (<37 weeks)	15.9	14.2

Late Preterm Births (34-36 weeks)	5.3	4.7
Infant Mortality (Rate per 1,000 live births)	14.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	68.8	64.8
Total C-Section Deliveries	31.2	35.2
Repeat C-Section	11.8	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	40.6	54.8
WIC Participation (%)	75.3	50.1
Children Indicators		
# of WIC Children 2-5 years	1,175	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	20.8	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	21.7	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	129	12,397
# Children Abused	162	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Wolfe County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Wolfe	KY

Total Live Births	108	58,923
# of Childbearing Women (15-44)	1,313	868,294
# of Children (<18)	1,805	1,015,949
Maternal Race/Ethnicity (%)		
White	100.0	85.6
Black	0.0	9.3
Asian/Pacific Islander	0.0	1.5
Other	0.0	3.6
Hispanic	0.0	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.6	3.8
Mother's Age >=35	5.6	9.6
Mother < High School Education	19.4	20.6
Repeat Births to Teens	3.7	2.6
Repeat Births <12Months From Previous Birth	3.5	3.6
MCH SES Indicators		
Children Living in Poverty (%)	53.2	23.4
# of Children Enrolled in Medicaid	1,252	356,919
Median Household Income	23,310	41,489
Delivery Payment Source (%)		
Medicaid	71.3	45.1
Private	26.8	43.4
Other	1.9	11.6
Prenatal Care Entry (%)		

First Trimester Prenatal Care	75.2	75.5
Second Trimester Prenatal Care	20.8	19.3
Third Trimester Prenatal Care	3.0	3.9
No Prenatal Care	1.0	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	10.2	6.5
Gestational Diabetes	5.6	4.6
Pre-Pregnancy Obesity	28.7	26.6
Pre-Pregnancy Underweight	4.6	5.3
Smoking During Pregnancy	36.1	25.3
Adverse Birth Outcomes (%)		
Low Birth Weight (<2500g)	11.1	9.2
Very Low Birth Weight (<1500g)	4.6	1.5
Preterm Births (<37 weeks)	17.6	14.2
Late Preterm Births (34-36 weeks)	8.3	4.7
Infant Mortality (Rate per 1,000 live births)	—*	6.7
Method of Delivery (%)		
Vaginal Deliveries	68.5	64.8
Total C-Section Deliveries	31.5	35.2
Repeat C-Section	10.2	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	34.3	54.8
WIC Participation (%)	76.9	50.1
Children Indicators		

# of WIC Children 2-5 years	278	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	19.8	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	16.5	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	29	12,397
# Children Abused	52	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)

County Profile: Woodford County

Reporting Period: January 1, 2008- December 31, 2008

Indicator	Woodford	KY
Total Live Births	258	58,923
# of Childbearing Women (15-44)	4,617	868,294
# of Children (<18)	6,023	1,015,949
Maternal Race/Ethnicity (%)		
White	91.9	85.6
Black	5.4	9.3
Asian/Pacific Islander	0.4	1.5
Other	2.3	3.6
Hispanic	10.5	5.0
Maternal Characteristics (%)		
Mother's Age <18	4.6	3.8

Mother's Age >=35	13.6	9.6
Mother < High School Education	20.9	20.6
Repeat Births to Teens	1.9	2.6
Repeat Births <12Months From Previous Birth	1.3	3.6
MCH SES Indicators		
Children Living in Poverty (%)	12.8	23.4
# of Children Enrolled in Medicaid	1,193	356,919
Median Household Income	58,076	41,489
Delivery Payment Source (%)		
Medicaid	38.0	45.1
Private	55.8	43.4
Other	6.2	11.6
Prenatal Care Entry (%)		
First Trimester Prenatal Care	80.4	75.5
Second Trimester Prenatal Care	16.8	19.3
Third Trimester Prenatal Care	2.4	3.9
No Prenatal Care	0.4	1.3
Adverse Birth Outcomes Risk Factors (%)		
Gestational Hypertension	10.5	6.5
Gestational Diabetes	6.2	4.6
Pre-Pregnancy Obesity	25.2	26.6
Pre-Pregnancy Underweight	6.6	5.3
Smoking During Pregnancy	19.4	25.3
Adverse Birth Outcomes (%)		

Low Birth Weight (<2500g)	8.5	9.2
Very Low Birth Weight (<1500g)	1.9	1.5
Preterm Births (<37 weeks)	14.3	14.2
Late Preterm Births (34-36 weeks)	5.4	4.7
Infant Mortality (Rate per 1,000 live births)	7.0	6.7
Method of Delivery (%)		
Vaginal Deliveries	62.8	64.8
Total C-Section Deliveries	37.2	35.2
Repeat C-Section	17.4	12.3
Post-natal Nutrition		
Breastfeeding initiation (%)	73.3	54.8
WIC Participation (%)	41.9	50.1
Children Indicators		
# of WIC Children 2-5 years	323	64,480
Overweight (85 th - <95 th) WIC Children 2-5 years (%)	14.2	16.6
Obese (>=95 th) WIC Children 2-5 years (%)	17.0	15.7
# Children Living in out-of-home Care (i.e. group home, foster homes, etc)	47	12,397
# Children Abused	38	14,802

*Rate not calculated for counties with <6 infant deaths.

Sources:

U.S. Census Bureau, Small Area Estimates Branch, 2008

US Census Bureau, Population Estimates Program, 2008

Vital Statistics, 2008

National Center for Health Statistics, National Vital Statistics Report 2007

PedNSS, 2008 is based on children that receive Women, Infant, and Children Services (WIC)

Kentucky Kids Count, 2008

Notes: 1. Women of childbearing age from American Community Survey 2005-2009 2. Infant mortality rate is number of infant deaths/number of live births 2004-2006 Kids Count data. 3. Overweight percentage is coming from WIC data.

[Top of Page](#)